















The Display Handbook 22/23



A creative solution for every need

Create greater brand awareness to stand out from the crowd

Our extensive portfolio of display products includes everything from portable A-sign boards, roller banners and digital displays to custom built exhibition stands, helping brands to creatively capture the attention of their target audience across a variety of display solutions and vibrant printed graphics.

-  Best seller
-  1 Year hardware guarantee
-  5 Year hardware guarantee
-  Comes with bag
-  Illuminated product
-  Available for use outdoors
-  Custom sizes available
-  Made in Europe
-  Use with fabric graphic
-  Use with PVC graphic
-  Use with self-adhesive graphic
-  Use with rigid panel graphic
-  Direct printing onto hardware



Contents

| | |
|---------------------------------------|------------|
| Display Stands | 6 |
| Modulate™ | 9 |
| Vector | 20 |
| Linear | 40 |
| Arena Structures | 50 |
| Hanging Structures | 54 |
| Arch | 56 |
| Display Backwalls | 58 |
| Illuminated pop-up backwalls | 60 |
| Non-illuminated pop-up backwalls | 61 |
| Non-illuminated fabric tube walls | 66 |
| Non-illuminated segmented frame walls | 68 |
| Non-illuminated tension Walls | 72 |
| Display Signs | 74 |
| Non-illuminated free-standing signs | 76 |
| Non-illuminated wall mounted signs | 82 |
| Illuminated wall mounted signs | 84 |
| Non-illuminated suspended signs | 85 |
| Strata | 86 |
| Display Banners | 88 |
| Lightboxes | 90 |
| Tension textile systems | 93 |
| Roller banners | 95 |
| Tension banners (X Banner) | 102 |
| Flag Banners | 104 |
| Free-standing flags | 106 |
| Free-standing flag bases | 108 |
| Post / wall mounted flags | 112 |
| Mobile flags | 113 |
| Tents | 114 |
| Pop-up tents | 116 |
| Inflatable tents | 119 |
| Counters | 120 |
| Non-illuminated promotional counters | 122 |
| Illuminated promotional counters | 125 |
| Barriers | 126 |
| Pedestrian control barriers | 128 |
| Queue management barriers | 129 |
| Ancillaries | 130 |
| Literature holders | 132 |
| Lighting | 133 |
| Lighting ancillaries | 135 |
| Portable transportation cases | 136 |
| Custom / made to measure graphics | 139 |
| Product Applications | 140 |
| Index | 151 |



A solution for every requirement

Our comprehensive range of creative display solutions

Our goal is to offer a comprehensive range of innovative products for a variety of industries and applications, all from a single supplier. This collection contains our portfolio of creative display solutions including our latest new products.

01 Display Stands

Complete exhibition stand solutions, incorporating hanging structures, modular stands, towers and customised stands



02 Display Backwalls

Large format graphic backdrops which are ideal for conferences, promotional activities and events



03 Display Signs

Professional wall, floor and suspended signage solutions



04 Display Banners

Portable display options, ideal for temporary deployment



05 Flag Banners

Attract attention at a distance through movement with eye-catching flag solutions



06 Tents

Perfect outdoor temporary shelters, outdoor pop-up shops and market stalls



07 Counters

Adaptable and portable temporary counters for promotional, display and exhibition applications



08 Barriers

Convenient and easy barrier systems, to create temporary areas, manage queues and control crowds



09 Ancillaries

Accessories designed to increase the functionality of a chosen product range





Display Stands

Display stands are the perfect solution for an array of different applications. From exhibitions, conferences, events, retail event zones to window displays and product showrooms; their uses are unlimited. The perfect stand will showcase and increase the opportunity to interact with existing and potential customers by creating engaging, and innovative brand promotion and messaging.

Our Display range of products include hanging structures to attract interest from a distance, modular stand components and display towers that can be combined to create truly contemporary and captivating exhibition spaces. The collective modular systems; Modulate™, Formulate, Vector and Linear are all designed to work in unison, to deliver a re-usable and reconfigurable exhibition stand. In addition, stands from the modular range also all feature replaceable graphics, thus protecting the investment in hardware, whilst still being renewable by updating branding or marketing messages.

Creating an effective display stand that drives results is extremely straightforward with this collection of pre-configured solutions. Simply select a design for inspiration whilst considering floor size and parameters of price-point. For a more unique stand construction, the modular range can also be customised - incorporating precise requirements with all the benefits that modular exhibition systems offer for complete creative innovation.



Stand component systems

Modulate™

Modulate™ is the fusion between two of our original concepts: Formulate and Vector. The range is composed of various frames made of aluminium tubes, equipped with the patented magnet system: MagLink. Modulate™ provides a custom build solution through its hundreds of possible configurations using the various modules.

Vector

One of the simplest and most versatile communication solutions on the market. Vector is an aluminium frame system with a stretched fabric graphic that adapts to any environment. With a variety of different profiles, all applications are possible: suspended, wall-mounted, self-supporting, double-sided or illuminated.

Linear

A versatile POS and stand solution which enhances flexible and rigid PVC supports. Linear can either be a visible or invisible structure, where stands can be configured according to available space and the desired design.

Arena

A tubular aluminium gantry structure that is both extremely strong and light. The different sections can be assembled according to the space and can be covered with fabric or vinyl graphics.

Hanging Structures

Make your exhibition stands stand out with an eye catching Vector LED hanging structure. Vector LED are the perfect combination of our versatile Vector frames combined with a powerful LED system. Alternatively, select one of our lightweight Formulate hanging structures to compliment your stand design, which uses a lightweight 30mm tubular system that can be neatly wrapped in a fabric printed graphic.

Arch

The Formulate Arch offers a freestanding walkway solution created using our 30mm Formulate structure, which is lightweight and easy to build.

Considerations for exhibitions

Why exhibit at a trade show?

Trade shows remain the preferred communication channel for companies seeking to increase their reputation and promote their image.

The benefits of a trade show are vast and very attractive. They enable several actions to be carried out in a relatively short period of time:

- Brand positioning
- Prospecting
- Market research
- Launch of new products
- Building customer loyalty
- Business networking

The centrepiece: your stand

The success of any trade show depends on its cost vs quality and ROI for generating leads and meeting other sales / marketing objectives.

1. Location:

How much space? How many open sides?

2. The design:

Which media: textile, rigid, flexible panels?

Need to communicate in height: sign, extension or extension of storage room?

Do you need a storeroom to store equipment? What kind of lighting?

3. Use:

How often?

Will it need to be scalable in shape and size?

What means of transport do you have?

Will the stand be reused in another environment i.e. customer showroom, inhouse events etc.?

4. The budget :

What is the budget for the stand?

Over how many shows will it pay for itself?

The keys to success

To have a successful trade fair, it is essential to :

- Set 3 to 5 objectives that will guide the marketing strategy of the event
- Ensure maximum visual impact with a quality stand that will enhance the company's image (openings, suspended communication, graphics, materials, etc.)
- Implement effective communication and promotion: before, during and after the event (emailing, invitation, social networks, stand promotion, etc.)

Why choose a modular stand?

- Lightweight and compact
- Reconfigurable
- Quick payback
- Durable
- Easy to assemble
- Standard or custom made
- Unlimited message renewal
- Ergonomic



MODULATE™



Modulate

The best way to attract attention

Modulate™ is the result of the fusion of two original concepts that have proven successful in the exhibition and retail world; Formulate tubular solutions and the modularity of Vector frames.


Modulate™ is a collection of various frames made from aluminum tubes and covered with a printed textile cover. These frames can be easily connected to each other by means of powerful magnets placed inside each structure.

Based on this simple magnetic principle, it is possible to combine the different Modulate™ frames to create configurations for all communication areas: at the point of sale, at trade fairs, in exhibition areas, in shopping centres or simply within companies themselves.

MagLink connector, simple, fast and reconfigurable



Thanks to the exclusive MagLink magnetic system integrated into the structure, you can connect the frames to each other simply by bringing them together.



Optional 400 mm extension to change the height of the structures



MagLink connectors 360° in each post



Modulate™ carry bag with dedicated slots for feet and graphics



Intuitive marking on each section for easy assembly



Self-locking system with elastic posts and push-fit button



Rounded or straight corners with the reference MOD-SQ-ANGLE



2 Stabilising feet with Twist & Lock system, supplied with each frame




Central reinforcement bar (18 mm diameter)




Double-sided custom printed fabric graphic that zips closed

Tool-less assembly

Modulate™ structures are easy to assemble without tools. Each section is marked with numbers and colours and connected with push buttons. Once the structure is assembled, the Twist & Lock feet will rotate a quarter of a turn until they lock into a perfectly stable self-supporting frame. Finally pull-on the printed fabric graphic which perfectly fits to the contour of the frame.




Twist & Lock Foot installation



Structures with unique technological innovations!


To add versatility to Modulate™ structures, a 400 mm tubular extension can be added. With this extension, which is easily placed between two sections, you can use the same frame with two different heights.



Standard Modulate™ Frames

Modulate™ is an innovative double-sided display system that consists of a set of lightweight aluminium frames covered with a custom printed tension fabric graphic. Frames connect together using powerful magnets encased inside each element and can be joined at any angle to create shaped displays or backwalls. Frames are completed with tension-fit fabric graphic pulls over the frame and zips at the base. Frames are available in various widths and two height options. Each frame is supplied with two stabilising feet which can be used if required for extra stability. The Modulate™ Straight frames can be used on their own or combined with other frames to create hundreds of configurations.

| | |
|--------------------|--|
| Material | Aluminium |
| Tube | 30mm Ø |
| Assembly | Tool-free push-button connectors |
| Shape | Straight |
| Graphic area | Double-sided |
| Graphic attachment | Zipped tension-fit graphic |
| Application | Free-standing with feet (included) |
| Transport | Modulate™ carry bag with dedicated pockets for the feet and graphics |



Modulate™ Straight

Modulate™ Straight 420, 424




| | | |
|------------------------------|--------------|--------------------------------|
| Straight 420 rounded corners | MOD-S-420 | Ⓞ 418(w) x 2000(h) x 400(d) mm |
| Straight 424 rounded corners | MOD-S-424 | Ⓞ 418(w) x 2400(h) x 400(d) mm |
| Straight 420 square corners | MOD-S-420-SQ | Ⓞ 418(w) x 2000(h) x 400(d) mm |
| Straight 424 square corners | MOD-S-424-SQ | Ⓞ 418(w) x 2400(h) x 400(d) mm |



Modulate™ Straight 820, 824




| | | |
|------------------------------|--------------|--------------------------------|
| Straight 810 rounded corners | MOD-S-810 | Ⓞ 818(w) x 1000(h) x 400(d) mm |
| Straight 820 rounded corners | MOD-S-820 | Ⓞ 818(w) x 2000(h) x 400(d) mm |
| Straight 824 rounded corners | MOD-S-824 | Ⓞ 818(w) x 2400(h) x 400(d) mm |
| Straight 810 square corners | MOD-S-810-SQ | Ⓞ 818(w) x 1000(h) x 400(d) mm |
| Straight 820 square corners | MOD-S-820-SQ | Ⓞ 818(w) x 2000(h) x 400(d) mm |
| Straight 824 square corners | MOD-S-824-SQ | Ⓞ 818(w) x 2400(h) x 400(d) mm |



Modulate™ Straight 1020, 1024



| | | |
|-------------------------------|---------------|---------------------------------|
| Straight 1020 rounded corners | MOD-S-1020 | Ⓞ 1018(w) x 2000(h) x 400(d) mm |
| Straight 1024 rounded corners | MOD-S-1024 | Ⓞ 1018(w) x 2400(h) x 400(d) mm |
| Straight 1020 square corners | MOD-S-1020-SQ | Ⓞ 1018(w) x 2000(h) x 400(d) mm |
| Straight 1024 square corners | MOD-S-1024-SQ | Ⓞ 1018(w) x 2400(h) x 400(d) mm |



Modulate™ Straight 1820, 1824




| | | |
|-------------------------------|---------------|---------------------------------|
| Straight 1820 rounded corners | MOD-S-1820 | Ⓞ 1818(w) x 2000(h) x 400(d) mm |
| Straight 1824 rounded corners | MOD-S-1824 | Ⓞ 1818(w) x 2400(h) x 400(d) mm |
| Straight 1820 square corners | MOD-S-1820-SQ | Ⓞ 1818(w) x 2000(h) x 400(d) mm |
| Straight 1824 square corners | MOD-S-1824-SQ | Ⓞ 1818(w) x 2400(h) x 400(d) mm |



Modulate™ Straight 2020, 2024



| | | |
|-------------------------------|---------------|---------------------------------|
| Straight 2020 rounded corners | MOD-S-2020 | Ⓞ 2018(w) x 2000(h) x 400(d) mm |
| Straight 2024 rounded corners | MOD-S-2024 | Ⓞ 2018(w) x 2400(h) x 400(d) mm |
| Straight 2020 square corners | MOD-S-2020-SQ | Ⓞ 2018(w) x 2000(h) x 400(d) mm |
| Straight 2024 square corners | MOD-S-2024-SQ | Ⓞ 2018(w) x 2400(h) x 400(d) mm |



Modulate™ Slope

Modulate™ Slope



| | | |
|--------------------|--|--|
| Material | Aluminium | |
| Tube | 30mm Ø | |
| Assembly | Tool-free push-button connectors | |
| Shape | Straight | |
| Graphic area | Double-sided | |
| Graphic attachment | Zipped tension-fit graphic | |
| Application | Free-standing with feet (included) | |
| Transport | Modulate™ carry bag with dedicated pockets for the feet and graphics | |

| | | |
|---------|---------------|---------------------------------|
| Slope 1 | MOD-SS-824-01 | Ⓞ, 818(w) x 2300(h) x 400(d) mm |
| Slope 2 | MOD-SS-824-02 | Ⓞ, 818(w) x 2400(h) x 400(d) mm |



Slope 1

Slope 2

Modulate™ Door



The Modulate™ Door frame joins magnetically to other frames in the Modulate™ range and is tool-free in its design. Constructed from lightweight aluminium tubing with magnets held in the frames to join backwalls together. Complete with optional tension-fit fabric graphic, the door is ideal for store room areas or meeting rooms.

| | | |
|--------------------|--|--|
| Material | Aluminium | |
| Tube | 30mm Ø | |
| Assembly | Tool-free push-button connectors | |
| Shape | Straight | |
| Graphic area | Double-sided | |
| Graphic attachment | Zipped tension-fit graphic | |
| Application | Free-standing with feet (included) | |
| Transport | Modulate™ carry bag with dedicated pockets for the feet and graphics | |

| | | |
|--------------------------------|-------------------|---------------------------------|
| Modulate™ door Rounded corners | MOD-S-DOOR-820 | Ⓞ, 800(w) x 2000(h) x 120(d) mm |
| | MOD-S-DOOR-824 | Ⓞ, 800(w) x 2400(h) x 120(d) mm |
| Modulate™ door Square corners | MOD-S-DOOR-820-SQ | Ⓞ, 800(w) x 2000(h) x 120(d) mm |
| | MOD-S-DOOR-824-SQ | Ⓞ, 800(w) x 2400(h) x 120(d) mm |



The Modulate™ Door can be used with either a left or right-hand handle



2 handles and 1 stop for Modulate™ Door
MOD-S-DOOR-SP-01 included



2 Twist & Lock Square Feet
MOD-FOOT-SQ-P included



An adjustable Foot
Formulate
FMLT-MOD-30-ADJ-F included

Modulate™ ancillaries

Modulate™ Half Feet (pair)

| | |
|-----------------|-----------------------------|
| MOD-HALF-FOOT-P | Ⓞ, 80(w) x 6(h) x 215(d) mm |
|-----------------|-----------------------------|



Modulate™ Feet (pair)

| | |
|------------|-----------------------------|
| MOD-FOOT-P | Ⓞ, 80(w) x 6(h) x 400(d) mm |
|------------|-----------------------------|



Modulate™ Bag

| | |
|---------|---------------------------------|
| MOD-BAG | Ⓞ, 1020(w) x 225(h) x 100(d) mm |
|---------|---------------------------------|



Modulate™ 400mm Extension Kit

| | |
|--------------|-------------------------------|
| MOD-EXT400MM | Ⓞ, 3 tubes 400(h) x 30 (Ø) mm |
|--------------|-------------------------------|



Spotlight Clamp for Formulate / Modulate™ Tube

| | |
|-------|-----------------------------|
| US903 | Ⓞ, 48(w) x 32(h) x 50(d) mm |
|-------|-----------------------------|



Screen Holder for Modulate™ / Formulate Ø 30mm

| | |
|-------|---------------------------------|
| LN136 | Ⓞ, 900(w) x 1800(h) x 650(d) mm |
|-------|---------------------------------|



Pre-configured Modulate™ stand examples


This section showcases examples of various pre-configured Modulate™ Stands that can be achieved using the various Modulate™ hardware and ancillaries.

Modulate™ Stand 9m²




| | |
|--------------------|----------------------------------|
| Material | Aluminium |
| Tube | 30mm Ø |
| Assembly | Tool-free push-button connectors |
| Graphic area | Double-sided |
| Graphic attachment | Zipped tension-fit graphic |

| | |
|---------------------------------|-------------------|
| Straight 2024 right angles (x2) | MOD-S-2024-SQ |
| Straight 824 right angles (x3) | MOD-S-824-SQ |
| Door Modulate™ | MOD-S-DOOR-824-SQ |
| Pair of half flat Feet (x2) | MOD-HALF-FOOT-P |
| Modulate™ counter | FORM-MOD-CNTR-01 |
| Internal shelf | FORM-MOD-CNTR-02 |



Modulate™ cupboard perfect for storage



Optional Spot LED-STRIP-ARM-BDLK



Clamp US903



Bag MOD-BAG

Modulate™ Stand 12m²




| | |
|--------------------|----------------------------------|
| Material | Aluminium |
| Tube | 30mm Ø |
| Assembly | Tool-free push-button connectors |
| Graphic area | Double-sided |
| Graphic attachment | Zipped tension-fit graphic |

| | |
|---------------------------------|-------------------|
| Straight 2024 right angles (x3) | MOD-S-2024-SQ |
| Straight 1024 right angles | MOD-S-1024-SQ |
| Straight 824 right angles (x4) | MOD-S-824-SQ |
| Modulate™ Door | MOD-S-DOOR-824-SQ |
| Pair of half flat feet x4 | MOD-HALF-FOOT-P |



Possibility to add PS950-1000 LED spotlights



Half feet Twist & Lock MOD-HALF-FOOT-P grey




2 handles and 1 stop for Modulate™ Door MOD-S-DOOR-SP-01 included

Modulate™ Stand 15m²



| | |
|--------------------|----------------------------------|
| Material | Aluminium |
| Tube | 30mm Ø |
| Assembly | Tool-free push-button connectors |
| Graphic area | Double-sided |
| Graphic attachment | Zipped tension-fit graphic |

| | |
|---------------------------------|-------------------|
| Straight 2024 right angles (x3) | MOD-S-2024-SQ |
| Straight 1024 right angles | MOD-S-1024-SQ |
| Straight 824 right angles (x3) | MOD-S-824-SQ |
| Slope 2 | MOD-SS-824-02 |
| Door Modulate™ | MOD-S-DOOR-824-SQ |
| Pair of half flat feet x4 | MOD-HALF-FOOT-P |
| Modulate™ counter | FORM-MOD-CNTR-01 |
| Internal shelf | FORM-MOD-CNTR-02 |




Configure the stand interior with additional Modulate™ frames



Possibility to add PS950-1000 LED spotlights



Half feet Twist & Lock MOD-HALF-FOOT-P



Accessorise with a Modulate™ counter

Modulate™ Stand 18m²



The Modulate™ range is ideal for the design of small and medium sized exhibition stands. The assembly of Modulate™ structures is simple, without tools and allows unlimited modularity and evolution of your configurations.

| | |
|--------------------|----------------------------------|
| Material | Aluminium |
| Tube | 30mm Ø |
| Assembly | Tool-free push-button connectors |
| Graphic area | Double-sided |
| Graphic attachment | Zipped tension-fit graphic |

| | |
|---------------------------------|-------------------|
| Straight 2024 right angles (x4) | MOD-S-2024-SQ |
| Straight 1024 right angles | MOD-S-1024-SQ |
| Straight 824 right angles (x4) | MOD-S-824-SQ |
| Door Modulate™ | MOD-S-DOOR-824-SQ |



Modulate™ cupboard - door with handle (without lock)



Modules join tool-free and without any connecting parts

The ease of assembly of the range allows for reconfigurable and reusable solutions: mix and match structures in an instant!



Vector


Visual marketing for every budget

Whether wall mounted, free-standing or backlit, the diverse range of Vector aluminium profiles provides a solution for every need and every budget.

They offer optimal visual impact and original designs that can be adapted to any event: showrooms, point of sale, exhibitions, museums and many others.

Anodised aluminium profiles

The Vector range includes 7 aluminium profile models that are perfect for all applications. Let our overview table guide you and make your choice easily.




| Code | VECTOR | Wall mounted | Free-standing | Illuminated | Double-sided | Premium range | Various colours |
|----------------|------------|--------------|---------------|-------------|--------------|---------------|-----------------|
| VWQF-CUSTOM* | 20 mm QF | x | | | | | x |
| VWF-CUSTOM | 20 mm Slim | x | | | | | |
| VLB30-CUSTOM | 30 mm LED | x | | x | | x | |
| VKF-CUSTOM* | 50 mm | | x | | x | x | |
| VLB75-CUSTOM* | 75 mm LED | x | x | x | | x | x |
| VLB100-CUSTOM* | 100 mm LED | | x | x | x | | |
| VLB125-CUSTOM | 125mm LED | | x | x | x | x | x |

* Available in standard modules for stand application

Vector Modules

An ultra-compact solution


From free-standing textile walls to exhibition stands, the Vector range offers a versatile and adaptable solution for all your events. The Vector frame system with stretched fabric covering is one of the simplest communication solutions on the market, particularly in a stand environment. Scalable, reconfigurable, ultra-portable: go from a 9 to a 15 m² stand with ease. Easily create stands of all sizes and shapes and accessorise them with spotlights, counters, document holders, etc.



A compact solution for portability and optimised storage

Choose the Vector Modules:

- 50 mm aluminium profiles
- Different modules: walls, arches, LEDs, storage...
- Packaged in numbered sections of 1250 mm,
- Delivered in a cardboard box with assembly instructions, accompanied by the visual of your choice
- In stock all year round
- Each module is already perforated on 4 sides and equipped with the necessary screws: easily assemble different modules together, one Allen key is enough.
- Reconfigurable and reusable: store the stand at home in a small box (1350 x 400 x 300 mm)
- Excellent return on investment.




Vector Modules – Walls



| | |
|---------------------|-------------------------------------|
| Material | Aluminium |
| Profile width | 50mm |
| Profile Colour Tube | Anodised |
| Assembly | Connectors assemble using Allen key |
| Graphic area | Single and double-sided |
| Graphic attachment | SEG 3mm |

| | | |
|----------|--------------|--------------------------------|
| Module A | MODULE-VFF-A | Ⓞ 2950(w) x 2500(h) x 50(d) mm |
| Module B | MODULE-VFF-B | Ⓞ 1950(w) x 2500(h) x 50(d) mm |
| Module C | MODULE-VFF-C | Ⓞ 950(w) x 2500(h) x 50(d) mm |
| Module M | MODULE-VFF-M | Ⓞ 2850(w) x 2500(h) x 50(d) mm |
| Module N | MODULE-VFF-N | Ⓞ 1850(w) x 2500(h) x 50(d) mm |
| Module O | MODULE-VFF-O | Ⓞ 450(w) x 2500(h) x 50(d) mm |
| Module L | MODULE-VFF-L | Ⓞ 2800(w) x 2500(h) mm |




Vector Modules LED



| | |
|---------------------|-------------------------------------|
| Material | Aluminium |
| Profile width | 75mm and 100mm |
| Profile Colour Tube | Anodised |
| Assembly | Connectors assemble using Allen key |
| Graphic area | Single and double-sided |
| Graphic attachment | SEG 3mm |
| LED System | Pre-installed LED lighting |

| | | |
|----------|--------------|---------------------------------|
| Module I | MODULE-VFF-I | Ⓞ 950(w) x 2550(h) mm |
| Module J | MODULE-VFF-J | Ⓞ 950(w) x 2500(h) x 75(d) mm |
| Module P | MODULE-VFF-P | Ⓞ 1850(w) x 2500(h) x 100(d) mm |



Post Module




| | |
|---------------------|--|
| Material | Aluminium |
| Profile width | 50mm |
| Profile Colour Tube | Anodised |
| Assembly | Connectors assemble using Allen key, Screw-in strips |

| | |
|-------------|------------------------------|
| Post Module | Ⓞ 50(w) x 50(d) x 2500(h) mm |
|-------------|------------------------------|



Vector Modules Extensions




| | |
|--------------------|-------------------------------------|
| Material | Aluminium |
| Profile width | 50mm |
| Profile Colour | Anodised |
| Assembly | Connectors assemble using Allen key |
| Graphic area | Single or double-sided |
| Graphic attachment | SEG 3mm |

| | | |
|----------|--------------|----------------------------------|
| Module K | MODULE-VFF-K | Ⓞ 1050(w) x 1000(h) x 1050(d) mm |
| Module Q | MODULE-VFF-Q | Ⓞ 1850(w) x 1000(h) x 100(d) mm |



Consider adding
2 x 1000mm
square posts

Vector Modules Storage



| | |
|--------------------|-------------------------------------|
| Material | Aluminium |
| Profile width | 50mm |
| Profile Colour | Anodised |
| Assembly | Connectors assemble using Allen key |
| Graphic area | Single and double-sided |
| Graphic attachment | SEG 3mm |

| | | |
|-------------------------------------|------------------|-------------------------------|
| Module F (door only) - Left handle | MODULE-VFF-FD-2 | Ⓞ 940(w) x 1930(h) x 50(d) mm |
| Module F (door only) - Right handle | MODULE-VFF-FD-2R | Ⓞ 940(w) x 1930(h) x 50(d) mm |



Vector standard stand designs


This section showcases examples of various pre-configured Vector Stands that can be achieved using the various Vector hardware and ancillaries.

Vector Stand 9m²



| | |
|--------------------|-------------------------------------|
| Material | Aluminium |
| Profile width | 50mm |
| Profile Colour | Anodised |
| Assembly | Connectors assemble using Allen key |
| Graphic area | Single or double-sided |
| Graphic attachment | SEG 3mm |

| | |
|---------------------|----------------|
| Module B (x2) | MODULE-VFF-B |
| Module G | MODULE-VFF-G-2 |
| Pair of angled feet | SLF1P |



Scalable stands go from
9m² to 15m²

Screw together Module B to the
corresponding post to form the
desired configuration.



Possibility to add
LED spotlights Exhibition
Code : LED-EXHIB-ARM-BDLK




Angle foot
Code: SLF1P




Return with lock
and key set

Vector Stand 12m²- Design 1



| | |
|--------------------|-------------------------------------|
| Material | Aluminium |
| Profile width | 50mm |
| Profile Colour | Anodised |
| Assembly | Connectors assemble using Allen key |
| Graphic area | Single or double-sided |
| Graphic attachment | SEG 3mm |

| | |
|---------------------------------|----------------|
| Module C (x2) | MODULE-VFF-C |
| Traverse 900 mm (x3) | LN605-900-L2 |
| Module F | MODULE-VFF-F-2 |
| Module V (x4) | MODULE-LN-V |
| Module L | MODULE-VFF-L |
| Module E (x2) | MODULE-VFF-E |
| Cross bar 950 mm (x12) | LN605-950-L2 |
| Vector Curved Counter-top Black | VCCB-BK |
| Pair of angled feet | SLF1P |



Possibility to add LED Flood spots
Code: LED-FLOOD-ARM-BDLK



Square post to create 90° angles




Return with lock and key set

Vector Stand 12m²- Design 2



| | |
|--------------------|-------------------------------------|
| Material | Aluminium |
| Profile width | 50mm |
| Profile Colour | Anodised |
| Assembly | Connectors assemble using Allen key |
| Graphic area | Single or double-sided |
| Graphic attachment | SEG 3mm |

| | |
|---------------------|-----------------|
| Module C | MODULE-VFF-C |
| Module H | MODULE-VFF-H |
| Module G | MODULE-VFF-G3-2 |
| Module B (x2) | MODULE-VFF-B |
| Pair of angled feet | SLF1P |



Vector graphic




Return with lock and key set




Spots Exhibition

Vector Stand 15m²- Design 1



| | |
|--------------------|-------------------------------------|
| Material | Aluminium |
| Profile width | 50mm |
| Profile Colour | Anodised |
| Assembly | Connectors assemble using Allen key |
| Graphic area | Single or double-sided |
| Graphic attachment | SEG 3mm |

| | |
|------------------------------------|-----------------|
| Module G3 | MODULE-VFF-G3-2 |
| Module B (x2) | MODULE-VFF-B |
| Vector Straight Wooden Counter-top | VSCB-BI |
| Pair of angled feet | SLF1P |



Scalable stands go from 9m² to 15m²



Square post to create 90° angles



Possibility to add LED spotlights Exhibition Code: LED-EXHIB-ARM-BDLK




Return with lock and key set

Vector Stand 15m²- Design 2



| | |
|--------------------|-------------------------------------|
| Material | Aluminium |
| Profile width | 50mm |
| Profile Colour | Anodised |
| Assembly | Connectors assemble using Allen key |
| Graphic area | Single or double-sided |
| Graphic attachment | SEG 3mm |

| | |
|-------------------------------|----------------|
| Module F | MODULE-VFF-F-2 |
| Module B (x3) | MODULE-VFF-B |
| Module C (x3) | MODULE-VFF-C |
| Module J | MODULE-VFF-J |
| Module O | MODULE-VFF-O |
| Module E (x6) | MODULE-VFF-E |
| Module K | MODULE-VFF-K |
| Vector Counter Straight Black | VSCB-BK |
| Pair of angled feet | SLF1P |



Module LED

Using a J-Module is a great way to add light to your stand and get noticed

Raise the backwall

Gain visibility and originality with this large reserve that can be personalised on all 4 sides



Square post to create 90° angles




Possibility to add LED spotlights Exhibition Code: LED-EXHIB-ARM-BDLK



Return with lock and key set


Vector Modules extensions

Vector Stand 15m² - Design 3



| | |
|--------------------|-------------------------------------|
| Material | Aluminium |
| Profile width | 50mm |
| Profile Colour | Anodised |
| Assembly | Connectors assemble using Allen key |
| Graphic area | Single or double-sided |
| Graphic attachment | SEG 3mm |

| | |
|-----------------------------------|------------------|
| Module G3 | MODULE-VFF-G3-2R |
| Module A | MODULE-VFF-A |
| Module B (x1) | MODULE-VFF-B |
| Module C (x2) | MODULE-VFF-C |
| Module I | MODULE-VFF-I |
| Vector LED sign | VLBH125-PAN-250 |
| Pair of angled feet | SLF1P |
| Vector straight counter-top White | VSCB-WH |
| Slim round Ø1000mm | VWFC-1000 |
| Slim round Ø400mm | VWFC-400 |



Vector graphic



Foot SLF1P




Spots LED-STRIP-ARM-BDLK

Vector Stand 18m²



| | |
|--------------------|--------------------------|
| Material | Aluminium |
| Profile width | 50mm |
| Profile Colour | Anodised |
| Assembly | Connector with Allen key |
| Graphic area | Single or double-sided |
| Graphic attachment | SEG 3mm |

| | |
|---------------------------------|-----------------|
| Module G | MODULE-VFF-G-2 |
| Module B (x3) | MODULE-VFF-B |
| Module C | MODULE-VFF-C |
| Module H | MODULE-VFF-H |
| Vector LED sign | VLBH125-PAN-250 |
| Pair of angled feet | SLF1P |
| Vector Curved Counter-top Black | VCCB-BK |



Rounded corner for a full graphic




Return with lock and key set




Literature holder

Vector Stand 24m²



| | |
|---------------------------|-------------------------------------|
| Material | Aluminium |
| Profile width | 50mm |
| Profile Colour | Anodised |
| Assembly | Connectors assemble using Allen key |
| Graphic area | Single or double-sided |
| Graphic attachment | SEG 3mm |

| | |
|------------------------------------|----------------|
| Module B (x2) | MODULE-VFF-B |
| Module N (x2) | MODULE-VFF-N |
| Module D (x2) | MODULE-VFF-D |
| Module C | MODULE-VFF-C |
| Module F | MODULE-VFF-F-2 |
| Module E (x4) | MODULE-VFF-E |
| Module Q | MODULE-VFF-Q |
| Posts (x2) 1000 mm | LN616-CUSTOM-M |
| Pair of angled feet | SLF1P |
| Vector Straight Wooden Counter-top | VSCB-BI |



Square post to create 90° angles



Return with lock and key set



Literature holder

Vector free-standing module configurations and ancillaries

3m Wall



| | |
|-----------------|-------------------------------|
| Material | 50 mm aluminium profile frame |
| Graphic | Fabric graphic with 3mm SEG |

| | |
|------------------------|--------------|
| Module A (x1) | MODULE-VFF-A |
| Pair of half-moon feet | LN155 |



6m Wall



| | |
|----------------|--------------|
| Module A (x2) | MODULE-VFF-A |
| Flat feet (x4) | LN155 |



Stabilising feet
For optimal stability of your structures, add feet at regular intervals.



Vector Modules ancillaries

Quick-fix Mounting Bracket

For hanging frames on shell schemes

Mounting bracket | LN134



Quarter Side Feet (pair)

SLF1P | @ 220(h) x 220(w) x 5(d) mm



Flat Foot for retail

Metal foot for free-standing frames
Available colour: ●

FX295 | @ 7(h) x 180(w) x 550(d) mm



Flat Foot

Metal foot for free-standing frames

LN155 | @ 7(h) x 75(w) x 450(d) mm



LCD Mounts

Mounts onto poles or crossbars

LN124A-01 | @ screens 32" x 55" (81 x 139 cm)



Custom Vector stands

The Vector range offers a versatile and adaptable solution for any event. The frame system is scalable and reconfigurable and are dressed with an optional custom printed stretched fabric graphic. The Vector range offers a versatile and adaptable solution for any event.

Vector Custom Stand 24m²


| | |
|--------------------|-------------------------------------|
| Material | Aluminium |
| Profile width | 50mm |
| Profile Colour | Anodised |
| Assembly | Connectors assemble using Allen key |
| Graphic area | Single or double-sided |
| Graphic attachment | SEG 3mm |

Add a touch of originality to your VECTOR stand by integrating FORMULATE



Vector Custom Stand 40m²

| | |
|--------------------|-------------------------------------|
| Material | Aluminium |
| Profile width | 50mm |
| Profile Colour | Anodised |
| Assembly | Connectors assemble using Allen key |
| Graphic area | Single or double-sided |
| Graphic attachment | SEG 3mm |



Vector Custom Stand 40m²

| | |
|--------------------|-------------------------------------|
| Material | Aluminium |
| Profile width | 50mm |
| Profile Colour | Anodised |
| Assembly | Connectors assemble using Allen key |
| Graphic area | Single or double-sided |
| Graphic attachment | SEG 3mm |



Vector Custom Stand 50m²

| | |
|--------------------|-------------------------------------|
| Material | Aluminium |
| Profile width | 50mm |
| Profile Colour | Anodised |
| Assembly | Connectors assemble using Allen key |
| Graphic area | Single or double-sided |
| Graphic attachment | SEG 3mm |




Vector Custom Stand 60m² - Design 1

| | |
|--------------------|-------------------------------------|
| Material | Aluminium |
| Profile width | 50mm |
| Profile Colour | Anodised |
| Assembly | Connectors assemble using Allen key |
| Graphic area | Single or double-sided |
| Graphic attachment | SEG 3mm |




Vector Custom Stand 60m² - Design 2

| | |
|--------------------|-------------------------------------|
| Material | Aluminium |
| Profile width | 50mm |
| Profile Colour | Anodised |
| Assembly | Connectors assemble using Allen key |
| Graphic area | Single or double-sided |
| Graphic attachment | SEG 3mm |



Vector Custom Stand 80m²

| | |
|--------------------|-------------------------------------|
| Material | Aluminium |
| Profile width | 50mm |
| Profile Colour | Anodised |
| Assembly | Connectors assemble using Allen key |
| Graphic area | Single or double-sided |
| Graphic attachment | SEG 3mm |




Vector Quick-fix Hanging Kit




The Vector Quick-fix Hanging Kit is a sleek 20mm low profile aluminium extrusion frame for optional SEG dye-sublimated fabric display graphics that simply push-fits into the frame's channel in a matter of seconds. Frames can be hung on a pre-built stand wall: a practical and economical way to decorate your stands.

| | |
|--------------------|---|
| Material | Anodised aluminium |
| Profile width | 20mm |
| Profile Colour | Silver |
| Assembly | Assemble the post and crossbar by locking with an Allen key |
| Mounting | Connects to a shell scheme with bracket fixing |
| Graphic area | Single sided |
| Graphic attachment | SEG 3mm |
| Availability | Made to order |


| | | |
|------------------------------|-------------|--------------------------------|
| Hanging frame 2350 x 950 mm | VHQF-950-S | 📏 950(w) x 2350(h) x 20(d) mm |
| Hanging frame 2350 x 1850 mm | VHQF-1850-S | 📏 1850(w) x 2350(h) x 20(d) mm |
| Hanging frame 2350 x 2850 mm | VHQF-2850-S | 📏 2850(w) x 2350(h) x 20(d) mm |



↪ An economical and elegant way to dress up your stand



Vector Quick Fix



LN134 mounting bracket



Corners are assembled using brackets


A wide range of profiles




Linear

Versatility of profiles and print media


Linear assembly principles




Channelled profiles and crosspieces in anodised aluminium:




LN618 - Round post
50mm 8 connections




LN616 - Square post
50mm 8 connections



LN607 - Square post
75mm 8 connections




LN605 - Beam 45mm




LN619 - Oval Beam
50mm

Graphic options for dressing structures

Whatever media you wish to use, you can choose to dress the structure entirely or partially.



PVC (1mm) graphics require the use of an adhesive magnetic tape which will be positioned on the back of the graphic with a metal strip that adheres to the structure.



Rigid panel graphics (5mm) allow the panel to fit directly into the channel of the post. If you wish to cover the entire structure, male and female hook and loop fasteners are used on the back and on the structure.

Linear Modules

The Linear range is made up of different aluminium profiles and is intended to provide an alternative to fabric-covered structures. The construction of grooved poles and reinforcing crosspieces allows the structures to be fitted with flexible PVC or rigid panel graphics.

Linear Modules are made up of aluminium posts and cross beams cut into 1.25m sections and are available in five different shapes: connecting posts, straight walls, curved walls, and returns. Create stands of all sizes or shapes and accessorise them with spotlights, counters and literature holders.



Linear Modules

The Linear range is available in 5 modules that can be combined to create different configurations.

Posts are cut into 1.25m sections, making them easy to transport and store. They are ready to be used with custom printed graphics.

Scalable solutions according to your needs and budget



Curved modules can be used in a concave or convex position



Module V EU

2-part post of 1250 mm

| | |
|----------------|-------------------------------------|
| Material | Aluminium |
| Profile width | 50mm |
| Assembly | Connectors assemble using Allen key |
| Graphic option | Rollable PVC or rigid panel |

| | | |
|----------|-------------|------------------------------|
| Module V | MODULE-LN-V | Ⓞ 50(w) x 2500(h) x 50(d) mm |
|----------|-------------|------------------------------|

Module W EU

1 Post and 3 crossbeams

| | |
|----------------|-------------------------------------|
| Material | Aluminium |
| Profile width | 50mm |
| Assembly | Connectors assemble using Allen key |
| Graphic option | Rollable PVC or rigid panel |

| | | |
|----------------|-------------|-------------------------------|
| Module W 950mm | MODULE-LN-W | Ⓞ 950(w) x 2500(h) x 50(d) mm |
|----------------|-------------|-------------------------------|

Module X EU

1 Post and 3 crossbeams

| | |
|----------------|-------------------------------------|
| Material | Aluminium |
| Profile width | 50mm |
| Assembly | Connectors assemble using Allen key |
| Graphic option | Rollable PVC or rigid panel |

| | | |
|-----------------|-------------|---------------------------------|
| Module X 1050mm | MODULE-LN-X | Ⓞ 1050(w) x 2500 (h) x 50(d) mm |
|-----------------|-------------|---------------------------------|

Add beams for custom width sizes

Module Y EU

Cupboard with lock and threshold bar included

| | |
|----------------|-------------------------------------|
| Material | Aluminium |
| Profile width | 50mm |
| Assembly | Connectors assemble using Allen key |
| Graphic option | Rollable PVC or rigid panel |

| | | |
|----------|-------------|----------------------------------|
| Module Y | MODULE-LN-Y | Ⓞ 1000(w) x 2500(h) x 1000(d) mm |
|----------|-------------|----------------------------------|

Module Z EU

Crossbar set, (posts not included)

| | |
|----------------|-------------------------------------|
| Material | Aluminium |
| Profile width | 50mm |
| Assembly | Connectors assemble using Allen key |
| Graphic option | Rollable PVC or rigid panel |


| | | |
|----------|-------------|-----------------------|
| Module Z | MODULE-LN-Z | Ⓞ 950(w) x 2500(h) mm |
|----------|-------------|-----------------------|

Linear standard stand designs

Linear Stand 9m² EU

| | |
|----------------|-------------------------------------|
| Material | Aluminium |
| Profile width | 50mm |
| Assembly | Connectors assemble using Allen key |
| Graphic option | Rollable PVC or rigid panel |

| | |
|--------------------|---|
| Module W (x6) | MODULE-LN-W |
| Module V | MODULE-LN-V |
| Square foot (pair) | SLF1P |
| Spots + fixations | PS950-1000-LED-BDLK (x3) + US-LINEAR (x6) |




Use multiple graphics to create large format backwalls



Possibility to add LED spotlights
Code: LED-EXHIB-ARM-B



Quarter foot



50mm square post
8 connections




Simple assembly

Linear Stand 15m²



Material Aluminium
 Profile width 50mm
 Assembly Connectors assemble using Allen key
 Graphic option Rollable PVC or rigid panel

| | |
|---------------------|---|
| Module W (x2) | MODULE-LN-W |
| Module V (x2) | MODULE-LN-V |
| Module Z (x2) | MODULE-LN-Z |
| Module Y | MODULE-LN-Y |
| Pair of angled feet | SLF1P |
| Spots + fixations | PS950-1000-LED-BDLK (x2) + US-LINEAR (x4) |



Large format curved graphic




Possibility to add LED spotlights
 Code: LED-EXHIB-ARM-B



Quarter foot



Curved crossbeams




Secure closure

Linear Stand 18m²




Material Aluminium
 Profile width 50mm
 Assembly Connectors assemble using Allen key
 Graphic option Rollable PVC or rigid panel

| | |
|--------------------|---|
| Module V (x2) | MODULE-LN-V |
| Module W (x4) | MODULE-LN-W |
| Module X (x2) | MODULE-LN-X |
| Module Y | MODULE-LN-Y |
| Module Z | MODULE-LN-Z |
| Square foot (pair) | SLF1P |
| Spots + fixations | PS950-1000-LED-BDLK (x4) + US-LINEAR (x8) |



Possibility to add LED spotlights
 Code: LED-EXHIB-ARM-B



Secure closure



Simple assembly



Linear custom stand designs

Linear Custom Stand 16m²

| | |
|----------------|-------------------------------------|
| Material | Aluminium |
| Profile width | 50mm |
| Assembly | Connectors assemble using Allen key |
| Graphic option | Rollable PVC or rigid panel |



Linear Custom Stand 24m²

| | |
|----------------|-------------------------------------|
| Material | Aluminium |
| Profile width | 50mm |
| Assembly | Connectors assemble using Allen key |
| Graphic option | Rollable PVC or rigid panel |



Linear Custom Stand 36m²

| | |
|----------------|-------------------------------------|
| Material | Aluminium |
| Profile width | 50mm |
| Assembly | Connectors assemble using Allen key |
| Graphic option | Rollable PVC or rigid panel |



Linear ancillaries

Dome Base (single)

LN102 (Foot) |  ∅ 450 mm



Quarter Foot (single)

Weights: 1,2 kg

SLF1P |  220(w) x 220(h) x 5(d) mm



Flat Foot (single)



Metal for self-supporting frame
Weights: 1,75 kg

LN155 |  7(h) x 100(w) x 450(d) mm



LCD Screen Bracket

Mounting on post or crossbar

LN124A-01 |  Screen 32" - 55" (81 - 130 cm)
LN124-03 |  Screen 37" - 70" (94 - 177 cm)



Roll of magnetic tape

EM301 | Polarity A-30m x 12,7 mm



Steel tape

EM351 | 15m x 12,7 mm



Arena Structures




Arena Gantry structures for your stand

These 25mm diameter aluminium tubes have been assembled and welded into sections of various sizes to form the basis of an imposing and solid architecture.

A wide range of sections are available to make this solution compatible with your project requirements. With 14 components in various lengths and designs, you can create the right structure for you, and your chosen mode of transport.

Simple, tool-free assembly

Simple assembly - sections are connected using the supplied bolt and wing-nut fixings, and no tools are required. The double-sided graphics are attached to the gantry using a bungee cord. Create maximum brand visibility with up to 6m sections without the need for reinforcement.



Arena components

Arena Straight Sections


The Arena Straight Sections are available in a variety of lengths, they are strong but lightweight with a natural silver grey finish. The system is quick and easy to assemble using bolt and wing-nut fixings. This aluminium tubular system is both modular and scalable, where different sections can be assembled and reused according to the needs of each project. The structure can then be dressed with interchangeable UV printed PVC graphics.

| | |
|----------|----------------|
| UT-S250 | Section 250mm |
| UT-S500 | Section 500mm |
| UT-S750 | Section 750mm |
| UT-S1000 | Section 1000mm |
| UT-S1250 | Section 1250mm |
| UT-S1500 | Section 1500mm |
| UT-S2000 | Section 2000mm |



Arena Junction Sections

The Arena Junction Sections are available in a variety of configurations from: 3-way T-junction, 4-way corner junction, 5-way corner junction, and 6-way junction. The choice of sections enables a custom build design for your application to create a modular and scalable system. The structure can then be dressed with interchangeable UV printed PVC graphics.



Arena Gantry stand designs

Arena Custom Stand 16m²

| | |
|--------------------|------------------------|
| Material | Aluminium |
| Colour | Anodised |
| Graphic area | Single or double-sided |
| Graphic attachment | Bungee fixings |
| Graphic option | Vinyl |



Arena Gantry free-standing design

Arena Custom Structure

| | |
|--------------------|------------------------|
| Material | Aluminium |
| Colour | Anodised |
| Graphic area | Single or double-sided |
| Graphic attachment | Bungee fixings |
| Graphic option | Vinyl |



Arena Custom Stand 36m²

| | |
|--------------------|------------------------|
| Material | Aluminium |
| Colour | Anodised |
| Graphic area | Single or double-sided |
| Graphic attachment | Bungee fixings |
| Graphic option | Vinyl |



Arena Hanging Structure



The Arena structure is a tubular aluminium stage structure used as a light bridge or suspended sign with 6m sides to draw attention to your brand.

| | |
|--------------------|------------------------|
| Material | Aluminium |
| Colour | Anodised |
| Graphic area | Single or double-sided |
| Graphic attachment | Bungee fixings |
| Graphic option | Vinyl |




Hanging Structures

Vector 125mm LED Hanging Structure

The robust 125mm Vector LED profile can support larger scale applications whilst still remaining sleek and eye-catching. The plug and play LED lighting system is linkable so it is great for standard and custom size displays. Perfectly suits vibrant SEG lightbox graphics which are available to order if required.

| | |
|--------------------|-------------------------------------|
| Material | Aluminium |
| Profile width | 125 mm |
| Profile Colour | Anodised |
| Assembly | Connectors assemble using Allen key |
| Double-sided | Double-sided |
| Mounting | Sling (cables not included) |
| Graphic attachment | SEG 3mm |
| LED System | Pre-installed LED lighting |

| | | |
|---------------------|-----------------|---------------------------------|
| Vector 125 led 2,5m | VLBH125-PAN-250 | Ⓞ 2500(w) x 1000(h) x 125(d) mm |
| Vector 125 led 3,5m | VLBH125-PAN-350 | Ⓞ 3500(w) x 1000(h) x 125(d) mm |
| Vector 125 led 5m | VLBH125-PAN-500 | Ⓞ 5000(w) x 1250(h) x 125(d) mm |




Cable system



LED strip lighting



Mitred sections assemble with screw-in connectors



Graphic attaches with silicone edging (SEG)



Non-illuminated hanging structures

Formulate Square Hanging Structure



Formulate suspended signs have been specially designed to allow for easy and safe installation. The lightweight aluminium tubular structure makes them ideal for use on exhibition stands, in shopping arcades or in high traffic areas.

| | |
|--------------------|---|
| Material | Aluminium tubes |
| Tube | Ø 30 mm |
| Assembly | Push-fit button |
| Shape | Square |
| Graphic area | Double-sided |
| Graphic attachment | Zippered tension fabric graphic |
| Application | Suspended Pitons included, Slings not included |
| Availability | Basic range - in stock |



| | | |
|-----------------------|--------------|----------------------------------|
| Square Formulate 800 | FORM-SQU-80 | Ⓞ 1500(w) x 800(h) x 1500(d) mm |
| Square Formulate 1000 | FORM-SQU-100 | Ⓞ 3000(w) x 1000(h) x 3000(d) mm |
| Square Formulate 1500 | FORM-SQU-150 | Ⓞ 4500(w) x 1500(h) x 4500(d) mm |



Arch


Formulate Arch



When display formats become common place and no longer stand out then choose something with an innovative shape! The Formulate range offers a variety of great shapes with clean lines, ideal for creating picture backwalls or defining areas in rooms by screening or zoning. The double-sided tension fabric graphics perfectly contour the shaped aluminium structures and maximise brand messaging.

| | |
|--------------------|----------------------------------|
| Material | Aluminium |
| Tube | 30mm Ø |
| Assembly | Tool-free push-button connectors |
| Shape | Arch |
| Graphic area | Double-sided |
| Graphic attachment | Zipped tension-fit graphic |
| Application | Free-standing |

| | | |
|----------------|--------------|-------------------------------|
| Formulate Arch | FORM-ARCH-01 | 4000(w) x 3000(h) x 900(d) mm |
|----------------|--------------|-------------------------------|





Display Backwalls

Display Backwalls create a dramatic backdrop to events, presentations, product demonstrations, pop-up shops or window displays. They are also ideal for smaller spaces, or as large static advertising boards in public spaces such as museums, reception areas, public transportation hubs and other large spaces.

Segmented Frame Walls are fully configurable, professional grade backwalls, where flexibility, ease of storage, reusing, portability and assembly are important. The pop-up display backwalls are constructed from lightweight aluminium scissor mechanisms, that are easy to transport, assemble and store, and are ideal for small exhibitions or events, as well as static displays. For a simple backdrop, the Pegasus tension walls offer a cost effective, easy solution to meet those needs. Configurable in both height and width, the tension wall is quick to assemble and makes an ideal backdrop to temporary or short-term presentations.

Display Backwalls

Our backwalls are available in several system configurations, depending on the application, with each offering a different method of construction, illumination and use.



Illuminated pop-up backwalls

Embrace+



Bring drama and impact with large illuminated backwalls, U-shapes or seamless 90° corner walls using Embrace+; the premium portable LED tool-free system. Comes in a selection of sizes and is linkable so Embrace+ can fit and brighten-up any size event.

| | |
|---------------------------|--|
| Material | Aluminium structure, plastic connectors |
| Assembly | Locking by clips, interlocking frame sections |
| Shape | Straight |
| Graphic area | Single-sided (with or without returns) or double-sided |
| Graphic attachment | Silicone Edged Gasket 3 mm (SEG) |
| Application | Free-standing |
| LED System | LED bar (optional) |



Carrying bag included

Available with LED backlit



Ancillaries :

| | | |
|----------------|------------------|-----|
| Straight Clamp | EMB-PL-CL-STR | N/A |
| External Clamp | EMB-PL-CL-EXTOR | N/A |
| Internal Clamp | EMB-PL-CL-INTCOR | N/A |



Feet are adjustable for stability on uneven flooring



Bungeed frame sections

Non-illuminated pop-up backwalls

Impact Pop-up Straight



A great entry level display backwall that is perfect for use at an exhibition, event or for a demonstration backdrop. Frames are available in a variety of widths, and are quick and easy to deploy using the self-locating locking arms. Magnetic tape attaches to the back of the graphic panels enabling them to be attached directly to the mag bars which are mounted to the frames.

| | |
|---------------------------|---|
| Material | Aluminium structure, plastic connectors |
| Assembly | Magnetic connectors |
| Shape | Straight |
| Graphic area | Single-sided (with or without D-ends) / double-sided (optional) |
| Graphic attachment | Mag bars, hangers and kickers |
| Application | Free-standing |

| | | |
|--------------|----------|-------------------------------|
| 3x1 Straight | IMP-3X1S | 1240(w) x 2225(h) x 306(d) mm |
| 3x2 Straight | IMP-3X2S | 1970(w) x 2225(h) x 306(d) mm |
| 3x3 Straight | IMP-3X3S | 2700(w) x 2225(h) x 306(d) mm |
| 3x4 Straight | IMP-3X4S | 3435(w) x 2225(h) x 306(d) mm |
| 3x5 Straight | IMP-3X5S | 4160(w) x 2225(h) x 306(d) mm |



Magnetic bars



Magnetic Locking arms



Hook-over graphic attachment



Impact Pop-up Straight Bundle



Impact Pop-up bundles are a great entry level display backwall kit that contains everything you will need to get you up and running at a show, event or demonstration - they even come with a counter and lighting!

| | |
|---------------------------|---|
| Material | Aluminium structure, plastic connectors |
| Assembly | Magnetic connectors |
| Shape | Straight |
| Graphic area | Single-sided (with or without D-ends) / double-sided (optional) |
| Graphic attachment | Mag bars, hangers and kickers |
| Application | Free-standing |

| | | |
|--------------|-----------|-------------------------------|
| 3x1 Straight | 99-XX-105 | 1240(w) x 2225(h) x 306(d) mm |
| 3x2 Straight | 99-XX-106 | 1970(w) x 2225(h) x 306(d) mm |
| 3x3 Straight | 99-XX-107 | 2700(w) x 2225(h) x 306(d) mm |
| 3x4 Straight | 99-XX-108 | 3435(w) x 2225(h) x 306(d) mm |
| 3x5 Straight | 99-XX-109 | 4160(w) x 2225(h) x 306(d) mm |



Impact Pop-up Bundle

Impact Pop-up Kit



Carry bag

Straight or curved frame system

Hangers, kickers and mag bars

1x Roll of self-adhesive magnetic tape

Zenith transport case

Thermoformed table top in beech

2x PS950-1000 LED lights


Impact Pop-up Curved



A great entry level display backwall that is perfect for use at an exhibition, event or for a demonstration backdrop. Frames are available in a variety of widths, and are quick and easy to deploy using the self-locating locking arms. Magnetic tape attaches to the back of the graphic panels enabling them to be attached directly to the mag bars which are mounted to the frames.

| | |
|---------------------------|---|
| Material | Aluminium structure, plastic connectors |
| Assembly | Magnetic connectors |
| Shape | Curved |
| Graphic area | Single-sided (with or without D-ends) / double-sided (optional) |
| Graphic attachment | Mag bars, hangers and kickers |
| Application | Free-standing |

| | | |
|------------|----------|----------------------------------|
| 3x1 Curved | IMP-3X1C | Ⓞ 1240(w) x 2225(h) x 306(d) mm |
| 3x2 Curved | IMP-3X2C | Ⓞ 1930(w) x 2225(h) x 485(d) mm |
| 3x3 Curved | IMP-3X3C | Ⓞ 2540(w) x 2225(h) x 685(d) mm |
| 3x4 Curved | IMP-3X4C | Ⓞ 3070(w) x 2225(h) x 960(d) mm |
| 3x5 Curved | IMP-3X5C | Ⓞ 3430(w) x 2225(h) x 1225(d) mm |



Magnetic bars



Magnetic Locking arms



Hook-over graphic attachment

Impact Pop-up Curved Bundle




Impact Pop-up bundles are a great entry level display backwall kit that contains everything you will need to get you up and running at a show, event or demonstration - they even come with a counter and lighting!

| | |
|---------------------------|---|
| Material | Aluminium structure, plastic connectors |
| Assembly | Magnetic connectors |
| Shape | Curved |
| Graphic area | Single-sided (with or without D-ends) / double-sided (optional) |
| Graphic attachment | Mag bars, hangers and kickers |
| Application | Free-standing |

| | | |
|------------|-----------|----------------------------------|
| 3x2 Curved | 99-XX-110 | Ⓞ 1930(w) x 2225(h) x 485(d) mm |
| 3x3 Curved | 99-XX-071 | Ⓞ 2540(w) x 2225(h) x 685(d) mm |
| 3x4 Curved | 99-XX-070 | Ⓞ 3070(w) x 2225(h) x 960(d) mm |
| 3x5 Curved | 99-XX-111 | Ⓞ 3430(w) x 2225(h) x 1225(d) mm |



Impact Pop-up Bundle



Quick+ Straight Kit



The premium Quick+ Straight display backwall is a full magnetic system that can be used single or double-sided. Use with optional interchangeable, vibrant UV printed PVC graphics. Deploys tool-free in seconds straight out of the supplied protective padded bag giving you a brilliant backwall display for your event or shell scheme. Quick+ displays are also available in a curved display and come in five different sizes.

| | |
|---------------------------|---|
| Material | Aluminium structure, plastic connectors |
| Assembly | Magnetic connectors |
| Shape | Straight |
| Graphic area | Single-sided (with or without D-ends) / double-sided (optional) |
| Graphic attachment | Mag bars, hangers and kickers |
| Application | Free-standing |

| | | |
|--------------|------------|---------------------------------|
| 3x1 Straight | WH221-S-CA | Ⓞ 1240(w) x 2225(h) x 306(d) mm |
| 3x2 Straight | WH222-S-CA | Ⓞ 1970(w) x 2225(h) x 306(d) mm |
| 3x3 Straight | WH223-S-CA | Ⓞ 2700(w) x 2225(h) x 306(d) mm |
| 3x4 Straight | WH224-S-CA | Ⓞ 3435(w) x 2225(h) x 306(d) mm |
| 3x5 Straight | WH225-S-CA | Ⓞ 4160(w) x 2225(h) x 306(d) mm |



Square end magnetic bars



Magnetic Locking arms



Magnetic hanger

Quick+ Straight Bundle



The Premium Quick+ Straight Display Bundle includes the full magnetic display backwall kit which can be used single or double-sided, the unique Zenith transit case which converts to a counter and two PS950-1000 LED lights. Use with optional interchangeable, vibrant UV printed PVC graphics. Deploys tool-free in seconds, giving you a brilliant backwall display for your event or shell scheme. Quick+ displays are also available in a curved display bundle and come in five different sizes.

| | |
|---------------------------|---|
| Material | Aluminium structure, plastic connectors |
| Assembly | Magnetic connectors |
| Shape | Straight |
| Graphic area | Single-sided (with or without D-ends) / double-sided (optional) |
| Graphic attachment | Mag bars, hangers and kickers |
| Application | Free-standing |

| | | |
|--------------|------------|---------------------------------|
| 3x1 Straight | 99-XX-100Q | Ⓞ 1240(w) x 2225(h) x 306(d) mm |
| 3x2 Straight | 99-XX-101Q | Ⓞ 1970(w) x 2225(h) x 306(d) mm |
| 3x3 Straight | 99-XX-102Q | Ⓞ 2700(w) x 2225(h) x 306(d) mm |
| 3x4 Straight | 99-XX-103Q | Ⓞ 3435(w) x 2225(h) x 306(d) mm |
| 3x5 Straight | 99-XX-104Q | Ⓞ 4160(w) x 2225(h) x 306(d) mm |



Quick+ Bundle



Quick+ Curved Kit



The premium Quick+ Curved display backwall is a full magnetic system that can be used single or double-sided. Use with optional interchangeable, vibrant UV printed PVC graphics. Deploys tool-free in seconds straight out of the supplied protective padded bag giving you a brilliant backwall display for your event or shell scheme. Quick+ displays are also available in a Straight Display and come in five different sizes.

| | | |
|---------------------------|---|--|
| Material | Aluminium structure, plastic connectors | |
| Assembly | Magnetic connectors | |
| Shape | Curved | |
| Graphic area | Single-sided (with or without D-ends) / double-sided (optional) | |
| Graphic attachment | Mag bars, hangers and kickers | |
| Application | Free-standing | |

| | | |
|------------|------------|----------------------------------|
| 3x1 Curved | WH221-C-CA | Ⓞ 1240(w) x 2225(h) x 306(d) mm |
| 3x2 Curved | WH222-C-CA | Ⓞ 1930(w) x 2225(h) x 485(d) mm |
| 3x3 Curved | WH223-C-CA | Ⓞ 2540(w) x 2225(h) x 685(d) mm |
| 3x4 Curved | WH224-C-CA | Ⓞ 3070(w) x 2225(h) x 960(d) mm |
| 3x5 Curved | WH225-C-CA | Ⓞ 3430(w) x 2225(h) x 1225(d) mm |



Square end magnetic bars



Magnetic Locking arms



Magnetic hanger



Quick+ Curved Bundle



The Premium Quick+ Curved Display Bundle includes the full magnetic display backwall kit which can be used single or double-sided, the unique Zenith transit case which converts to a counter and two PS950-1000 LED lights. Use with optional interchangeable, vibrant UV printed PVC graphics. Deploys tool-free in seconds, giving you a brilliant backwall display for your event or shell scheme. Quick+ displays are also available in a straight display bundle and come in five different sizes.

| | | |
|---------------------------|---|--|
| Material | Aluminium structure, plastic connectors | |
| Assembly | Magnetic connectors | |
| Shape | Curved | |
| Graphic area | Single-sided (with or without D-ends) / double-sided (optional) | |
| Graphic attachment | Mag bars, hangers and kickers | |
| Application | Free-standing | |

| | | |
|------------|------------|----------------------------------|
| 3x1 Curved | 99-XX-015Q | Ⓞ 1240(w) x 2225(h) x 306(d) mm |
| 3x2 Curved | 99-XX-016Q | Ⓞ 1930(w) x 2225(h) x 485(d) mm |
| 3x3 Curved | 99-XX-017Q | Ⓞ 2540(w) x 2225(h) x 685(d) mm |
| 3x4 Curved | 99-XX-020Q | Ⓞ 3070(w) x 2225(h) x 960(d) mm |
| 3x5 Curved | 99-XX-021Q | Ⓞ 3430(w) x 2225(h) x 1225(d) mm |



Quick+ Bundle

Quick+ Kit



Padded nylon carry bag



Quick+ Structure Straight / Curved



Hangers, kickers and mag bars



1x Roll of self-adhesive magnetic tape



Zenith transport case



Thermoformed table top in beech



2x PS950-1000 LED lights

Hop-up Impact Straight



Impact Hop-ups are simple lightweight interlocking frame structures that deploy in minutes. Complete with tension-fit graphics that can stay on even when packed away.

| | | |
|---------------------------|---|--|
| Material | Aluminium structure, plastic connectors | |
| Assembly | Lock together with clips | |
| Shape | Straight | |
| Graphic area | Single-sided (with or without returns) or double-sided (optional) | |
| Graphic attachment | Hook and loop | |
| Application | Free-standing | |

| | | |
|-----------|--------|---------------------------------|
| 3x1 quads | HUI3X1 | Ⓞ 790(w) x 2260(h) x 295(d) mm |
| 3x2 quads | HUI3X2 | Ⓞ 1525(w) x 2260(h) x 295(d) mm |
| 3x3 quads | HUI3X3 | Ⓞ 2260(w) x 2260(h) x 295(d) mm |
| 3x4 quads | HUI3X4 | Ⓞ 2995(w) x 2260(h) x 295(d) mm |
| 3x5 quads | HUI3X5 | Ⓞ 3730(w) x 2260(h) x 295(d) mm |



Graphics attach with hook and loop fastener



Plastic connectors



Easy to transport



Carry bag



Graphic stays on structure once packed down



Hop-up Impact Curved



Impact Hop-ups are simple lightweight interlocking frame structures that deploy in minutes. Complete with tension-fit graphics that can stay on even when packed away.

| | | |
|---------------------------|---|--|
| Material | Aluminium structure, plastic connectors | |
| Assembly | Lock together with clips | |
| Shape | Curved | |
| Graphic area | Single-sided (with or without returns) | |
| Graphic attachment | Hook and loop | |
| Application | Free-standing | |


| | | |
|-----------|-------------|---------------------------------|
| 3x3 quads | HOP-2-3X3-C | Ⓞ 2310(w) x 2270(h) x 570(d) mm |
| 3x4 quads | HOP-2-3x4-C | Ⓞ 2950(w) x 2260(h) x 810(d) mm |




Easy to transport



Plastic connectors



Graphics attach with hook and loop fastener



Non-illuminated fabric tube walls

Formulate Straight



Formulate Straight backwalls are constructed of lightweight 30mm diameter push-fit aluminium tubing for tool-free simple deployment. Complete with optional double-sided dye-sublimated tension-fit fabric graphics that zip at the base to perfectly contour the shaped aluminium structure and maximize your brand message. Formulate displays offer a variety of great shapes with clean lines, ideal for creating picture backwalls or defining areas in rooms by screening or zoning.

| | |
|---------------------------|------------------------------------|
| Material | Aluminium tubing |
| Tube | Ø 30 mm |
| Assembly | Push-fit / Allen key |
| Shape | Straight |
| Graphic area | Double-sided |
| Graphic attachment | Zippered tension fabric graphic |
| Application | Free-standing with feet (included) |

| | | |
|---------|-------------|---------------------------------|
| 2400 mm | FORM-STR-24 | Ⓞ 2350(w) x 2380(h) x 400(d) mm |
| 3000 mm | FORM-STR-30 | Ⓞ 2950(w) x 2380(h) x 400(d) mm |
| 4000 mm | FORM-STR-40 | Ⓞ 3950(w) x 2380(h) x 400(d) mm |
| 5000 mm | FORM-STR-50 | Ⓞ 4950(w) x 2380(h) x 400(d) mm |
| 6000 mm | FORM-STR-60 | Ⓞ 5920(w) x 2380(h) x 400(d) mm |



Feet included




Bungee tubes



Numbered system for easy assembly



Gloves included



Formulate Horizontal Curve



Formulate Horizontal Curve displays are an eye-catching shape, constructed of lightweight 30mm diameter push-fit aluminium tubing, combine with a zippered tension-fit graphics for tool-free impressive backwalls. Formulate displays offer a variety of great shapes with clean lines, ideal for creating picture backwalls or defining areas in rooms by screening or zoning. The optional double-sided tension fabric graphics perfectly contour the shaped aluminium structures and maximise your brand message.

| | |
|---------------------------|---------------------------------|
| Material | Aluminium tubes |
| Tube | Ø 30 mm |
| Assembly | Push-fit button |
| Shape | Horizontal curve |
| Graphic area | Double-sided |
| Graphic attachment | Zippered tension fabric graphic |
| Application | Free-standing |

| | | |
|---------|-------------|---------------------------------|
| 2400 mm | FORM-CUR-24 | Ⓞ 2350(w) x 2380(h) x 500(d) mm |
| 3000 mm | FORM-CUR-30 | Ⓞ 2950(w) x 2380(h) x 500(d) mm |
| 6000 mm | FORM-CUR-60 | Ⓞ 5950(w) x 2380(h) x 900(d) mm |



Zippered tension fabric graphic




Bungee tubes



Numbered system for easy assembly



Possibility to add LED Spotlights and Ancillaries



Formulate Meeting Pod



Formulate Meeting Pods are an eye-catching and functional way to create a simple break-out area from lightweight 30mm diameter push-fit aluminium tubing and optional zippered tension-fit graphics for tool-free impressive structure. Formulate displays offer a variety of great shapes with clean lines, ideal for creating shapes or defining areas in rooms by screening or zoning. The double-sided tension fabric graphics perfectly contour the shaped aluminium structures and maximise your brand message.

| | |
|---------------------------|---------------------------------|
| Material | Aluminium tubes |
| Tube | Ø 30 mm |
| Assembly | Push-fit button |
| Shape | Curved |
| Graphic area | Double-sided |
| Graphic attachment | Zippered tension fabric graphic |
| Application | Free-standing |

| | | |
|-----------------------|--------------|----------------------------------|
| Formulate Meeting Pod | FORM-MPOD-01 | Ⓞ 2900(w) x 2100(h) x 2550(d) mm |
|-----------------------|--------------|----------------------------------|



Zippered tension fabric graphic



Bungee tubes



Numbered system for easy assembly

Non-illuminated segmented frame walls

Vector 50mm Kit



Robust aluminium free-standing frame, packs down for ease of transportation and available in a wide range of sizes accommodating a SEG graphic creating the perfect look for any retail scenario.

| | |
|--------------------|---|
| Material | Aluminium |
| Profile width | 50 mm |
| Profile colour | Anodised |
| Assembly | Push-button connector, Allen key |
| Graphic attachment | Silicone Edged Gasket 3 mm (SEG) |
| Graphic area | Single or double-sided |
| Application | Free-standing with flat feet (included) |

| | | |
|---------|---------|---------------------------------|
| Kit 2x1 | VKF-2x1 | Ⓞ 1000(w) x 2005(h) x 350(d) mm |
| Kit 2x2 | VKF-2x2 | Ⓞ 2000(w) x 2005(h) x 350(d) mm |
| Kit 2x3 | VKF-2x3 | Ⓞ 3000(w) x 2005(h) x 350(d) mm |

Connect several kits together for larger displays



Flat foot included



Fabric graphic attaches with silicone edging (SEG)



Screw several frames together



Push-button assembly of corner sections

Baseline Panel and Pole Kits



Panel kits are easy to assemble, reconfigure and re-position. Baseline Panel and Pole kits can be positioned in multiple ways and come in two heights (600mm or 700mm) and two widths (900mm or 1000mm). Stabilising feet are included and kits are manufactured to order.

| | |
|--------------------|---|
| Material | PVC / Aluminium |
| Profile Colour | Grey |
| Finishes | Baseline board with grey PVC or aluminium frame / Baseline Plus board with grey PVC frame |
| Graphic area | Single or double-sided |
| Graphic attachment | Hook fixing |
| Graphic option | Felt coating * or optional Rigid replacement printed panels (3mm) |
| Application | Free-standing with stabilising feet (included) |

| | | |
|------------------------------|------------|----------------------|
| 4 Panel Kit - Aluminium | KK104A | Ⓞ 900(w) X 600(h) mm |
| 4 Panel Kit - Baseline | KK104G | Ⓞ 900(w) X 600(h) mm |
| 4 Panel Kit - Baseline Plus | KKP104-96G | Ⓞ 900(w) X 600(h) mm |
| 6 Panel Kit - Aluminium | KK106A | Ⓞ 900(w) X 600(h) mm |
| 6 Panel Kit - Baseline | KK106G | Ⓞ 900(w) X 600(h) mm |
| 6 Panel Kit - Baseline Plus | KKP106-96 | Ⓞ 900(w) X 600(h) mm |
| 8 Panel Kit - Aluminium | KK108A | Ⓞ 900(w) X 600(h) mm |
| 8 Panel Kit - Baseline | KK108G | Ⓞ 900(w) X 600(h) mm |
| 8 Panel Kit - Baseline Plus | KKP108-96G | Ⓞ 900(w) X 600(h) mm |
| 10 Panel Kit - Baseline | KK10G | Ⓞ 900(w) X 600(h) mm |
| 10 Panel Kit - Baseline Plus | KKP110-96G | Ⓞ 900(w) X 600(h) mm |


| | | |
|--------------------------|-------------|-----------------------|
| 6 Panel - Baseline Plus | KKP106-107G | Ⓞ 700(h) x 1000(w) mm |
| 8 Panel - Baseline Plus | KKP108-107G | Ⓞ 700(h) x 1000(w) mm |
| 10 Panel - Baseline Plus | KKP110-107G | Ⓞ 700(h) x 1000(w) mm |

| | | |
|----------------------|----------|-----------------|
| Ancillaries : | | |
| Circular feet grey | LB9135-C | |
| Header panel | BH153G | Ⓞ 250mm x 600mm |
| Header panel | BH155G | Ⓞ 250mm x 900mm |

Each panel can be assembled horizontally or vertically



6 Panel and Pole Kit (header panel optional extra)




10 Panel Kit (header panel optional extra)




8 Panel Kit




10 Panel Kit



Baseline PVC (thickness 18.2 mm)



Baseline Plus PVC (thickness 25 mm)



Aluminium baseline (thickness 18.2 mm)


Baseline Jumbo Panel Kits



Baseline Jumbo Panel Kits are easy to assemble and are reconfigurable and re-positionable. Panels are hinged and free-standing. Position panels in multiple ways. Use to create a screen or office partition. Manufactured to order.

| | |
|---------------------------|---|
| Material | PVC / Aluminium |
| Profile Colour | Grey |
| Finishes | Baseline board with grey PVC or aluminium frame / Baseline Plus board with grey PVC frame |
| Graphic area | Single or double-sided |
| Graphic attachment | Felt covered corrugated board |
| Graphic option | Felt coating * or optional Rigid replacement printed panels (3mm) |
| Application | Free-standing |

| | | |
|----------------------------------|---------|-----------------------|
| 3 Panel Kit - Baseline Aluminium | KK350A | ⊗ 900(w) X 1800(h) mm |
| 3 Panel Kit - Baseline Plus | KKP350G | ⊗ 900(w) X 1800(h) mm |
| 4 Panel Kit - Baseline Aluminium | KK351A | ⊗ 900(w) X 1800(h) mm |
| 4 Panel Kit - Baseline Plus | KKP351G | ⊗ 900(w) X 1800(h) mm |
| 3 Panel Kit - Baseline | KK350G | ⊗ 900(w) X 1800(h) mm |
| 4 Panel Kit - Baseline | KK351G | ⊗ 900(w) X 1800(h) mm |



Aluminium baseline (thickness 18.2 mm)




Baseline Panel Kits




Baseline Panel Kits are easy to assemble and are reconfigurable and re-positionable. Panels are hinged and available in two heights (900mm and 1000mm) and two widths (600mm and 700mm). Position panels in multiple ways. Manufactured to order.

| | |
|---------------------------|--|
| Material | PVC / Aluminium |
| Profile Colour | Grey |
| Finishes | Finish change to Baseline board with grey PVC or aluminium frame / Baseline Plus board with grey PVC frame |
| Graphic area | Single or double-sided |
| Graphic attachment | Hook fixing |
| Graphic option | Felt coating * or optional Rigid replacement printed panels (3mm) |
| Application | Free-standing |


| | | | | | |
|------------------------------|---------|----------------------|--------------------------|---------|-----------------------|
| 6 Panel Kit - Aluminium | KK117A | ⊗ 600(w) x 900(h) mm | 6 Panel - Baseline | KK317 | ⊗ 1000(h) x 700(w) mm |
| 6 Panel Kit - Baseline | KK117G | ⊗ 600(w) x 900(h) mm | 6 Panel - Baseline Plus | KKP317 | ⊗ 1000(h) x 700(w) mm |
| 6 Panel Kit - Baseline Plus | KKP117G | ⊗ 600(w) x 900(h) mm | 6 Panel - Aluminium | Call us | ⊗ 1000(h) x 700(w) mm |
| 7 Panel Kit - Aluminium | KK114A | ⊗ 600(w) x 900(h) mm | 7 Panel - Baseline | KK314 | ⊗ 1000(h) x 700(w) mm |
| 7 Panel Kit - Baseline | KK114G | ⊗ 600(w) x 900(h) mm | 7 Panel - Baseline Plus | KKP314 | ⊗ 1000(h) x 700(w) mm |
| 7 Panel Kit - Baseline Plus | KKP114G | ⊗ 600(w) x 900(h) mm | 7 Panel - Aluminium | Call us | ⊗ 1000(h) x 700(w) mm |
| 8 Panel Kit - Aluminium | KK120A | ⊗ 600(w) x 900(h) mm | 8 Panel - Baseline | KK320 | ⊗ 1000(h) x 700(w) mm |
| 8 Panel Kit - Baseline | KK120G | ⊗ 600(w) x 900(h) mm | 8 Panel - Baseline Plus | KKP320 | ⊗ 1000(h) x 700(w) mm |
| 8 Panel Kit - Baseline Plus | KKP120G | ⊗ 600(w) x 900(h) mm | 8 Panel - Aluminium | Call us | ⊗ 1000(h) x 700(w) mm |
| 10 Panel Kit - Baseline | KK124G | ⊗ 600(w) x 900(h) mm | 10 Panel - Baseline | KK222 | ⊗ 1000(h) x 700(w) mm |
| 10 Panel Kit - Baseline Plus | KKP124G | ⊗ 600(w) x 900(h) mm | 10 Panel - Baseline Plus | KKP222 | ⊗ 1000(h) x 700(w) mm |




Baseline PVC (thickness 18.2 mm)



Baseline Plus PVC (thickness 25 mm)




Aluminium baseline (thickness 18.2 mm)



8-panel kit with 2x headers (included)



7-panel kit with header (included)



6-panel kit with header (included)


Baseline Tabletop Panel Kits




Baseline Tabletop Panel kits are part of our classic folding panel range of practical, durable and reconfigurable displays, ideally sized for counter-tops.

| | |
|---------------------------|---|
| Material | PVC / Aluminium |
| Profile Colour | Grey |
| Finishes | Baseline board with grey PVC or aluminium frame |
| Graphic area | Single or double-sided |
| Graphic attachment | Hook fixing |
| Graphic option | Felt coating * or optional Rigid replacement printed panels (3mm) |
| Application | Free-standing |

| | | |
|---------------------------------|--------|----------------------|
| Junior kit - Baseline | KK102G | ⊗ 600(w) x 450(h) mm |
| Junior kit - Baseline Aluminium | KK102A | ⊗ 600(w) x 450(h) mm |
| Senior kit - Baseline | KK103 | ⊗ 900(w) x 600(h) mm |
| Senior kit - Baseline Aluminium | KK103A | ⊗ 900(w) x 600(h) mm |



Baseline PVC (thickness 18.2 mm)



Aluminium baseline (thickness 18.2 mm)




Baseline Wheeled Panel Kits




Baseline panels provide the perfect solution for any display or back drop requirement. Baseline Wheeled Panel Kits have lockable castors and are perfect as mobile displays or backdrops. They are also a practical screening solutions for temporarily zoning a space and are manufactured to order.


| | | |
|-------------------------------|------------|-----------------------|
| Kit 5 Baseline Plus - 1500 mm | KKPW5-156G | ⊗ 600(w) x 1500(h) mm |
| Kit 5 Baseline Plus - 1800 mm | KKPW5-186G | ⊗ 600(w) x 1800(h) mm |
| Kit 6 Baseline Plus - 1500 mm | KKPW6-156G | ⊗ 600(w) x 1500(h) mm |
| Kit 6 Baseline Plus - 1800 mm | KKPW6-186G | ⊗ 600(w) x 1800(h) mm |
| Kit 7 Baseline Plus - 1500 mm | KKPW7-156G | ⊗ 600(w) x 1500(h) mm |
| Kit 7 Baseline Plus - 1800 mm | KKPW7-186G | ⊗ 600(w) x 1800(h) mm |



Baseline PVC (thickness 18.2 mm)



Baseline Plus PVC (thickness 25 mm)




Aluminium baseline (thickness 18.2 mm)



Non-illuminated tension walls

Horizon



Horizon is the ideal solution for large scale promotions. Use single-sided or double-sided to maximise the impact for brand displays. Link individual units together to form a display wall. Securely weighted by twin water filled bases for total stability.

| | |
|---------------------------|--------------------------------------|
| Material | Aluminium, moulded grey plastic base |
| Pole | Adjustable height (1500-2400 mm) |
| Graphic area | Single or double-sided |
| Graphic attachment | Eyelets |
| Base capacity | 28 litres per tank |
| Wind resistance | Up to 12 mph / 19 km/h |

| | | |
|---------|-------|--------------------------------------|
| Horizon | UB203 | Ⓞ 2500(w) x 1500/3000(h) x 800(d) mm |
|---------|-------|--------------------------------------|



Telescopic pole for adjustable height



Graphic attaches with eyelets




Pegasus



The large-format Pegasus tension banner has telescopic poles and can adjust to 2.5m wide and tall - perfect for large format imagery and brand messaging. Tool-free assembly for quick and simple deployment, Pegasus packs down into a supplied carry bag, and is suitable for vinyl or fabric graphics with pole pockets.

| | |
|---------------------------|------------------------------------|
| Material | Aluminium |
| Assembly | Telescopic poles / screws |
| Shape | Straight |
| Graphic area | Single or double-sided |
| Graphic attachment | Pole pocket |
| Application | Free-standing with feet (included) |

| | | |
|---------|---------|---|
| Pegasus | UB165-S | Ⓞ 1429/2540(w) x 1000/2515(h) x 442(d) mm |
|---------|---------|---|



Telescopic poles



Poles slide into graphic pole pocket



Quick and easy installation



Pegasus 3m




The most compact 3m wide video wall! Ideal for large format photo calls for group meetings, political events or product launches.

| | |
|---------------------------|------------------------------------|
| Material | Aluminium |
| Assembly | Telescopic twist-lock poles |
| Shape | Straight |
| Graphic area | Single sided |
| Graphic attachment | Pole pocket |
| Application | Free-standing with feet (included) |

| | | |
|-------------|---------|---|
| Pegasus 3 m | UB167-S | Ⓞ 1845/3180(w) x 1835/2610(h) x 440(d) mm |
|-------------|---------|---|



Quick and easy installation



Telescopic poles





Display Signs

We provide a comprehensive range of professional display signage solutions for a variety of uses. From navigational signs to advertising, information, decorative and display needs.

Display signage solutions are versatile, reusable, durable, and reliable, ensuring investment in hardware is maximised, whilst allowing the flexibility to update marketing messages frequently.

Display Signs

With a wide choice of installation options such as wall, suspended or free-standing, as well as eye-catching illuminated lightbox versions, we are proud to offer one of the most comprehensive ranges on the market.



Non-illuminated free-standing signs

Wedge



Wedge is a weighted clamping banner base range that comes in 2 parts and is designed to hold a variety of rigid substrates for indoor or temporary outdoor usage. Available in four sizes from 300mm up to 1000mm Wedge can be used in tandem with a second pair of bases to create larger displays.

| | |
|---------------------------|--|
| Material | Powder coated steel |
| Graphic area | Single or double-sided |
| Graphic attachment | Screwed to base |
| Graphic option | Rigid panel from 18-40mm thickness - optional extra 1500mm height max. |
| Application | Free-standing |

| | | |
|---------------|--------------|-------------------------------|
| Wedge 300 mm | UB102-300-S | ⊗ 300(w) x 85(h) x 360(d) mm |
| Wedge 600 mm | UB102-600-S | ⊗ 600(w) x 85(h) x 360(d) mm |
| Wedge 800 mm | UB102-800-S | ⊗ 800(w) x 85(h) x 360(d) mm |
| Wedge 1000 mm | UB102-1000-S | ⊗ 1000(w) x 85(h) x 360(d) mm |



Symbol



Symbol is constructed of robust weighted steel and angled for optimal viewing and reading for better engagement with prospective customers. Interchangeable graphics slide in to the recess channel and fix in place tool-free with a turn screw.

| | |
|---------------------------|---|
| Material | Steel |
| Profile Colour | Black |
| Assembly | Allen key and thumb screws |
| Graphic attachment | Thumbscrews |
| Graphic option | Rigid PVC and Dibond (3-5 mm thickness) |
| Weight | 7.2 kg |
| Wind speed | 18 mph |

| | | |
|--------|------|--|
| Symbol | IP01 | ⊗ 420(w) x 1280(h) x 450(d) mm (A4) ⊗ 480(w) x 1280(h) x 450(d) mm (A3) |
|--------|------|--|



Content detail



Tool-free locking mechanism



Quick change graphic



Sentry



Sentry is a handy and versatile way of imparting brand messaging or wayfinding information quickly and tool-free using the 'snap action' poster area which can be deployed either landscape or portrait. Comes in A3 and A4 sizes and the weighted base aids deployment in high foot-fall areas.

| | |
|---------------------------|--|
| Material | 25mm aluminium profile, clear PVC protection sheet |
| Colour | Anodised silver finish, chromed corners |
| Mounting | Free-standing |
| Graphic attachment | Snap rail |
| Graphic option | Suitable for substrates up to 420 microns |
| Positioning | Portrait or Landscape |

| | | |
|-----------|-------|--------------------------------|
| Sentry A4 | SL104 | ⊗ 245(w) x 1005(h) x 326(d) mm |
| Sentry A3 | SL103 | ⊗ 245(w) x 1075(h) x 326(d) mm |



Snap frame

Shield



The Shield sign is a fantastic alternative to the traditional A-board sign. Unlike A-boards the weighted tough rubber base prevents Shield from falling over and the sleek UV printed aluminium graphic panel has a professional enduring finish even in inclement weather. Ideal double-sided display for use in all weathers, as well as in high volume traffic settings.

| | |
|---------------------------|--|
| Material | Recycled rubber base, aluminium panel (1.2 mm) |
| Graphic area | Double-sided |
| Graphic attachment | Bolts |
| Weight | 6.5 kg |
| Wind resistance | Up to 18 mph / 29 km/h |

| | | |
|--------|-------|-------------------------------|
| Shield | UB108 | ⊗ 465(w) x 800(h) x 450(d) mm |
|--------|-------|-------------------------------|



Shield base



A-sign Board



Pavement signage is a marketing stalwart and no high street would be without one, and the A-sign Board is one of the best. Simple to use with double-sided 'snap-action' front loading frames complete with protective PVC sheeting to shield graphics which can be changed over and over again to keep up with your brand messaging or offers.

| | |
|---------------------------|-----------------------------------|
| Material | Aluminium, steel, PVC sheet cover |
| Graphic area | Double-sided |
| Graphic attachment | Snap rail |
| Wind speed | 18 mph |
| Weight | 10.56 kg |

| | | |
|-----------------|---------|--------------------------------|
| A-sign Board A1 | VF204-C | Ⓞ 638(w) x 1060(h) x 825(d) mm |
|-----------------|---------|--------------------------------|



Snap frame



Street Sign



A durable outdoor double-sided sign frame with a standing height of 1135mm when deployed. There is a recessed area on each side of the frame that will accommodate a poster size graphic and is covered by a PET poster protection screen to protect the poster face. The unit is equipped with hinges attached to both sides of the frame to ensure stability once deployed. The sign frame folds flat to save space when storing and has an integrated wheel system on the base making it easy to reposition without the need for heavy lifting.

| | |
|---------------------------|-----------------------------------|
| Material | Aluminium, steel, PVC sheet cover |
| Graphic area | Double-sided |
| Graphic attachment | Frame lock |
| Wind speed | 18 mph |
| Weight | 16.4 kg |

| | | |
|-------------|-----------|--------------------------------|
| Street sign | SS-24X36B | Ⓞ 690(w) x 1135(h) x 735(d) mm |
|-------------|-----------|--------------------------------|



Open frame



Integrated castors



Formulate Shadow



Formulate Shadow is a no mess, no fuss outdoor sign, that offers customers a viable alternative to traditional outdoor signs that typically rely on water or sand for stability.

| | |
|---------------------------|-------------------------------|
| Material | Steel |
| Assembly | Push-fit button/Allen key |
| Tube | 32 mm |
| Graphic area | Double-sided |
| Graphic attachment | Zipped tension fabric graphic |
| Wind resistance | Up to 18 mph / 29 km/h |
| Weight | 12.7 kg |

| | | |
|------------------|----------|--------------------------------|
| Formulate Shadow | FORM-ODS | Ⓞ 800(w) x 1174(h) x 420(d) mm |
|------------------|----------|--------------------------------|



Integrated castors



Base with handle



Monsoon



Monsoon is your perfect all-weather sturdy single or double-sided 'A' frame banner with bungeed PVC eyelet banner graphics - perfect for displaying brand messaging or wayfinding information.

| | | |
|---------------------------|---|--|
| Material | Aluminium tubes (25 mm), plastic connectors | |
| Graphic area | Single or double-sided | |
| Graphic attachment | Eyelets and looped bungee cords | |
| Wind resistance | Up to 24 mph / 39 km/h | |

| | | |
|-----------------|---------|---------------------------------|
| Monsoon 2500 mm | UB707-C | Ⓞ 2500(w) x 1000(h) x 640(d) mm |
| Monsoon 3000 mm | UB711-C | Ⓞ 3000(w) x 1250(h) x 795(d) mm |

| | | |
|---------------------------|------------|--|
| Bungee cords (pack of 12) | FX804-BX12 | |
|---------------------------|------------|--|



Eyeletted graphic attaches to frames with bungee cord



Metal hinge



Interlocking sections



Stowaway



Make your brand messaging or wayfinding information literally pop with the Stowaway pop-out display banner that deploys in seconds for use either indoors or secured outside with pegs supplied.

| | | |
|---------------------------|-------------------------|--|
| Material | Sprung steel pole | |
| Graphic area | Double-sided | |
| Graphic attachment | Elasticated pole pocket | |
| Ground fixing | 4 pegs (included) | |
| Transport | Carry bag included | |
| Wind Speed | 18 mph (when pegged) | |

| | | |
|------------------|-----------|-------------------------------------|
| Stowaway 1400 mm | UB736-03A | Ⓞ 1420(w) x 700(h) x 400/480(d) mm |
| Stowaway 2000 mm | UB736-01A | Ⓞ 2020(w) x 1000(h) x 400/480(d) mm |



Internal hook and loop straps



Bora Column



The Bora Inflatable Column kit is a fantastic eye-catching visual advertisement and brand messaging tool that stands at almost 2.4 metres tall. Once deployed it can be left without the need for re-inflation leaving organisers free to attend to customers and visitors at events. Complete by choosing a vibrant optional custom graphic to display brand messaging.

| | | |
|---------------------------|------------------------------------|--|
| Material | PVC column, plastic base | |
| Graphic area | 360° | |
| Graphic attachment | Hook and loop | |
| Ground fixing | 4 pegs (included) | |
| Wind resistance | Up to 24 mph / 39 km/h (if pegged) | |

| | | |
|-----------------|-------------|-----------------------|
| Bora Column Kit | INFLCOL-220 | Ⓞ 2390(h) x 460(Ø) mm |
|-----------------|-------------|-----------------------|

Ancillaries :

| | |
|--------------------|-------------|
| Electric pump 600W | INFPA-PE4EU |
| Bag (column) | AB-INFLCOL |



600W Electric pump (optional)



Gala Table




Portable and strong folding trestle table. Cover with an optional printed table cloth for a professional look, choose from traditional or fitted format.

| | | |
|---------------------|----------------------|--|
| Material | Polypropylene, metal | |
| Assembly | Locking mechanism | |
| Graphic area | 360° | |

| | | |
|-----------|-------|--|
| Gala 1.8m | FT-6A | Ⓞ Open - 1805(w) x 730(h) x 740(d) mm Ⓞ Closed - 900(w) x 80(h) x 740(d) mm |
|-----------|-------|--|



Gala table folds in half for ease of transportation



Central locking system



Gala table folds in half for ease of transportation



Two tablecloth finishes available

Non-illuminated wall mounted signs

Trappa Frame



The Trappa 'snap-action' Frame delivers a professional look and is quick to fix to a wall and easy to update. Posters can be changed, simply by opening the frame edges.

| | |
|---------------------------|--|
| Material | 25mm aluminium profile, clear PVC protection sheet |
| Colour | Anodised silver finish |
| Mounting | Wall* |
| Graphic attachment | Snap rail |
| Graphic option | Suitable for substrates up to 420 microns |
| Positioning | Portrait or Landscape |



| | | |
|-----------|---------|-------------------------------|
| Trappa A4 | AT401-C | ⊙ 241(w) x 328(h) x 13(d) mm |
| Trappa A3 | AT402-C | ⊙ 328(w) x 451(h) x 13(d) mm |
| Trappa A2 | AT403-C | ⊙ 451(w) x 625(h) x 13(d) mm |
| Trappa A1 | AT404-C | ⊙ 625(w) x 872(h) x 13(d) mm |
| Trappa A0 | AT405-C | ⊙ 872(w) x 1220(h) x 13(d) mm |



Trappa snap frame

*: Wall mounting screws not included

Vector Quick-fix Wall Kit



The Vector Quick Fix Wall Kit is a sleek 20mm low profile aluminium extrusion frame for optional SEG dye-sublimated fabric display graphics that simply push-fits into the frame's channel in a matter of seconds. Frames affix to walls in a fuss-free way by self-drilling.

| | |
|---------------------------|--------------------|
| Material | Anodised aluminium |
| Profile width | 20mm |
| Profile Colour | Silver |
| Assembly | Angled connectors |
| Shape | Bevelled |
| Mounting | Wall mounted* |
| Graphic area | Single sided |
| Graphic attachment | SEG 3mm |
| Availability | Made to order |


Can be mounted directly on the wall without a bracket



| | | |
|---------------------|---------|-------------------------------|
| Vector Quick Fix A3 | VWQF-A3 | ⊙ 420(w) x 297(h) x 20(d) mm |
| Vector Quick Fix A2 | VWQF-A2 | ⊙ 594(w) x 420(h) x 20(d) mm |
| Vector Quick Fix A1 | VWQF-A1 | ⊙ 841(w) x 594(h) x 20(d) mm |
| Vector Quick Fix A0 | VWQF-A0 | ⊙ 1189(w) x 841(h) x 20(d) mm |



Corners are assembled using brackets



Silicone edged (SEG) graphic

*: Wall mounting screws not included

Vector Slim Circular Wall Kit




Vector Slim Circular is a sleek circular 20mm aluminium profile wall frame which is completed with an optional interchangeable custom printed SEG tension fit fabric graphic. Frames are quick and easy to attach to walls by self-drilling, and SEG graphics attach in seconds by push-fit into the frame channel.

| | |
|---------------------------|----------------------------------|
| Material | Aluminium |
| Profile width | 20 mm |
| Profile Colour | Silver |
| Assembly | Screw-in connector |
| Shape | Bevelled |
| Mounting | Wall mounted |
| Graphic area | Single-sided |
| Graphic attachment | Silicone Edged Gasket 3 mm (SEG) |
| Availability | Made to order |



| | | |
|-----------------------|-----------|--------------|
| Vector Slim Ø 400 mm | VWFC-400 | ⊙ 400(Ø) mm |
| Vector Slim Ø 700 mm | VWFC-700 | ⊙ 700(Ø) mm |
| Vector Slim Ø 1000 mm | VWFC-1000 | ⊙ 1000(Ø) mm |



20mm slim aluminium profile



Silicone edged (SEG) graphic



Wall mount included



Illuminated wall mounted signs

Vector 75mm LED Kit



Large format wall mounted edge lit lightbox, creating even light across a wide area to illuminate your chosen graphic helping you stand out from the crowd.

| | |
|--------------------|----------------------------------|
| Material | Aluminium |
| Profile width | 75 mm |
| Profile Colour | Grey |
| Assembly | Screw-in bracket |
| Mounting | Wall mounted |
| Graphic area | Single-sided |
| Graphic attachment | Silicone Edged Gasket 3 mm (SEG) |
| LED System | Edge lit |

| | | |
|--------------------------------|-----------|--------------------------------|
| Vector LED 75 - 2000 x 1000 mm | VLB75-2X1 | Ⓞ 1000(w) x 2000(h) x 75(d) mm |
| Vector LED 75 - 2000 x 2000 mm | VLB75-2X3 | Ⓞ 2000(w) x 2000(h) x 75(d) mm |
| Vector LED 75 - 2000 x 3000 mm | VLB75-2X2 | Ⓞ 2000(w) x 3000(h) x 75(d) mm |



Cable system



LED strip lighting



Numbered system for easy assembly

Non-illuminated suspended signs

Twista Lite



Twista Lite delivers a smart, modern poster display system that is quick and simple to deploy via the 'snap-action' rail. Versatile, as well as functional, it can be displayed single-sided on walls or double-sided when suspended from ceilings.

| | |
|--------------------|---|
| Material | Aluminium (rail), plastic (end caps, hooks) |
| Colour | Grey |
| Mounting | Wall / Ceiling |
| Graphic area | Single or double-sided |
| Graphic attachment | Snap rail |

| | | |
|---------------------|------------|------------------------------|
| 600 mm Kit | TWLHR-600 | Ⓞ 600(w) x 31(h) x 12(d) mm |
| 800 mm Kit | TWLHR-800 | Ⓞ 800(w) x 31(h) x 12(d) mm |
| 850 mm Kit | TWLHR-850 | Ⓞ 850(w) x 31(h) x 12(d) mm |
| 1000 mm Kit | TWLHR-1000 | Ⓞ 1000(w) x 31(h) x 12(d) mm |
| 3000 mm Kit | TWLHR-3000 | Ⓞ 3000(w) x 31(h) x 12(d) mm |
| 3100 mm (rail only) | TWLHR-3100 | Ⓞ 3100(w) x 31(h) x 12(d) mm |



Snap rail clamps media securely



Top rail with hanging



Snap rail

Strata

Give perspective to your indoor display!

Strata is a versatile display system that can be fixed directly to the wall or on a cable, for an adjustable suspended display.

Ideal for a structured mechanism to display your materials including acrylic, plastic and wood. Often used for displaying properties for sale in estate agencies, case studies on an exhibition stand, or key messages on a backwall.

Strata



1 Stand-offs

- 11 mm diameter aperture is required in the substrate
- Screw fasteners
- 25 mm diameter compatible with 5 to 20 mm thick signs

| | |
|------------------|-------|
| Ø25 mm Stand-off | PO117 |
|------------------|-------|



Strata components



2 Acrylic Poster Holder

- Acrylic poster holders have wings to take panel support fixings
- Available landscape or portrait

| | |
|------------|----------|
| Support A4 | AH414L/P |
|------------|----------|



3 Double Panel Support

- Double rotating fixture suitable for 7mm thick substrates and A1, A2 and A3 poster holders
- 7mm - 16mm diam. x 43mm with rotating feature for multi-angle fixing

| | |
|-------|----------------------|
| PO121 | ⊙, 43(h) x 16 (Ø) mm |
|-------|----------------------|



4 Panel Supports

- PO112 suitable for 4mm thick substrates and A4/A5 poster holders

| | |
|-------|------------------------|
| PO112 | ⊙, 20.5(h) x 16 (Ø) mm |
|-------|------------------------|



5 Rotating Edge Stand-offs

- Eliminate the need for an aperture in the substrate
- Suitable for 2-10mm thick substrates in rail or screw options
- Distance from wall or ceiling 18.5mm approx.

| | |
|---------|----------------------|
| PO119-S | ⊙, 34(h) x 16 (Ø) mm |
|---------|----------------------|



6 Compact Variable Cable Fixing

- 180° variable angle fixing
- Screw fixing
- Cannot be used with PO110 cable kit, use PO109

| | |
|-------------|----------------------|
| PO108 (Vis) | ⊙, 25(h) x 16 (Ø) mm |
|-------------|----------------------|



7 Adjustable Fixing Cable

- Supplied with rail fixings
- Can be fixed wall-to-wall, floor to ceiling, direct to wall - extra components required

| | |
|-------|-------------------------|
| PO109 | ⊙, 4000(w) x 1,5 (Ø) mm |
|-------|-------------------------|



8 Insert for Screw Fixing

- Suitable for PO109 Strata Cable Kits and Stand-off components

| | |
|----------------|-------|
| Screw mounting | PO116 |
|----------------|-------|



Display Banners

Portable display banners are ideal for a temporary but stable communications tool.

Our unique range of Display Banners are highly portable, quick to deploy and suitable for a broad range of applications. Choose from the economy range through to premium options for use indoors or select specifically designed solutions for outdoor applications.

Alternatively the fabric systems are a premium display solution, featuring aluminium tubing, with double-sided high-quality dye sublimated fabric graphics. Easy to deploy with tool-free assembly.

Display Banners

Affordable by nature, the roller banner range delivers a convenient, tool-free solution, with retractable graphics that deploy in seconds. Choose from a range of indoor or outdoor designs that best suits your application, with single or double-sided graphic options.

Tension banners are constructed of lightweight materials and offer the best value for money.



Lightboxes

Illumigo™ One



Illumigo™ One is a vibrant portable single-sided lightbox with the option to have a rear facing textile graphic unit. Standing 2000mm high and 850mm wide, the slim 60mm profile has a white powder coated finish and benefits from tool-free plug and play assembly due to an easy to follow numeric system, rollable LED panel and pre-assembled twist-out feet.

| | |
|---------------------------|---|
| Material | Aluminium |
| Profile width | 60 mm |
| Profile Colour | White |
| Assembly | Tool-free |
| Graphic area | Single-sided |
| Graphic attachment | Silicone Edged Gasket 3 mm (SEG) |
| Application | Self-supporting with pivoting feet fixed to the structure |
| Transport | Protective box with carry handle |

| | | |
|---------------|-----------|--------------------------------|
| Illumigo™ One | ILLGO-ONE | Ⓞ 850(w) x 2010(h) x 390(d) mm |
|---------------|-----------|--------------------------------|



← 850 mm →



Tool-free assembly



Rollable LED panel



Single-sided frame



Optional Illumigo™ bag


Illumigo™



Illumigo™ is an innovative portable LED lightbox that comes in a protective compartmented box with handle for ease of transportation. Deploys tool-free in minutes thanks to pre-assembled LED lighting and push-fit optional dye-sublimated graphics.

| | |
|---------------------------|---|
| Material | Aluminium |
| Profile width | 100 mm |
| Profile Colour | White |
| Assembly | Tool-free |
| Graphic area | Double-sided |
| Graphic attachment | Silicone Edged Gasket 3 mm (SEG) |
| Application | Self-supporting with pivoting feet fixed to the structure |
| Transport | Protective box with carry handle |

| | | |
|-----------------|-----------|---------------------------------|
| Illumigo™ - 2x1 | ILLGO-2X1 | Ⓞ 1000(w) x 2000(h) x 400(d) mm |
| Illumigo™ bag | ILLGO-BAG | Ⓞ 460(w) x 1160(h) x 400(d) mm |




Supplied with twin twist-out feet




Numbered system for easy assembly



Pre-installed LED lights



Branded protective compartmented box



Optional Illumigo™ bag


Illumigo™ Retail



Illumigo™ Retail is an innovative portable LED lightbox that is specifically designed for retail environments because of its size and stability. The 1600 x 600mm double-sided illuminated display comes in a protective compartmented box with handle for ease of transportation. Deploys tool-free in minutes thanks to pre-assembled LED lighting and push-fit optional dye-sublimated graphics.

| | |
|---------------------------|---|
| Material | Aluminium |
| Profile width | 100 mm |
| Profile Colour | White |
| Assembly | Tool-free |
| Graphic area | Double-sided |
| Graphic attachment | Silicone Edged Gasket 3 mm (SEG) |
| Application | Self-supporting with flat base fixed to the structure |
| Transport | Protective box with carry handle |

| | | |
|------------------|--------------|--------------------------------|
| Illumigo™ Retail | ILLGO-RETAIL | Ⓞ 600(w) x 1600(h) x 285(d) mm |
|------------------|--------------|--------------------------------|



Pre-installed LED lights



Connector



Branded protective compartmented box



Optional Illumigo™ bag

Illumigo™ 2x2



Illumigo™ is a complete portable 2x2m double-sided aluminium lightbox display system. Simple to deploy with tool-free assembly. Just remove from the box, twist out the feet from the base panel and use the matching numerical system to connect the remaining extrusions remembering to insert the horizontal bar. SEG graphics fit into the frame channel and the power cable inserts under the base panel. Plug and play in less than 10 minutes!

| | |
|---------------------------|---|
| Material | Aluminium |
| Profile width | 100 mm |
| Profile Colour | White |
| Assembly | Tool-free |
| Graphic area | Double-sided |
| Graphic attachment | Silicone Edged Gasket 3 mm (SEG) |
| Application | Self-supporting with pivoting feet fixed to the structure |
| Transport | Protective box with carry handle |

| | | |
|---------------|-----------|---------------------------------|
| Illumigo™ 2x2 | ILLGO-2X2 | Ⓞ 2000(w) x 2000(h) x 390(d) mm |
|---------------|-----------|---------------------------------|



Metal straight connector



Numbered system for easy assembly



Vector 125mm LED Kit



Illuminate to communicate! This robust free-standing LED frame perfectly suits interior displays that need to be regularly updated to keep up with changing trends.




| | |
|---------------------------|---|
| Material | Aluminium |
| Profile width | 125mm |
| Profile Colour | Silver (White / black optional) |
| Assembly | Screw-in bracket, Allen key |
| Graphic area | Single-sided (one side printed with block-out rear) double-sided (both sides printed) |
| Graphic attachment | Silicone Edged Gasket 3 mm (SEG) |
| Application | Free-standing with flat retail feet (included) |
| LED System | Edge-lit |

| | | |
|---------------|--------------|---------------------------------|
| Kit 2x1 LED | VLB125-2X1 | Ⓜ 1000(w) x 2005(h) x 550(d) mm |
| Kit 2x2 LED | VLB125-2X2 | Ⓜ 2000(w) x 2005(h) x 550(d) mm |
| Kit 2x3 LED | VLB125-2X3 | Ⓜ 3000(w) x 2005(h) x 550(d) mm |
| Kit 2,5x3 LED | VLB125-25X30 | Ⓜ 3000(w) x 2505(h) x 550(d) mm |

Available in standard and custom sizes



Mitred sections assemble with screw-in connectors



Cable system



LED strip lighting

Tension textile systems


Formulate Monolith



Monolith; the gentle giant, with weighted base for high traffic areas and practical, changeable fabric graphics for multiple brand messaging. This tall double-sided display banner comes in a variety of widths, from 600mm up to 1500mm, and is trusted for stability and easy deployment.

| | |
|---------------------------|--|
| Material | Aluminium tubes, steel base |
| Tube | Ø 30 mm |
| Assembly | Push-fit button, Allen key |
| Graphic area | Double sided |
| Graphic attachment | Zipped tension fabric graphic |
| Application | Free-standing with metal base (included) |
| Transport | Padded with compartments |

| | | |
|---------|---------------|---------------------------------|
| 600 mm | FORM-MON-600 | Ⓜ 600(w) x 2380(h) x 300(d) mm |
| 900 mm | FORM-MON-900 | Ⓜ 900(w) x 2380(h) x 300(d) mm |
| 1200 mm | FORM-MON-1200 | Ⓜ 1200(w) x 2380(h) x 300(d) mm |
| 1500 mm | FORM-MON-1500 | Ⓜ 1500(w) x 2380(h) x 300(d) mm |



Hinged metal base (from sizes 900mm wide upward)



Bungee tubes



Formulate Monolith Eco



The Formulate Monolith Eco is an ideal alternative to roller banners as it provides a cost effective option for the budget conscious whilst delivering an uninterrupted double-sided stretch fabric display. It comes with powder-coated steel feet for increased stability that connect to the aluminium tubular frame. The tension graphic hugs the frame and is zipped at the base to hold it in place.

| | |
|---------------------------|---|
| Material | Aluminium tubes, powder coated steel feet |
| Tube | 25mm |
| Assembly | Push-fit, tool-free |
| Graphic area | Single or double-sided |
| Graphic attachment | Tension fabric graphic |
| Application | Free-standing with feet (included) |
| Transport | Simple carry bag |

| | | |
|---------|-------------------|---------------------------------|
| 800 mm | FORM-MON-ECO-800 | Ⓜ 800(w) x 2009(h) x 378(d) mm |
| 1000 mm | FORM-MON-ECO-1000 | Ⓜ 1000(w) x 2009(h) x 378(d) mm |



Bungee tubes



Numbered system on tubes for easy assembly



Vector Media




Vector Media is a versatile display which accepts a variety of changeable media substrates; from SEG stretch fabric to rollable PVC. Each side of the frame has a channel for SEG fabrics, alternatively you can also use PVC with magnetic tape that magnetise to the inner frame profile.

| | |
|---------------------------|--|
| Material | Aluminium |
| Profile width | 35 mm |
| Profile Colour | Silver / Black |
| Assembly | Tool-free |
| Graphic area | Single or double-sided |
| Graphic attachment | For textile graphics: 3 mm SEG For PVC graphics: magnetic tape (included) |
| Application | Free-standing solid foot |

| | | |
|--------------|----------------|--------------------------------|
| Vector Media | VF-MEDIA-16X06 | ⊗ 600(w) x 1610(h) x 280(d) mm |
|--------------|----------------|--------------------------------|


PVC or fabric graphic, the choice is yours!



Fabric graphic with silicone edging (SEG)



PVC graphic with magnetic tape



Roller banners (economy)

Wasp



The Wasp roller banner is an entry level product, ideal for short-term events or displays, where cost is a primary consideration. Despite its affordable price, Wasp is made to exacting quality standards and carries a full manufacturer's warranty, so you can be confident it will perform as expected.

| | |
|---------------------|---|
| Material | Aluminium, plastic end caps on rail and feet tips |
| Rail | Snap rail |
| Pole | Aluminium three-part bungee pole |
| Leader | Self-adhesive |
| Graphic area | Single-sided |
| Feet | Twin, twist-out feet |
| Transport | Simple nylon bag |

| | | |
|---------|---------------|--------------------------------------|
| 600 mm | UB204-600-05 | ⊗ 615(w) x 1710(2080)(h) x 320(d) mm |
| 800 mm | UB204-800-03 | ⊗ 815(w) x 2080(h) x 320(d) mm |
| 850 mm | UB204-850-03 | ⊗ 865(w) x 2080(h) x 320(d) mm |
| 1000 mm | UB204-1000-03 | ⊗ 1015(w) x 2080(h) x 320(d) mm |



Pole top



Pole bracket



Carry bag



Mantis



The Mantis roller banner is suitable for budget conscious users, who need a cost-effective roller banner with a little more durability for busier areas. With a weighted base, the unit provides enhanced stability over the unweighted banners in the range. Despite its economical price, Mantis is made to exacting quality standards and carries a full manufacturer's warranty, so you can be confident it will perform as expected.

| | |
|---------------------|-------------------------------------|
| Material | Aluminium, plastic end caps on rail |
| Rail | Snap |
| Pole | Bungee |
| Leader | Self-adhesive |
| Graphic area | Single-sided |
| Feet | Twin, twist-out feet |
| Transport | Padded nylon bag with side opening |

| | | |
|---------|---------------|---------------------------------|
| 800 mm | UB216-800-01 | ⊗ 818(w) x 2085(h) x 280(d) mm |
| 850 mm | UB216-850-01 | ⊗ 868(w) x 2085(h) x 280(d) mm |
| 1000 mm | UB216-1000-01 | ⊗ 1018(w) x 2085(h) x 280(d) mm |



Pole top



Rigidising bracket in base for increased strength and longevity of banner



Mosquito



The Mosquito roller banner is an industry standard workhorse. This roller banner offers a blend of affordability, durability and robustness that is often copied, but never equalled. It is constructed from more robust componentry, allowing it to perform reliably in high traffic applications, or where there are likely to be repeated deployments of your roller banner.

| | |
|---------------------|---|
| Material | Aluminium and plastic |
| Rail | Snap rail |
| Pole | Aluminium three-part bungee pole |
| Leader | Self-adhesive |
| Graphic area | Single-sided |
| Feet | Twin, twist-out feet |
| Transport | Nylon bag with inner protection (double skin) |

| | | |
|---------|------------|---------------------------------|
| 800 mm | UB197 | ⊗ 860(w) x 2105(h) x 285(d) mm |
| 850 mm | UB196 | ⊗ 910(w) x 2105(h) x 285(d) mm |
| 1000 mm | UB197-1000 | ⊗ 1060(w) x 2105(h) x 285(d) mm |
| 1200 mm | UB197-1200 | ⊗ 1260(w) x 2105(h) x 285(d) mm |
| 1500 mm | UB197-1500 | ⊗ 1560(w) x 2105(h) x 285(d) mm |
| 2000 mm | UB197-2000 | ⊗ 2060(w) x 2105(h) x 285(d) mm |



← Market favourite



Nylon bag with padded inner protection



Three-part bungee pole



Rigidity bracket in base for increased strength and longevity of banner


Grasshopper




The Grasshopper roller banner is an industry standard workhorse. A popular, classic-style lightweight economy banner with twin twist-out feet for stability. This roller banner offers a blend of affordability, durability and robustness.

| | |
|---------------------|---|
| Material | Aluminium and plastic |
| Rail | Adhesive Rail |
| Pole | Aluminium three-part bungee pole |
| Leader | Self-adhesive |
| Graphic area | Single-sided |
| Feet | Twin, twist-out feet |
| Transport | Nylon bag with inner protection (double skin) |

| | | |
|--------|-------|--------------------------------|
| 800 mm | UB191 | ⊗ 860(w) x 2105(h) x 285(d) mm |
| 850 mm | UB193 | ⊗ 910(w) x 2105(h) x 285(d) mm |



Self-adhesive rail



Three-part bungee pole



Rigidity bracket in base for increased strength and longevity of banner



Dragonfly 2



Economical and cost-effective double-sided roller banner with pole storage in base. Comes with padded nylon bag for ease of transportation.

| | |
|---------------------|-------------------------------------|
| Material | Aluminium, plastic end caps on rail |
| Rail | Snap rail with end caps |
| Pole | Aluminium three-part bungee pole |
| Leader | Self-adhesive |
| Graphic area | Double-sided |
| Feet | Twin, twist-out feet |
| Transport | Padded nylon bag |

| | | |
|---------|---------------|---------------------------------|
| 850 mm | UB199-850-01 | ⊗ 890(w) x 2105(h) x 395(d) mm |
| 1000 mm | UB199-1000-01 | ⊗ 1040(w) x 2105(h) x 395(d) mm |



Three-part bungee pole



Nylon padded carry bag included

↻ Double-sided



Roller banners (standard)

Orient +



The Orient + is a trusted market leading roller banner that delivers stability whilst still being cost-effective. With its front-loading graphic that pulls up from the front of the base, the banner design ensures your brand message has maximum visibility from floor to top rail. It comes with our manufacturer's quality warranty, giving you peace of mind that it will perform every time.

| | |
|---------------------|---|
| Material | Aluminium and plastic |
| Rail | Patented Dual action self-adhesive and snap rail |
| Pole | Hybrid adjustable height telescopic pole |
| Leader | Self-adhesive or Hook and Loop |
| Graphic area | Single-sided |
| Feet | Adjustable |
| Transport | Padded nylon bag with side opening and foam reinforced ends |

| | | |
|---------|----------------|--------------------------------------|
| 800 mm | WH353-800-003 | Ⓞ 840(w) x 1595/2220(h) x 185(d) mm |
| 850 mm | WH353-850-003 | Ⓞ 890(w) x 1595/2220(h) x 185(d) mm |
| 1000 mm | WH353-1000-003 | Ⓞ 1040(w) x 1595/2220(h) x 185(d) mm |
| 1200 mm | WH353-1200-003 | Ⓞ 1240(w) x 1595/2220(h) x 185(d) mm |
| 1500 mm | WH353-1500-003 | Ⓞ 1540(w) x 1595/2220(h) x 185(d) mm |
| 2000 mm | WH353-2000-003 | Ⓞ 2040(w) x 1595/2220(h) x 185(d) mm |



Hybrid telescopic pole



Pole top



Banner components



Delta Lite



The Delta Lite roller banner is highly stylish and has great stability thanks to the wide footprint aluminium base. This elegant banner has great design details including the chrome finished end covers. With adjustable levelling feet and telescopic pole, Delta Lite is excellent value for money. It comes with our manufacturer's quality warranty, giving you peace of mind that it will perform every time.

| | |
|---------------------|--|
| Material | Aluminium, chrome base end covers |
| Rail | Snap rail with end caps |
| Pole | Hybrid adjustable height telescopic pole |
| Leader | Self-adhesive |
| Graphic area | Single-sided |
| Feet | Adjustable |
| Transport | Padded nylon bag |

| | | |
|--------|---------------|-------------------------------------|
| 850 mm | UB205-850-004 | Ⓞ 903(w) x 1625/2224(h) x 203(d) mm |
|--------|---------------|-------------------------------------|



Snap rail



Hybrid telescopic pole



Thunder 2




The Thunder 2 double-sided retractable roller banner is ideal for outdoor use as it is strong and durable yet very easy to assemble and transport. Standing 2m high, Thunder 2 will display your message on both sides for maximum viewing impact.

| | |
|---------------------------|---|
| Material | Plastic, aluminium and steel |
| Pole | Three part bungee pole |
| Graphic area | Double-sided |
| Graphic attachment | Self-adhesive leader / top snap rail |
| Ground fixing | 4 pegs (included) |
| Wind resistance | Up to 7 mph / 11 km/h (unpegged) up to 24 mph / 39 km/h (if pegged) |
| Transport | Padded bag |

| | | |
|-----------|--------------|--------------------------------|
| Thunder 2 | UB185-850-01 | Ⓞ 884(w) x 2100(h) x 740(d) mm |
|-----------|--------------|--------------------------------|



Three-part bungee pole



Ground pegs

Use outdoors



Roller banners (premium)

Merlin



Merlin is a sleek and elegant premium roller banner with an interchangeable graphic cassette which extends the life of the banner as graphics are quick and easy to change. The graphic cartridge is housed independently from the main base unit so it is simple to remove and replace with new graphics and old graphics can also be reused, just by swapping the cassette. A great value for money solution if the message or marketing campaign changes regularly. The Merlin roller banner comes with our manufacturer's quality warranty, giving you peace of mind that it will perform every time.

| | |
|---------------------|---|
| Material | Aluminium and plastic |
| Rail | Snap rail |
| Pole | Hybrid adjustable height telescopic pole |
| Leader | Cassette banner with adhesive leader |
| Graphic area | Single-sided |
| Feet | Adjustable |
| Transport | Padded nylon with side opening and foam reinforced ends |

| | | |
|--------|--------------|-----------------------------------|
| 850 mm | UB160-850-01 | 915(w) x 1655/2315(h) x 195(d) mm |
|--------|--------------|-----------------------------------|



Interchangeable graphic cassette - swap messaging in seconds



Replacement cassette - 850 mm UB175-850-01



Barracuda



The original best-selling premium Barracuda roller banner delivers a reliable, enduring display which is backed up by a life-time manufacturer's hardware warranty. The stylish anodised aluminium base has an elegant pinstripe detail on the front casing. Barracuda is height adjustable and has a large internal graphic housing and tensioner.

| | |
|---------------------|---|
| Material | Aluminium and plastic |
| Rail | Patented snap rail |
| Pole | Hybrid adjustable height telescopic pole |
| Leader | Self-adhesive slider |
| Graphic area | Single-sided |
| Feet | Adjustable |
| Transport | Padded nylon with side opening and foam reinforced ends |

| | | |
|---------|---------------|------------------------------------|
| 800 mm | WH321C-800A3 | 860(w) x 1605/2210(h) x 200(d) mm |
| 1000 mm | WH321C-1000A3 | 1060(w) x 1605/2210(h) x 200(d) mm |
| 1200 mm | WH321C-1200A3 | 1260(w) x 1605/2210(h) x 200(d) mm |
| 1500 mm | WH321C-1500A3 | 1560(w) x 1605/2210(h) x 200(d) mm |
| 2000 mm | WH321C-2000A3 | 2060(w) x 1605/2210(h) x 200(d) mm |
| 2400 mm | WH321C-2400A3 | 2460(w) x 1605/2210(h) x 200(d) mm |



Hybrid telescopic pole



Rail cap



Ratchet graphic tensioner



Roller banners (desktop)

Breeze



The Breeze mini roller banner is ideal for use on a tabletop, counter, or reception desk. Ultra-light and simple to assemble, it delivers a professional, smart display that is elegant and stylish.

| | |
|---------------------|-------------------------------------|
| Material | Aluminium, plastic end caps on rail |
| Rail | Self-adhesive |
| Pole | Aluminium |
| Leader | Self-adhesive |
| Graphic area | Single-sided |
| Transport | Padded nylon bag |

| | | |
|-----------|-------|----------------------------|
| Breeze A3 | WH361 | 238(w) x 335(h) x 80(d) mm |
| Breeze A4 | WH360 | 332(w) x 440(h) x 82(d) mm |



Two-piece support pole



Liberty Mini



The 430mm wide Liberty Mini can be used as a full height (1600mm) roller banner or be located on a counter or tabletop and be deployed at 450mm. This is possible thanks to the optional extension pole. This makes the Liberty Mini a very versatile narrow-gauge solution.

| | |
|---------------------|--|
| Material | Aluminium, plastic end caps on rail |
| Rail | Snap rail |
| Pole | 2 Part-pole, height 400 - 800mm Four Part pole, height 1200 - 1600mm |
| Leader | Self-adhesive |
| Graphic area | Single-sided |
| Transport | Padded nylon bag |

| | | |
|---------------------|-----------|------------------------------------|
| Liberty Mini 400 mm | UB122-400 | 430(w) x 450/850(h) x 125(d) mm |
| Extension pole | EP-MINI | 4 Part pole, height 1200 - 1600 mm |



Non-padded carry bag



Tension banners (X Banner)

Beijing Lite



Basic X-banner. Ultra-light frame. Very easy to assemble and compact once packed down.

| | |
|--------------------|-----------------------------|
| Material | Fibreglass |
| Graphic area | Single-sided |
| Graphic attachment | Eyelets |
| Application | Free-standing |
| Transport | Budget drawstring carry bag |

| | | |
|--------|---------------|------------------------------|
| 800 mm | WH358-8X18-01 | 800(w) x 1800(h) x 650(d) mm |
|--------|---------------|------------------------------|



Banner reverse



Graphic attaches with eyelets



Blizzard



Blizzard is a great all-rounder as it is ideal for all kinds of corporate, sporting and outdoor events. Its simple design makes it very easy to assemble on-site, and because it's adjustable, it can accommodate different graphic sizes to suit your application.

| | |
|--------------------|--------------------------------|
| Material | Plastic and metal |
| Pole | Adjustable in width and height |
| Graphic area | Single-sided |
| Graphic attachment | Eyelets |
| Base capacity | 12 litres |
| Wind resistance | Up to 18 mph / 29 km/h |
| Transport | Non-padded bag |

| | | |
|----------|-------|---------------------------------------|
| Blizzard | UB701 | 600/800(w) x 1600/2100(h) x 540(d) mm |
|----------|-------|---------------------------------------|



Non-padded bag included





Flag Banners


Draw attention to branding, products, services, or business premises with custom printed flags. Instantly noticeable due to their height, shape, and movement, our all-fibre flag poles are durable and flexible, easy to assemble and quick to deploy, making them an extremely effective means of advertising.

Choose from a range of free-standing, post / wall mounted, mobile and specialist hardware that can be used in a variety of applications such as car forecourts, festivals, and beach flags.

Alternatively, deploy taller or multiple flags to increase visibility and attention to branding. Our all-fibre flag poles are reusable with interchangeable graphics for greater return on investment. To protect this investment, it is recommended that flags be kept securely in place by selecting an appropriate base suitable for the desired application and location from the specifically designed range.

Flag Banners

Available as single or double-sided options and printed using hardy, UV resistant media, flag graphics can be utilised indoors or outside with standard or custom flag shapes.



Free-standing flags

Zoom+ Quill / Feather Flag



Popular and versatile, lightweight flexible flag system, with black finish all fibre poles. Choose Feather or Quill shaped graphics. Ideal for advertising and used for all types of indoor and outdoor displays. Optional custom printed flag graphics are available in a range of sizes from small to extra-large and, with a choice of single or double-sided options (small, medium, and large). The eye-catching shape creates movement in the wind and is a great for attracting attention.

| | | |
|---------------------------|--|--|
| Material | GRP fibre glass pole | |
| Graphic area | Single-sided or double-sided (double sided only available up to large) | |
| Graphic attachment | Pole pocket | |
| Wind resistance | Up to 18 mph / 29 km/h | |

| | | |
|--------------------|------------|---------------------------------|
| Zoom + Small | UF-ZM-SM | Ⓞ 550/800(w) x 2100/2600(h) mm |
| Zoom + Medium | UF-ZM-ME | Ⓞ 600/900(w) x 2800/3200(h) mm |
| Zoom + Large | UF-ZM-LA | Ⓞ 800/1100(w) x 3500/4000(h) mm |
| Zoom + Extra large | UF-ZM-EXLA | Ⓞ 850/1200(w) x 4600/4900(h) mm |

Ancillaries :

| | |
|----------------|-----------|
| Bag (optional) | AB-ZML-01 |
|----------------|-----------|



Zoom+ Quill Flag

Zoom+ Feather Flag



Graphic attaches on to hook

Zoom+ Edge Flag



Popular and versatile, lightweight rectangular shaped flag system with black finish all-fibre poles. Ideal for all types of indoor and outdoor displays. Quick and easy to deploy and can withstand winds of approximately 13 -18m/h (21-29km/h). Optional custom printed flag graphic available in single and double-sided options (small, medium, and large), and all flag graphics have a printed pole pocket. The flag moves naturally in breezy/windy conditions and is ideal for attracting attention on car forecourts, at exhibitions and events, or outside a building or premises.

| | | |
|---------------------------|--|--|
| Material | Aluminium and GRP | |
| Graphic area | Single-sided or double-sided (double sided only available up to large) | |
| Graphic attachment | Pole pocket | |
| Wind resistance | Up to 18 mph / 29 km/h | |

| | | |
|-------------------------|-------------|-----------------------|
| Zoom + Edge Small | UF-ZME-SM | Ⓞ 750(w) x 2080(h) mm |
| Zoom + Edge Medium | UF-ZME-ME | Ⓞ 750(w) x 2900(h) mm |
| Zoom + Edge Large | UF-ZME-LA | Ⓞ 750(w) x 4000(h) mm |
| Zoom + Edge Extra large | UF-ZME-EXLA | Ⓞ 750(w) x 5000(h) mm |



Graphic attaches on to hook

Free-standing flag bases

| Weighted bases - available in UK, Poland, Italy, Portugal and Spain | | | | | | | | | | | | | | | | | | | | | | | |
|---|----------------------|----------|-------|-----------------------|-------------|-------------|------|--------------|---|---|----|----------------|---|---|----|-------------|---|---|----|---|---|---|---|
| Base | Product | Code | Image | Weight | Capacity | Utilisation | | Zoom + Quill | | | | Zoom + Feather | | | | Zoom + Edge | | | | | | | |
| | | | | | | Int. | Ext. | S | M | L | XL | S | M | L | XL | S | M | L | XL | | | | |
| | Large water base | UF-ZMLWB | | 72.5 x 51 x 22.5 cm | 0.9 kg | 30l | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | Stackable Water Base | UF-ZMSWB | | 64.2 x 64.2 x 27.7 cm | 3.6 - 30 kg | 26l | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

| Metal and cement bases - available in UK, Poland, Italy, Portugal and Spain | | | | | | | | | | | | | | | | | | | | | | | |
|---|---------------------------------|-------------|-------|--------------------|----------|-------------|------|--------------|---|---|----|----------------|---|---|----|-------------|---|---|----|---|---|---|---|
| Base | Product | Code | Image | Weight | Capacity | Utilisation | | Zoom + Quill | | | | Zoom + Feather | | | | Zoom + Edge | | | | | | | |
| | | | | | | Int. | Ext. | S | M | L | XL | S | M | L | XL | S | M | L | XL | | | | |
| | Zoom + Large cross base | UF-ZMLCB-01 | | 240 x 400 x 400 mm | 1.5 kg | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | Zoom + Concrete base | UF-ZMCEM | | ∅ 45 x 35 mm | 22.5 kg | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | Zoom + Small square base 7,5 kg | UF-ZMLSQ-01 | | 180 x 400 x 400 mm | 7.5 kg | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | Zoom + Drive on car foot | UF-ZMCF5-01 | | 605 x 195 x 125 mm | 1.7 kg | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

| Spikes - available in UK, Poland, Italy, Portugal and Spain | | | | | | | | | | | | | | | | | | | | | | | |
|---|----------------------------|-------------|-------|--------|----------|-------------|------|--------------|---|---|----|----------------|---|---|----|-------------|---|---|----|---|---|---|---|
| Base | Product | Code | Image | Weight | Capacity | Utilisation | | Zoom + Quill | | | | Zoom + Feather | | | | Zoom + Edge | | | | | | | |
| | | | | | | Int. | Ext. | S | M | L | XL | S | M | L | XL | S | M | L | XL | | | | |
| | Zoom + Ground spike | UF-ZMGS-01 | | 600 mm | 1.16kg | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | Zoom + Budget ground spike | UF-ZMBGS-01 | | 600 mm | 1kg | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

- *Use with Weighting ring UB719-C
- ** Use with Heavy duty pegs FX620

Zoom+ Arch



The Zoom+ Arch stands out at any outdoor event or activity. With an overall height of 3m to the top of the graphic and a 4m width, it's perfect to use as a focal point or to attract attention. Simple and quick to assemble, it can be deployed in minutes and when used with the optional stackable bases, provides an extremely stable display that can be used in wind speeds of up to 20mph.

Material GRP fibre glass pole - chrome steel end caps, plastic hook
Graphic area Single-sided
Graphic attachment Pole pocket
Wind resistance Up to 19 km/h

| | | |
|---|-----------|-----------------------------|
| Zoom+ Arch | ZOOM+ARCH | ∅ 4000(w) x 2500/3000(h) mm |
| Stackable base (optional) recommended that 2 bases either side are used | UF-ZMSWB | ∅ 162.5(h) x 642(w) mm |



Supplied with 1 x 6-part bungee pole, 2 x base rods and hooks



Graphic attaches on to plastic hook



Water fillable base



Handle for easy transportation



Shimmer



A great value, free-standing, telescopic flag system, which includes the black water-fillable base. Adjustable to a height of up to 3m, the system comes with a base which can be filled with water or sand for optimum stability. Transport bags optional. Can be used indoor or outside and is quick and easy to deploy.

Material Aluminium pole, plastic base
Pole Telescopic (1540/2850 mm)
Graphic area Single-sided
Graphic attachment Printed pole pocket
Base capacity 14 litres
Wind resistance Up to 18 mph / 29 km/h

| | | |
|---------|----------|-------------------------------------|
| Shimmer | WD102-01 | ∅ 630(w) x 1620/3000(h) x 385(d) mm |
|---------|----------|-------------------------------------|





Wind Dancer



An imposing telescopic flag which stands 5m high when fully assembled and is certain to make an impact at any outdoor event. Wind Dancer comes complete with a base which can be filled with either water or sand. The 3.5m flag height makes an impressive statement when the flagpole is deployed at its full 5m height, and is particularly impactful when used in large crowded areas because of its dominating presence.

| | |
|--------------------|------------------------------|
| Material | Aluminium pole, plastic base |
| Pole | Telescopic |
| Graphic area | Single-sided |
| Graphic attachment | Eyelets |
| Base capacity | 66 litres |
| Wind resistance | Up to 18 mph / 29 km/h |

| | | |
|-------------|-------|---------------------------------------|
| Wind Dancer | WD105 | Ⓞ 1000(w) x 2900/5300(h) x 1000(d) mm |
|-------------|-------|---------------------------------------|



Post / wall mounted flags

Mistral



The Mistral is a fixed outdoor flag system designed for mounting to lampposts or building exteriors and is perfect for advertising or promoting a brand or event. The mechanism attaches directly to a pole, posts, or wall and can be moved to accommodate varying graphic heights. An eye-catching solution that can also be used for information and wayfinding. This flag is especially effective when repeated over a series of posts.

| | |
|---------------------------|----------------------------------|
| Material | Aluminium castings and GRP tubes |
| Tube | Height adjustable |
| Graphic area | Single-sided or double-sided |
| Graphic attachment | Pole pocket |
| Wind resistance | Up to 40 km/h |

| | | |
|---------|----------|-----------------------|
| Mistral | UB725-01 | Ⓞ 890(w) x 2000(h) mm |
|---------|----------|-----------------------|

Can be fixed to a pole or wall



Clamp
(Ø 300mm max)



Post fixing



Mobile flags

Street Flag



The ideal advertising medium when on the move or when you want to attract attention in a crowded space! Perfectly suited to promote events, highlight your presence at trade shows or to organise a group of people on excursions! Rugged and lightweight the backpack can be used with four different flag shapes and come complete with fibre poles.

| | |
|---------------------------|--|
| Material | Reinforced nylon backpack, fibre poles |
| Graphic area | Single-sided |
| Graphic attachment | Pole pocket or eyelets (X-banner) |
| Graphic shapes | Feather - Quill - Edge - X-banner |

| | | |
|-------------|-------------|------------------------------|
| Street Flag | UF-ZMSTF-01 | Ⓞ 310(w) x 540(h) x 80(d) mm |
|-------------|-------------|------------------------------|

X-banner



One bag can be used with 4 flag shapes!

Feather



Quill



Edge



Zipped compartment to store graphics



Reinforced shoulder straps, adjustable strap and side mesh pocket



Storage for poles and rods



Tents


Take advantage of outdoor events with a temporary structure and create additional marketing opportunities. Offer customers protection and shelter from the weather by choosing custom-printed tents, that also provide an attractive brand marketing solution.

Conventional pop-up tents and gazebos are fantastic provisional outdoor or indoor structures which provide a unique way to advertise in a vibrant impactful manner with fully printed canopies and walls.

Constructed from robust steel or aluminium in a variety of sizes that are easy to transport, assemble, deploy and pack away, pop-up tents are ideal for short term events, fairs and exhibitions.

Tents

For a more unique and unconventional structure, choose the Bora Inflatable Tent. Simple to inflate for rapid deployment with an appealing eye-catching shape, the Bora, like pop-up tents, also offers optional printed canopies and walls. Customisable areas make highly effective brand messaging, ensuring maximum impact at events. As with all custom-printed graphics, they can easily be replaced, meaning you are also able to reuse your hardware, improving your return on investment.



Pop-up tents

Zoom Tent Eco



The Zoom Tent Eco is the most cost-effective gazebo in our range. Quick and easy to deploy, the 3x3m tent can easily accommodate a 2.4m wide table making it a great solution for street markets, golf days or sporting events. Made from steel with a white powder coated finish, the frame easily shelters up to five people and folds completely into a portable wheeled carry bag. Custom fully printed canopy and walling available as an optional extra.



| | |
|---------------------------|---|
| Material | Steel frame, plastic joints |
| Graphic area | Double-sided (wall) / single-sided (canopy) |
| Graphic attachment | Hook and loop |
| Ground fixing | Pegs and ropes (included) |
| Wind resistance | Up to 18 mph / 29 km/h |
| Transport | Wheeled standard |

| | | |
|-------------------|----------|---------------------------------------|
| Zoom Tent Eco 3x3 | FD33-SQF | Ⓞ 3310(w) x 3315/3510(h) x 3310(d) mm |
|-------------------|----------|---------------------------------------|

| | | |
|--------|----------|---------------|
| Canopy | FD33-CTW | Colour: White |
|--------|----------|---------------|



Locking post



Winder for opening and closing



Zoom Tent



Ensure your event's a success come rain or shine by using an easy to deploy vibrant lightweight aluminium pop-up tent frame system. The Zoom Tent folds out and returns in minutes with tool-free deployment. Dress with a custom full printed canopy, full and half walls. Available in a range of sizes.




| | |
|---------------------------|--|
| Material | Aluminium frame, plastic joints |
| Graphic area | Double-sided (wall, half wall) / single-sided (canopy) |
| Graphic colours | White - Black (standard) / Full Graphic (optional) |
| Graphic attachment | Hook and loop / Pocket (half wall) |
| Ground fixing | Pegs and ropes (included) |
| Wind resistance | Up to 18 mph / 29 km/h |
| Transport | Wheeled Standard |

| | | |
|-------------|--------------|----------------------------------|
| 2x2 frame | ZT22-XAF-01 | Ⓞ 2000(w) x 3160(h) x 2000(d) mm |
| 3x3 frame | ZT33-XAF-01 | Ⓞ 2920(w) x 3160(h) x 2920(d) mm |
| 3x4.5 frame | ZT345-XAF-01 | Ⓞ 4300(w) x 3160(h) x 2920(d) mm |
| 3x6 frame | ZT36-XAF-01 | Ⓞ 5800(w) x 3160(h) x 2920(d) mm |

| | | |
|-----------|------------|------------------------|
| Canopy | ZTXX-CTK/W | Colours: Black / White |
| Wall | ZTXX-FWK/W | Colours: Black / White |
| Half wall | ZTXX-HWK/W | Colours: Black / White |

Ancillaries:

| | |
|---------------------|----------|
| 7.5 kg Weight | ZT-BASE |
| Half wall bar 2-3 m | ZT33-MTB |



Pop-up frame



Tent weight (optional)



Automatic locking



Crank to tighten the canopy





Inflatable tents

Bora Tent



The Bora Inflatable Tent is a sturdy and attractive option for outdoor displays. Create shade and shelter for a registration desk, refreshment area or meeting point that fully shows off your brand. As one of the largest products in the range, there is plenty of print area on the canopy and backwalls (optional extra) for brand messaging. The backwalls zip in, so can be changed for a different message from the canopy if you wish. The Bora Tent uses trapped air technology: silent and free-standing once inflated.

| | |
|--------------------|--|
| Material | TPU, Polyester inner coat |
| Graphic area | Single-sided |
| Graphic attachment | Zip system (standard) / hook and loop (full graphic) |
| Ground fixing | Pegs (optional) |
| Wind resistance | Up to 24 mph / 39 km/h (if pegged) |
| Transport | Standard (included) |

| | | |
|-----------|----------|----------------------------------|
| Bora Tent | INFT3-2Z | Ⓞ 3200(w) x 2450(h) x 3200(d) mm |
|-----------|----------|----------------------------------|

| | | |
|--------|-------------------|--------------------------------------|
| Canopy | INFT3-CZ-W/BL/B/R | Colours : White / Black / Blue / Red |
| Door | INFT3-WA-W/BL/B/R | Colours : White / Black / Blue / Red |

Ancillaries :

| | |
|--------------------|-------------|
| Electric pump 600W | INFPA-PE4EU |
|--------------------|-------------|



400W electric pump (optional)



Inflation valve



Carry bag included



Counters

Temporary counters add a professional touch to any exhibition, event, or retail environment. They provide a useful area for display or presentation space and, the ability to add a graphic, creates additional marketing opportunities as well as offering a convenient storage facility.

Our counters are available in a range of price points and shapes, depending on requirements. Add impact to a welcome desk or a reception area in a public space with an illuminated counter or choose an outdoor option to promote a product or service at an open-air event.

Counters

Counters are the perfect partner for a promotional display or event to complement a backdrop or add focus to an area and are the ideal companions for any marketing campaign.



Non-illuminated promotional counters

Pop-up Counta



A convenient lightweight pop-up counter that offers a substantial area to welcome guests yet packs down for easy transportation in a reinforced D-shaped wheeled trolley case. The counter comes with shelves for storage and a beech-coloured counter-top. Often used for exhibitions, in supermarkets as a demonstration unit and for events.

| | |
|---------------------------|--|
| Material | Aluminium, plastic and MDF tabletop |
| Assembly | Self-locking magnetic |
| Collapsible | Yes |
| Counter top | Foldable - Beech colour |
| Shelves | 4 |
| Graphic attachment | Magnetic hangers, bars and tape (included). Suitable for 440 microns min. substrate (optional extra) |
| Transport | 1 Wheeled trolley case |

| | | |
|------------|----------|--------------------------------|
| Pop-up 2x2 | PUC22C-C | Ⓞ 985(h) x 1290(w) x 465(d) mm |
|------------|----------|--------------------------------|



Structure



Magnetic fixing



Wheeled carry bag



Hop-up Counta



Durable lightweight hop-up counter, quick and easy to assemble with a single wrap around fabric graphic which stays on when collapsed and packed away. The unit is fitted with a beech effect counter top and provides a perfect welcome for guests.

| | |
|---------------------------|--|
| Material | Aluminium, plastic, MDF tabletop and polycarbonate shelf |
| Assembly | Plastic locking arms |
| Collapsible | Yes |
| Counter top | Beech |
| Shelves | 1 |
| Graphic attachment | Hook and loop |
| Transport | One wheeled carry bag |

| | | |
|--------|-------------|---------------------------------|
| Hop-up | HU301-001-C | Ⓞ 1020(h) x 1060(w) x 360(d) mm |
|--------|-------------|---------------------------------|

Counter folds up with the graphic



Counter components



Plastic locking arm



Carry bag included

Shelf included



Modulate™ Counter



Modulate™ Counter consists of an innovative aluminium tubular frame, counter-top, and printed tension fabric graphic. Powerful magnets encased inside the frame enables two or more counters to connect using simple magnetic principles. The counter can be used on its own or combined to make a long reception or bar area. Modulate™ Counter can be deployed in minutes, thanks to the tool-less construction. The printed tension fabric graphic will either sit on or under the counter-top to suit the application.


| | |
|---------------------------|--|
| Material | Ø 30mm Aluminium tubes, MDF tabletop/shelf |
| Assembly | Push-fit button |
| Collapsible | Yes |
| Counter top | Black |
| Shelves | 1 (Optional) |
| Graphic attachment | Zip system |
| Transport | One padded carry bag, internal flap |

| | | |
|-------------------|---------------|--------------------------------|
| Modulate™ Counter | FORM-MOD-CNTR | Ⓞ 1015(h) x 800(w) x 600(d) mm |
|-------------------|---------------|--------------------------------|

| | | |
|-------|------------------|-----------------------------|
| Shelf | FORM-MOD-CNTR-02 | Ⓞ 9(h) x 770(w) x 571(d) mm |
|-------|------------------|-----------------------------|




Tabletop is held in place by plastic moulding underneath



Optional shelf

2 possible finishes (with or without visible shelf)



PATENT PENDING

MODULATE™

Use it on its own or combined, simply by using the integrated magnets!

Basic Curved Counter




With a Double-D shape counter-top, the Basic Curved Counter delivers a functional and stylish look which is perfect to use for a reception desk or meeting point. The Counter is made from a rollable Corex tambour wrap to create the curved shape which push-fits into the thermoformed counter-top and base. A graphic can also be applied to the curved base to promote a message or brand. There is an opening for storage at the rear of the unit.

| | |
|--------------------|-------------------------------|
| Material | MDF tabletop/base, Corex wrap |
| Assembly | Push-fit - Tool-free |
| Collapsible | Yes |
| Counter top | Beech / black |
| Transport | 2 carry bags - included |

| | | |
|-----------------------------------|-----------|-------------------------------|
| Basics Curved Counter beech/black | PK922 | Ⓞ 925(h) x 910(w) x 480(d) mm |
| Basics Curved Counter white/black | PK922-BLK | Ⓞ 925(h) x 910(w) x 480(d) mm |



Interchangeable tabletops and bases



Grey counter wrap



Carry bag included



Counta



Lightweight portable indoor PVC demonstrator unit which includes header panel, poles and shelf supporting poles. Printed graphics can be applied as vinyl directly onto the base wrap. Available in white. Perfect for use in retail environments, one off events and promotions.

| | |
|--------------------|----------------------|
| Material | PVC |
| Assembly | Push-fit - Tool-free |
| Collapsible | Yes |
| Counter top | No |
| Shelves | 1 |
| Graphic attachment | Self-adhesive |
| Transport | Carry bag |

| | | |
|--------|-------|--|
| Counta | PC607 | Counter and front graphic - 2195(h) x 805(w) x 450(d) mm Front graphic - 280(h) x 680(w) x 20(d) mm |
|--------|-------|--|

Carrying bag included



Shelf for storage



Promotional counter, ideal for a retail



Tornado



Tornado is constructed from a lightweight frame with tambour graphic wrap, making it a very portable promotions counter. Additional features such as support poles and header panel give a brilliant finish and high visibility. The hollow base can be filled with water or sand to ensure it is stable and secure in outdoor environments.

| | |
|--------------------|-------------------------------|
| Material | Moulded HDPE, PVC tambour |
| Assembly | Push-fit - Tool-free |
| Collapsible | Yes |
| Counter top | White |
| Shelves | No |
| Graphic attachment | Push-in |
| Transport | 2 carry bags - optional extra |

| | | |
|----------------|-------|------------------------------|
| Tornado Base | PK410 | 1040(h) x 850(w) x 500(d) mm |
| Tornado Header | PK411 | 250(h) x 600(w) x 20(d) mm |



Optional drum bag



Optional tabletop and base bag



Create extra brand visibility with a header



Base fills with water or sand for stability for outdoor use

Illuminated promotional counters

Embrace+ LED Counter



The Embrace+ Backlit Counter is a double-sided portable unit that can be quickly deployed and will add impact to any event or exhibition stand. The counter comprises of four main components: the collapsible white aluminium powder coated frame, the LED curtain lights, the counter-top and a set of optional SEG tension fabric graphics. The backlit LED curtain lights provide consistent illumination with no black spots and are powerful enough to illuminate both sides of the frame, without the need to add an additional LED curtain.

| | |
|--------------------|--|
| Material | Aluminium, plastic, metal locking arms, MDF tabletop |
| Assembly | Plastic locking arms |
| Collapsible | Yes |
| Counter top | White |
| Graphic attachment | Silicone Edged Gasket 3 mm (SEG) |
| Transport | Bag included |
| Accessories | LED lighting (included) |

| | | |
|--------------|--------------------|-------------------------------|
| Embrace+ LED | EMB-PL-CNTR-LED-01 | 1022(h) x 1040(w) x 310(d) mm |
|--------------|--------------------|-------------------------------|



Fabric graphic attaches with silicone edging (SEG)



Light strip



Bag



Collapsible structure

360°

Illumigo™ Counter



This versatile and quick to set-up double-sided counter lightbox is a great all-rounder not only at events but in retail environments from shopping centres to pop-up shops. Part of the Illumigo™ range, the Illumigo™ Counter is easy to assemble with a two-part counter-top that secures using a pair of twist out top locators and locking screws. Building the unit is intuitive and tool-free as all the parts are numbered and simply slot together. Two optional graphics complete the look to create an impactful counter ideal for attracting attention in retail, event or exhibition environments.

| | |
|--------------------|----------------------------------|
| Material | Aluminium 100 mm, MDF table top |
| Assembly | Tool-free |
| Collapsible | Yes |
| Counter top | White |
| Graphic attachment | Silicone Edged Gasket 3 mm (SEG) |
| Transport | Protective box with carry handle |
| LED System | Led strips included |


| | | |
|---------------|---------------|-------------------------------|
| Illumigo™ | ILLGO-COUNTER | 1045(h) x 1040(w) x 420(d) mm |
| Illumigo™ Bag | ILLGO-BAG | 1160(h) x 460(w) x 190(d) mm |



Optional Illumigo™ bag




Protective compartmented box



Pre-assembled LEDs in the frame

Steel side feet for stability





Barriers


Barrier systems improve queue management and help with crowd control.

For pedestrian control, café barriers can be used to make an attractive, professional and functional barrier, creating a temporary space that can be easily reconfigured to suit your needs.

Café barriers are easy to store, assemble, deploy and move to suit your requirements. They are available in economy and premium solutions, depending on your application and budget.

Barriers

Queue management systems can be used to control queues, providing structured and manageable lanes to help marshal customers and are also suitable for indoor or outdoor use.



Pedestrian control standard barriers

Economy Café



A cost-effective way of defining areas outside restaurants, bars, shopping centre and coffee shops. A complete Café Barrier system requires two posts and bases. To secure the graphic, there are two options; dependent on budget and where the system is being deployed. If the Café Barrier is exposed to strong winds, we recommend a two-rail option ensuring the graphic is secured top and bottom to each post and base. If winds are not an issue but the budget is tight, then we suggest a single rail with two spring clips securing the bottom of the graphic. Rails are available in 1m, 1.5m and 2m sizes so it is quick and easy to calculate the number of café barriers required to define your space. To connect multiple barriers, add your choice of rails/spring clips plus one additional pole and base. All hardware components are finished in black. We can print vibrant graphics on PVC vinyl or recycled eco media.

| | |
|--------------------|---|
| Material | Stainless steel |
| Graphic area | Double-sided / or single-sided |
| Graphic attachment | Looped top rail. Looped bottom rail or spring clips |
| Weight | 9.13 kg |


| | | |
|----------------------|------------|----------------------|
| Graphic Rail 1000 mm | UB214-1000 | Ⓞ 1140(w) x 25(h) mm |
| Graphic Rail 1500 mm | UB214-1500 | Ⓞ 1940(w) x 25(h) mm |
| Graphic Rail 2000 mm | UB214-2000 | Ⓞ 2440(w) x 25(h) mm |
| Base | UB214B | Ⓞ 360 (Ø) mm |
| Post | UB214P | Ⓞ 960(h) mm |
| Spring clips (pair) | UB214-SC | |



Spring clips for securing eyelet graphic



Graphic rail



Base and post

Pedestrian control premium barriers

Deluxe Café



With premium look and feel the modular Café Barrier system defines areas outside restaurants, bars, coffee shops, shopping centre and club houses. A complete Café Barrier system requires two posts and bases. To secure the graphic, there are two options; dependent on requirements and where the system is being deployed. If the Café Barrier is exposed to strong winds, we recommend a two-rail option ensuring the graphic is secured top and bottom to each post and base. If winds are not an issue and you want movement in the graphic, chose a single rail with two spring clips securing the bottom of the graphic. Rails are available in 1m, 1.5m and 2m sizes so it is quick and easy to calculate the number of café barriers required to define your space. To connect multiple barriers, add your choice of rails/spring clips plus one additional pole and base. All hardware components are finished in a premium chrome effect. We can print vibrant graphics on PVC vinyl or recycled eco media.

| | |
|--------------------|---|
| Material | Stainless steel chrome |
| Graphic area | Single / double sided |
| Graphic attachment | Looped top rail. Looped bottom rail or spring clips |
| Weight | 8.63 kg |

| | | |
|----------------------|------------|--------------|
| Graphic Rail 1000 mm | UB215-1000 | Ⓞ 1140(w) mm |
| Graphic Rail 1500 mm | UB215-1500 | Ⓞ 1940(w) mm |
| Graphic Rail 2000 mm | UB215-2000 | Ⓞ 2440(w) mm |
| Base | UB215B | Ⓞ 360 (Ø) mm |
| Post | UB215P | Ⓞ 960(h) mm |
| Spring clips (pair) | UB215-SC | |



Queue management standard barriers

Basic Leader



Basics range for retractable barrier system, ideal for use in retail outlets, post offices, cinemas, and airports. A complete system requires two sets of post and base. All hardware components are finished in black. Retractable webbing is available as a separate cassette that slots into the post and can be deployed at a length of up to 2m. Webbing colour is black.

| | |
|----------|--|
| Material | Steel, aluminium, plastic |
| Colour | Black (base and post) Black (webbing) |

| | |
|--------------------------------|---------|
| Basics Leader Retractable Belt | SP-803B |
| Basics Leader Post | SP-801B |
| Basics Leader Base | SP-913B |



Retractable webbing cassette



Ancillaries

The range of ancillary products include literature holders, lighting solutions for various hardware ranges and transportation cases. These ancillaries offer flexibility and perfectly complement our product solutions.

Ancillaries

You can enhance your exhibition stand by selecting various supporting products from our range of ancillaries, that are often used to help promote your brand in a more impactful way, professionally display your latest literature, or add points of interest / making your stand more visible by using spot lights.



Literature holders (standard)

Zed-up Lite



A popular range of aluminium literature stands that are stylish and highly portable. Quick and easy to deploy Zed-up Lite is ideal for exhibitions and displays. Folds down for easy transportation in a heavy duty hard case.

| | |
|------------------------|--------------------------------|
| Material | Acrylic and anodised aluminium |
| Colour | Silver |
| Documents sizes | A5 / A4 / A3 |
| Pockets | 6 |
| Double-sided | Yes |
| Transport | Hard case (included) |

| | | |
|----------------|-----------|--------------------------------|
| A5 (6 pockets) | AS318-002 | Ⓞ 210(w) x 1115(h) x 280(d) mm |
| A4 (6 pockets) | AS315-002 | Ⓞ 256(w) x 1460(h) x 370(d) mm |
| A3 (6 pockets) | AS319-002 | Ⓞ 470(w) x 1420(h) x 370(d) mm |



Rigid carry case included



Linear Media Post



A robust, handy and very versatile information and promotional stand incorporating 3 literature holders. The post holds a rigid graphic which can be shaped to fit the display style; making it ideal for retail presentations.

| | |
|------------------------|---|
| Material | Anodised aluminium post, steel dome base |
| Colour | Silver |
| Documents sizes | A4 |
| Pockets | 3 - included |
| Double-sided | No |
| Graphic area | Optional extra - ideal with 5 mm foamed PVC |
| Transport | Carry bags (optional extra) |
| Availability | Made on request |

| | | |
|-------------------|-----------|--------------------------------|
| Linear Media Post | LK026-001 | Ⓞ 523(w) x 2060(h) x 450(d) mm |
|-------------------|-----------|--------------------------------|



Lighting (standard)



Powerspot 950/1000 LED

Economical black LED spotlight particularly suitable for use with pop up stands.

| | |
|---------------------------------|--|
| Material | Aluminium and plastic |
| Positioning | 270° - Straight arm |
| Watt output | 12 watt (1400 lumens/5500 kelvins) |
| Watt consumption | 12 Watt (1400 lumens/5500 Kelvins) |
| Linked lights | 2 max |
| Double kit includes | 2 spotlights + 2.5m linking lead + 1 transformer |
| Power lead UK & Euro | Yes (cross head screwdriver needed) |



| | | |
|------------|-----------------|------------------------------|
| Double kit | P5950-1000-BDLK | Ⓞ 103(w) x 425(h) x 29(d) mm |
|------------|-----------------|------------------------------|



Transformer included

Lighting (premium)

LED Floodlight




The LED Floodlight is the new stylish and economical way to illuminate a range of exhibition stands including Pop-ups, Formulate and a range of modular systems. Don't let the compact design fool you, this small LED light is still capable of producing 1200 lumen but still only consuming a small amount of energy, making it far more efficient than the halogen equivalents. Link up to 5 lights together from one transformer, so no need for extra transformers just link them together with handy linking cables.

| | |
|---------------------------------|--|
| Material | Aluminium and plastic |
| Watt output | 80 watt |
| Watt consumption | 12 watt (1200 lumens/5631 Kelvin) |
| Linked lights | Link up to five to one transformer |
| Double kit includes | 2 spotlights + 2.5m linking lead + 1 transformer |
| Power lead UK & Euro | Yes (cross head screwdriver needed) |

| | | |
|------------|--------------------|------------------------------|
| Double kit | LED-FLOOD-ARM-BDLK | Ⓞ 295(w) x 483(h) x 60(d) mm |
|------------|--------------------|------------------------------|



Connection up to 5 lights with one transformer



Transportation box




Transformer included

LED Strip Light



The LED Strip light is designed to work with a wide range of exhibition stands including, Pop-ups, Formulate and a range of modular stands. It has a unique wide head design feature, allowing for a wider spread of light, helping you illuminate more of your message. Link up to 5 lights together from one transformer, so no need for extra transformers just link them together with handy linking cables.

| | |
|---------------------------------|--|
| Material | Aluminium and plastic |
| Watt output | 80 watt |
| Watt consumption | 12 watt (1200 lumens/5631 Kelvin) |
| Linked lights | Link up to five to one transformer |
| Double kit includes | 2 spotlights + 2.5m linking lead + 1 transformer |
| Power lead UK & Euro | Yes (cross head screwdriver needed) |



| | | |
|------------|--------------------|----------------------------|
| Double kit | LED-STRIP-ARM-BDLK | 100(w) x 520(h) x 35(d) mm |
|------------|--------------------|----------------------------|



Transportation box



Transformer included

LED Exhibition Light



Specifically designed to work in conjunction with The Linear and Vector channel; this latest design requires no extra fitting, just plug in and switch on. Not only does the slick design make the LED Exhibition light stand out from the crowd, the clever design cast out of aluminium allows any heat to dissipate over the entire body of the light, stopping any localised heat, which allows for long use with no over heating. Link up to 5 lights together from one transformer, so no need for extra transformers just link them together with handy linking cables.

| | |
|---------------------------------|--|
| Material | Aluminium and plastic |
| Watt output | 80 watt |
| Watt consumption | 12 watt (1200 lumens/5631 Kelvin) |
| Linked lights | Link up to five to one transformer |
| Double kit includes | 2 spotlights + 2.5m linking lead + 1 transformer |
| Power lead UK & Euro | Yes (cross head screwdriver needed) |



| | | |
|------------|--------------------|---------------------------|
| Double kit | LED-EXHIB-ARM-BDLK | 50(w) x 455(h) x 55(d) mm |
|------------|--------------------|---------------------------|



Transportation box



Transformer included

Lighting ancillaries

Recommended fixings for lighting

| | | | | | |
|-------------------|---------------------------------|-----------------------|-----------------------------|-----------------------------------|----------------------------|
| Integrated fixing | | | | | |
| | Universal fixing kit US901-C | Vector fitting VLF | Linear fitting US-LINEAR | LED fitting for Quick+ US902-C | 30mm Ø Tube clamp US903 |

Compatible with :

| | | | | | | |
|--|--|--|----------|----------|---|---------------------------|
| | > Aero > Quick + > Embrace | > Arena > Gear Edge Panels > Baseline Panels | > Vector | > Linear | > Quick Impact > Quick + > Hop Up > Xclaim | > Formulate > Modulate |
| | > Aero > Quick + > Embrace | > Arena > Baseline Panels | > Vector | > Linear | > Impact > Quick + > Hop Up | > Formulate > Modulate |
| | > Linear > Vector | | | | | |
| | > Impact > Embrace > Quick + (except Quick+ tower) > Hop-up | > Arena | > Vector | > Linear | | > Formulate > Modulate |

Convert your UK plug into EU version

1



Unscrew

2



Lift the lid

3



Pull the plug to extract it

Portable transportation cases

Zenith



Tough moulded polyethylene Zenith case offer a multitude of features. Versatile ultra-portable transport solution with maximum storage for pop-ups, backwalls, roller banners and extrusions, they also double up as counters with optional extra graphic wrap and table top. The standard case will house a 3x5 pop-up system and graphics. Secure Internal dividers protect graphics and the case can be locked using padlocks (not supplied).

| | |
|-------------|--|
| Material | Medium-density polyethylene (MDPE) / Metal |
| Wheels | 2 |
| Handle | 1 |
| Accessories | Beech table top / graphic wrap |

| | | |
|--------|-------|---|
| Zenith | AC600 | (External dimensions) 600(w) x 956(h) x 400(d) mm |
|--------|-------|---|

| | | |
|------------------|---------|------------------------------|
| Ancillaries : | | |
| Tabletop (beech) | CO401-C | 15(h) x 640 (l) x 420 (p) mm |




With wheels for easy transportation



Zenith case thermoformed tabletop in beech



Foam protected lid holds two LED lights



Graphic wrap (optional)

Illumigo™ Bag




Wheeled bag for Illumigo™ 2x1, Retail, One or the Illumigo™ counter.

| | |
|----------|---------------------|
| Material | Nylon and inner MDF |
| Colour | Black |
| Wheels | Yes |
| Handle | 2 |

| | | |
|---------------|-----------|--|
| Illumigo™ bag | ILLGO-BAG | (Internal dimensions) 460(w) x 1160(h) x 190(d) mm |
|---------------|-----------|--|



Wheeled bag



Inner compartment for graphic



Carry handle

Bag without tube



Nylon bag with shoulder strap for extra protection during transport.

| | | |
|--------------------------|--------|----------------------|
| Graphic up to 850(h) mm | AB120 | 850(h) x 155 (Ø) mm |
| Graphic up to 1050(h) mm | AB120A | 1050(h) x 155 (Ø) mm |
| Graphic up to 1550(h) mm | AB120D | 1550(h) x 155 (Ø) mm |





Custom and made to measure graphics

To guarantee quality visuals that are adaptable for multiple uses, we have selected a wide range of printing materials for you. From conception to finishing, we guarantee you a perfect fit and good quality vibrant printed custom graphics.

If you require a special format, or finish, we invite you to contact one of our advisers for a custom-made quote.

Below you will find some suggestions for frequently used formats.




Tablecloths
with hem



Cover for anti-theft security cover
Sleeve



Horizontal flag
Loop fastening with rings



Vertical flag
Straps and hook fastening



Other suggestions
Customised finish on request



Applications

We Provide creative display solutions that suit a multitude of industry applications.

Our display products are not only multi-functional and in many cases reconfigurable, but they can also be used for an array of different applications across a multitude of industries.

From retail or educational settings, outdoor sporting events to hospitality and corporate events; our creative display solutions are suitable for more than just exhibitions.

The following pages are a guide for where our popular products are often used to enhance brand messaging, in a vibrant and eyeing catching way.

Retail

In the age of digitalisation, the main challenge for retail is to consider the customer experience at the point of sale.

Window displays



Commercial events



Retail signage



Pop-up Store



Seasonal Campaigns



Sales



Shop openings



Click and collect



Car showroom



Leisure Activities

The leisure industry represents an important part of the economy. From hospitality through to galleries, promoting the benefits of improved well-being and quality of life is essential with innovative displays that catch the eye.



Cultural Events

Social events with a national or international scope involve a large audience and can have a huge impact. The organisation is often extremely complex and requires significant communication resources.



Interior signage



Outdoor signage



Posters



Award ceremonies



Award ceremonies



Professional sporting events



Music venues



Hospitality signage



Suspended signage



Amateur sporting events



Fundraising



Festivals



Fairs and markets



Cinema foyers



Art galleries



Military open days



Electoral campaigns



Fashion shoot



Corporate Events

Corporate events are essential for companies to maintain close relationships and partnerships with their customers, business partners or employees.



University Events

Educational, artistic and cultural events offer encounters, projects and practical experiments. The aim is to ensure artistic and cultural educational coherence for all pupils.



Product launches



Brand launches



Sales meetings



Open days



Campus life



Graduation ceremonies



Outdoor corporate events



Corporate meetings



Corporate dinners



Fresher's week



Graduation shows



Career and job fairs



Gala events



Open days



Showrooms



Ceremony staging



Student services



Gown hire



Conference

Preparing a conference is an excellent opportunity for brand exposure at high value-added events. Brand messaging should communicate exceptional, new, or informative and important information relating to your business.



Exhibitions

From planning to execution: give your brand the exposure it deserves with original, renewable and customised solutions.



Conferences



Seminars



Press conferences



Exhibition reception area



Exhibition shell system



Merchandising stand



Product launch



Concourse advertising



Roadshows



Exhibition literature stand



Art gallery exhibition



Reconfigurable exhibition



Networking



Trade fair



Annual General Meetings (AGMs)



Virtual exhibition



Reconfigurable stand



Exhibition - suspended



