

# The display handbook 2024

### THE COMPLETE SOLUTION PRINT | PROMOTIONAL | DESIGN



# A creative solution for every need

### Create greater brand awareness and stand out from the crowd

Our extensive portfolio of display products includes everything from portable A-sign boards, roller banners through to custom built exhibition stands, helping brands to creatively capture the attention of their target audience with a variety of display solutions and vibrant printed graphics.

¥	Best seller	EU	Made in Europe
1	1 Year hardware guarantee	TEX	Use with fabric graphic
5	5 Year hardware guarantee	PVC	Use with PVC graphic
	Comes with bag	ADH	Use with self-adhesive graphic
Ø	Illuminated product	PAN	Use with rigid panel graphic
	Available for use outdoors	DP	Direct printing onto hardware
	Custom sizes available		





#### Contents

A solution for every requirement New Product Fastframe™	4 6
Lightboxes	8
Illuminova™ Illumigo™	12 15
Display Stands	18
Modulate™ Vector Fastframe™ Arena Structures Hanging structures	20 32 52 64 68
Display Blackwalls	70
Pop-up backwalls Fabric tube walls Tension walls	72 78 80
Display Banners	82
Tension textile systems Roller banners (economy) Roller banners (standard) Roller banners (premium) Tension banners (X Banner)	84 87 89 91 95
Display Signs	96
Free-standing signs Wall mounted signs Suspended signs	98 102 103
Flag Banner	104
Free-standing flags Post / wall mounted flags Mobile flags	106 110 111
Tents	112
Pop-up tents Inflatable tents	114 117
Counters	118
Promotional counters illuminated promotional counters	120 123
Barriers	124
Pedestrian control barriers	126
Ancillaries	128
Literature holders (standard) Lighting Lighting ancillaries Portable transportation cases	130 131 133 134
Applications	136



### A solution for every requirement

### Our comprehensive range of Creative Display Solutions

Whether you are looking for a display stand to give your brand standout at an upcoming exhibition, or marketing collateral to support a pop up store or event, our extensive portfolio of products has you covered. So whatever your industry or application, we have an innovative creative display solution to give your messaging standout.

#### 01 Lightboxes

Create outstanding visual impact with Back lit or edge lit LED graphics, ideal for temporary, permanent and customised application.



#### 02 Display Stands

Complete exhibition stand solutions, incorporating hanging structures, modular stands, towers and customised stands



#### 03 Display Backwalls

Large format graphic backdrops ideal for conferences, promotional activities and events

#### 04 **Display Banners**

Portable display options, ideal for temporary deployment

#### 05 Display Signs

Professional wall, floor and suspended signage solutions

#### 06 Flag Banners

Attract attention at a distance through movement with eye-catching flag solutions

#### 07 Tents

Perfect temporary shelters, pop-up shops and market stall for outdoor use

#### 08 Counters

Adaptable and portable temporary counters for promotional, display and exhibition applications

#### 09 Barriers

Easy and convenient barrier systems to manage queues, control crowds and create temporary areas

#### 10 Ancillaries

Accessories designed to increase the functionality of a chosen product range

















Barriers

Counters



Introducing your **innovative** and **cost-effective** modular Display Solution.



For more information see pages 52-63

### 

**FASTFRAME™** is a unique, **sustainable** and **user-friendly** display Solution that can adapt to meet your evolving creative display requirements.

#### More versatile than a pop-up

- » Highly configurable
- Seamless graphics
- Easy to change Silicone Edge Graphics (SEG)
- Many applications

### More flexible than a roller banner

- Assembled in seconds
- Lightweight, highly portable
- One frame, multiple graphics
- Single or double-sided graphics
- Expandable, no joints
- Washable stretch fabric
- Cost savings through repeated use

### More configurable than an exhibition stand

- Expandable add modules over time
- Quick change design

- Excellent space utilisation
- Toolless construction
- Seamless graphic overlay



### Lightboxes

For outstanding visual impact in interior spaces, lightboxes are the perfect option. Vibrant graphics, edge lit or Back lit with energy saving LEDs, create focal points that add depth and drama to retail spaces, exhibition stands, commercial properties and beyond.

Whether wall mounted, free-standing or suspended at height, LED lightboxes are the ideal showcase for brand messaging and statement imagery.

We offer two ranges of lightbox solutions. The Illuminova<sup>™</sup> range combines vivid SEG fabric graphics with a sleek profile in a choice of standard or custom dimensions. For instant pop-up displays, our portable Illumigo<sup>™</sup> range is available in a variety of standard sizes to bring your retail space to life.

### **)** illumiNOVA<sup>®</sup>

The Illuminova<sup>™</sup> range encompasses wall mounted, hanging and free-standing LED lightboxes in a choice of standard or custom sizes. Ideal for adding visual interest to feature walls and shop windows as well as transforming areas with low ambient lighting. Easily refreshed with updated graphics, Illuminova<sup>™</sup> provides the perfect framework to display enhanced vibrant messaging.

### illumi**go**...

The Illumigo<sup>™</sup> LED lightbox range combines stunning graphic illumination with instant, tool-free assembly. For ease of transportation and storage, the aluminium LED frames are lightweight and come in a handy carry case. Simply update the SEG graphics, for a fresh and sustainable way to transform spaces with light.



### **jillumiNOVA**<sup>a</sup>

#### 30mm Illuminova™ wall mounted

With its sleek and narrow profile, the 30mm Illuminova™ LED Back lit wall-mounted lightbox is ideal for showcasing standout messaging in interior displays. Illuminated using a powerful linkable LED display system for consistent lighting across the graphic. Available in standard and custom sizes

Material	Aluminium
Profile width	30 mm
Profile Colour	Anodised Silver
Assembly	Connectors assemble using Allen key
Mounting	Wall mounted
Graphic area	Single-sided
Graphic attachment	Silicone Edged Graphics (3 mm silicone)
LED System	Back lit

#### • Available fully assembled or in Kit form

Illuminova™ 30mm 594x854mm	ILLNO-30-05X08	ල_ 594(w) x 854(h) x 30(d) mm
Illuminova™ 30mm 854x1189mm	ILLNO-30-08X11	ര്_ 854(w) x 1189(h) x 30(d) mm
Illuminova™ 30mm 1000x1000mm	ILLNO-30-10X10	ര്വ_ 1000(w) x 1000(h) x 30(d) mm
Illuminova™ 30mm 2000x1000mm	iLLNO-30-20X10	ര്വ് 2000(w) x 2000(h) x 30(d) mm





Back lit panels



30mm profile

### 

#### 75mm Illuminova™ wall mounted

Create a striking focal point with the 75mm Illuminova™ LED edge lit wall mounted lightbox. Available in standard and custom sizes, the linkable LED lighting system delivers consistent lighting for a dramatic visual display.

Material	Aluminium
Profile width	75 mm
Profile Colour	Anodised Silver or custom White or Black
Assembly	Connectors assemble using Allen key
Mounting	Wall mounted
Graphic area	Single-sided
Graphic attachment	Silicone Edged Graphics (3 mm silicone)
LED System	Edge lit + Pre-installed LED lighting

Illuminova™ 75mm wall mounted 1000x1000mm	iLLNO-75-10X10	ര്വ_ 1000(w) x 1000(h) x 75(d) mm
Illuminova™ 75mm wall mounted 1500x1500mm	iLLNO-75-15X15	1500(w) x 1500(h) x 75(d) mm
Illuminova™ 75mm wall mounted 2000x1000mm	ILLNO-75-20X10	ලි_ 2000(w) x 1000(h) x 75(d) mm
Illuminova™ 75mm wall mounted 2000x2000mm	ILLNO-75-20X20	ര്വ_ 2000(w) x 2000(h) x 75(d) mm
Illuminova™ 75mm wall mounted 3000x2000mm	ILLNO-75-30X20	ලි_ 3000(w) x 2000(h) x 75(d) mm






Cable system

LED strip lighting



Numbered system for easy assembly





### **jillumiNOVA**<sup>®</sup>

#### 100mm Illuminova™ Free-standing

The double-sided 100mm Illuminova™ LED edge lit free-standing lightbox creates a dramatic visual statement for your interior displays. The plug and play linkable LED display system makes for a simple set up, whilst the SEG graphics can be easily replaced to support new messaging.

Material	Aluminium
Profile width	100 mm
Profile Colour	Anodised Silver
Assembly	Connectors assemble using Allen key
Graphic area	Double-sided
Mounting	Free-standing
Graphic attachment	Silicone Edged Graphics 3mm (SEG)
LED System	Pre-installed LED lighting + edge light

Illuminova™ 100MM 3000X2000MM ILLNO-100-30X20

ര്\_ 3000(w) x 2007(h) x 550(d) mm







1 ce



Mitred sections assemble with screw-in connectors

Cable system

LED strip lighting

### 

#### 125mm Illuminova<sup>™</sup> Free-standing

For outstanding visual impact, the robust double-sided 125mm Illuminova™ LED edgelit free-standing lightbox is a must. Available in standard and custom sizes, the plug and play linkable LED display system ensures vibrant lighting across the SEG graphic.

Material	Aluminium
Profile width	125 mm
Profile Colour	Anodised silver or custom white or black
Assembly	Connectors assemble using Allen key
Double-sided	Double-sided
Mounting	Free-standing
Graphic attachment	Silicone Edged Graphics 3mm (SEG)
LED System	Pre-installed LED lighting + edge light

Illuminova™ 125mm 3000x2500mm	ILLNO-125-30X25	ര്വ് 30000(w) x 2507(h) x 550(d) mm
Illuminova™ 125mm 4000x2000mm	ILLNO-125-40X20	ര്വ_ 4000(w) x 2007(h) x 550(d) mm

Measurements include feet

Available in standard and custom sizes








LED strip lighting







Graphic attaches with silicone edging (SEG)

13

### **jillumiNOVA**<sup>a</sup>

#### 125mm Illuminova<sup>™</sup> Hanging Structure

Ideal for exhibitions and retail venues, the 125mm Illuminova<sup>™</sup> hanging LED structure is the perfect medium for brand messaging and wayfinding. Sleek, yet lightweight and robust, the double-sided aluminium frame is edge lit with energy efficient LEDS for an eye-catching suspended display. Available in standard and custom sizes, this vibrant lightbox creates the perfect backdrop for dynamic SEG graphics.

Material	Aluminium
Profile width	125 mm
Profile Colour	Anodised. White and black are available as custom
Assembly	Sling (cables not included). Connectors assemble using Allen key
Double-sided	Double-sided
Mounting	Hanging
Graphic attachment	Silicone Edged Graphics 3mm (SEG)
LED System	Pre-installed LED lighting + edge light

Illuminova™ 125mm hanging 2500x1000mm	ILLNOH-125-25X10	
Illuminova™ 125mm hanging 3500x1000mm	ILLNOH-125-35X10	ര്വ് 3500(w) x 1000(h) x 125(d) mm
Illuminova™ 125mm hanging 5000x1250mm	ILLNOH-125-50X12	ල_ 5000(w) x 1250(h) x 125(d) mm









Cable system

LED strip lighting

Mitred sections assemble of with screw-in connectors

Graphic attaches with silicone edging (SEG)



#### illumigo.

#### Illumigo<sup>™</sup> One

Illumigo $^{\mathrm{M}}$  One is a vibrant portable single-sided lightbox with the option to have a rear-facing textile graphic unlit. Standing 2000mm high and 850mm wide, the slim 60mm profile has a white powder coated finish and benefits from tool-free plug and play assembly due to an easy to follow numeric system, rollable LED panel and pre-assembled twist-out feet.

Material	Aluminium
Profile width	60 mm
Profile Colour	White
Assembly	Tool-free
Graphic area	Single-sided
Graphic attachment	Silicone Edged Graphics (3 mm silicone)
Application	Self-supporting with pivoting feet fixed to the structure
Transport	Protective box with carry handle













Tool-free assembly

Rollable LED panel

4

850 mm

#### Illumigo™

Illumigo™ bag

Illumigo^ ${\ensuremath{^{\rm M}}}$  is an innovative portable LED lightbox that comes in a protective compartmented box with handle for ease of transportation. Deploys tool-free in minutes thanks to pre-assembled LED lighting and push-fit optional dye-sublimated graphics.

Material	Aluminium		
Profile width	100 mm		
Profile Colour	White		
Assembly	Tool-free		
Graphic area	Double-sided		
Graphic attachment	Silicone Edged Graphics (3 mm silicone)		
Application	Self-supporting with pivoting feet fixed to the structure		
Transport	Protective box with carry handle		
Illumigo™ - 2x1		ILLGO-2X1-EU	്ര_ 1000(w) × 2000(h) × 400(d) mm

ILLGO-BAG

	ILLUMIGO 2X1
	A THE L
	(/////A.A.
	RAN /
_	











ြ\_ 460(w) x 1160(h) x 400(d) mm

Branded protective compartmented box

Optional Illumigo<sup>™</sup> bag

Numbered system for easy assembly

#### illumi<mark>go</mark>.

#### Illumigo™ Retail

Illumigo<sup>™</sup> Retail is an innovative portable LED lightbox that is specifically designed for retail environments because of its size and stability. The 1600 x 600mm double-sided illuminated display comes in a protective compartmented box with handle for ease of transportation. Deploys tool-free in minutes thanks to pre-assembled LED lighting and push-fit optional dye-sublimated graphics.

Aluminium
100 mm
White
Tool-free
Double-sided
Silicone Edged Graphics (3 mm silicone)
Self-supporting with flat base fixed to the structure
Protective box with carry handle







Connector





Optional Illumigo<sup>™</sup> bag



Pre-installed LED lights

Illumigo<sup>™</sup> is a complete portable 2x2m double-sided aluminium lightbox display system. Simple to deploy with tool-free assembly. Just remove from the box, twist out the feet from the base panel and use the matching numerical system to connect the remaining extrusions remembering to insert the horizontal bar. SEG graphics fit into the frame channel and the power cable inserts under the base panel. Plug and play in less than 10 minutes!

Material	Aluminium		
Profile width	100 mm		
Profile Colour	White		
Assembly	Tool-free		
Graphic area	Double-sided		
Graphic attachment	Silicone Edged Graphics (3 mm silicone)		
Application	Self-supporting with pivoting feet fixed to the structure		
Transport	Protective box with carry handle		
Illumigo™ 2x2	ILLGO-2X2-EU (이 x 2000(w) x 2000(h) x 390(d) mm		





Metal straight connector

Numbered system for easy assembly

#### illumi<mark>go</mark>.

#### 

This versatile and quick to set-up double-sided counter lightbox is a great all-rounder not only at events but in retail environments from shopping centres to pop-up shops. Part of the Illumigo™ range, the Illumigo™ Counter is easy to assemble with a two-part counter-top that secures using a pair of twist out top locators and locking screws. Building the unit is intuitive and tool-free as all the parts are numbered and simply slot together. Two optional graphics complete the look to create an impactful counter ideal for attracting attention in retail, event or exhibition environments.

Material	Aluminium 100 mm, MDF table top
Assembly	Tool-free
Collapsible	Yes
Counter top	White
Graphic attachment	Silicone Edged Graphics (3 mm silicone)
Transport	Protective box with carry handle
LED System	Led strips included

Illumigo™	ILLGO-COUNTER-EU	ര്_ 1045(h) x 1040(w) x 420(d) mm
Illumigo™ Bag	ILLGO-BAG	ര്_ 1160(h) x 460(w) x 190(d) mm





Optional Illumigo™ bag

Protective compartmented box



Pre-assembled LEDs in the frame





### **Display Stands**

Display stands are the perfect solution for an array of different applications. From exhibitions, conferences, events, retail event zones to window displays and product showrooms; their uses are unlimited. The perfect stand will showcase and increase the opportunity to interact with existing and potential customers by creating engaging, and innovative brand promotion and messaging.

Our Display Stands range of products include hanging structures to attract interest from a distance along with versatile modular stand components to create truly contemporary and captivating exhibition spaces. The collective modular systems; Modulate<sup>™</sup>, Vector, Arena and Fastframe<sup>™</sup>, are all designed to work in unison, to deliver a re-usable and reconfigurable exhibition stand. Graphics can be easily updated, and layouts refreshed over and over again. These hard working modular solutions offer exceptional return on investment as well as a sustainable approach to creative display.

Creating an effective display stand that drives results is extremely straightforward with this collection of pre-configured solutions. Simply select a design for inspiration whilst considering floor size and parameters of price-point. For a more unique stand construction, the modular range can also be customised - incorporating precise requirements with all the benefits that modular exhibition systems offer for complete creative innovation.



#### Stand component systems

#### Modulate™

Modulate<sup>™</sup> is the fusion between two of our original concepts: Formulate and Vector. The range is composed of various frames made of aluminium tubes, equipped with the patented magnet system: MagLink. Modulate<sup>™</sup> provides a custom build solution through its hundreds of possible configurations using the various modules.

#### Vector

One of the simplest and most versatile communication solutions on the market, Vector is an aluminium frame system with a stretched fabric graphic that adapts to any environment. With a variety of different profiles, all applications are possible: suspended, wall-mounted, self-supporting, double-sided or illuminated utilising Illuminova<sup>™</sup>.

#### Fastframe™

A unique pre-assembled foldable framework for fast construction and endless Creative Display Solutions - the perfect seamless backdrop for visually striking SEG graphics.

#### Arena

Arena is a tubular aluminium gantry structure that is both extremely strong and light. The different sections can be assembled according to the space and can be covered with fabric or vinyl graphics.

#### **Hanging Structures**

Select one of our lightweight Formulate hanging structures to compliment your stand design, which uses a lightweight 30mm tubular system that can be neatly wrapped in a fabric printed graphic.

#### **Considerations for exhibitions**

#### Why exhibit at a trade show?

Trade shows remain the preferred communication channel for companies seeking to increase their reputation and promote their image.

The benefits of a trade show are vast and very attractive. They enable several actions to be carried out in a relatively short period of time:

- Brand positioning
- Prospecting
- Market research
- Product launches
- Building customer loyalty
- Business networking

#### The centrepiece: your stand

The success of any trade show depends on its cost vs quality and ROI for generating leads and meeting other sales / marketing objectives.

#### 1. Location:

How much space? How many open sides?

#### 2. The design:

Which media: textile, rigid, flexible panels? Need to communicate in height: sign, extension or extension of storage room? Do you need a storeroom to store equipment? What kind of lighting?

#### 3. Use:

How often?

Will it need to be scalable in shape and size?What means of transport do you have?Will the stand be reused in another environment i.e. customer showroom, inhouse events etc.?

#### 4. The budget :

What is the budget for the stand? Over how many shows will it pay for itself?

#### The keys to success

To have a successful trade show, it is essential to:

- Set 3 to 5 objectives that will guide the marketing strategy of the event
- Ensure maximum visual impact with a quality stand that will enhance the company's image (openings, suspended communication, graphics, materials, etc.)
- Implement effective communication and promotion: before, during and after the event (emailing, invitation, social networks, stand promotion, etc.)

#### Why choose a modular stand?

- Lightweight and compact
- Reconfigurable
- Quick payback
- Durable
- Easy to assemble
- Standard or custom made
- Unlimited message renewal
- Ergonomically friendly



### Modulate™

#### The best way to attract attention

Modulate<sup>™</sup> is the result of the fusion of two original concepts that have proven successful in the exhibition and retail world; Formulate tubular solutions and the modularity of Vector frames.

Modulate<sup>™</sup> is a collection of various frames made from aluminum tubes and covered with a printed textile cover. These frames can be easily connected to each other by means of powerful magnets placed inside each structure. Based on this simple magnetic principle, it is possible to combine the different Modulate<sup>™</sup> frames to create configurations for all communication areas: at the point of sale, at trade shows, in exhibition areas, in shopping centres or simply within companies themselves.

#### MagLink connector, simple, fast and reconfigurable




Thanks to the exclusive MagLink magnetic system integrated into the structure, you can connect the frames to each other simply by bringing them together.




#### **Tool-less assembly**

Modulate<sup>™</sup> structures are easy to assemble without tools. Each section is marked with numbers and colours and connected with push buttons. Once the structure is assembled, the Twist & Lock feet will rotate a quarter of a turn until they lock into a perfectly stable self-supporting frame. Finally pull-on the printed fabric graphic which perfectly fits to the contour of the frame.



To add versatility to Modulate<sup>™</sup> structures, a 400 mm tubular extension can be added. With this extension, which is easily placed between two sections, you can use the same frame with two different heights.



#### Standard Modulate<sup>™</sup> Frames

Modulate<sup>™</sup> is an innovative double-sided display system that consists of a set of lightweight aluminium frames covered with a custom printed tension fabric graphic. Frames connect together using powerful magnets encased inside each element and can be joined at any angle to create shaped displays or backwalls. Frames are completed by pulling a tension-fit fabric graphic over the frame and zipping at the base. Frames are available in various widths and two height options. Each frame is supplied with two stabilising feet which can be used if required for extra stability. The Modulate<sup>™</sup> Straight frames can be used on their own or combined with other frames to create hundreds of configurations.

Material	Aluminium
Tube	30mm Ø
Assembly	Tool-free push-button connectors
Shape	Straight
Graphic area	Double-sided
Graphic attachment	Zipped tension-fit graphic
Application	Free-standing with feet (included)
Transport	Modulate™ carry bag with dedicated pockets for the feet and graphics





#### Modulate<sup>™</sup> Straight

#### Modulate<sup>™</sup> Straight 420, 424

5

5

Straight 420 rounded corners	MOD-S-420	ര്_ 418(w) × 2000(h) × 400(d) mm
Straight 424 rounded corners	MOD-S-424	്ര_ 418(w) x 2400(h) x 400(d) mm
Straight 420 square corners	MOD-S-420-SQ	ര്_ 418(w) x 2000(h) x 400(d) mm
Straight 424 square corners	MOD-S-424-SQ	ര്_ 418(w) × 2400(h) × 400(d) mm



#### Modulate<sup>™</sup> Straight 820, 824

Straight 820 rounded corners	MOD-S-820	<u>ര</u> ് 818(w) x 2000(h) x 400(d) mm
Straight 824 rounded corners	MOD-S-824	ര്വ_ 818(w) x 2400(h) x 400(d) mm
Straight 820 square corners	MOD-S-820-SQ	ര്വ_ 818(w) x 2000(h) x 400(d) mm
Straight 824 square corners	MOD-S-824-SQ	ര്വ് 818(w) x 2400(h) x 400(d) mm




#### Modulate<sup>™</sup> Straight 1020, 1024

Straight 1020 rounded corners	MOD-S-1020	ര്_ 1018(w) × 2000(h) × 400(d) mm
Straight 1024 rounded corners	MOD-S-1024	ര്വ് 1018(w) x 2400(h) x 400(d) mm
Straight 1020 square corners	MOD-S-1020-SQ	ര്വ_ 1018(w) x 2000(h) x 400(d) mm
Straight 1024 square corners	MOD-S-1024-SQ	ര്_ 1018(w) x 2400(h) x 400(d) mm


#### Modulate™ Straight 1820, 1824

Straight 1820 rounded corners	MOD-S-1820	1818(w) x 2000(h) x 400(d) mm
Straight 1824 rounded corners	MOD-S-1824	്വ_ 1818(w) x 2400(h) x 400(d) mm
Straight 1820 square corners	MOD-S-1820-SQ	ര്വ_ 1818(w) x 2000(h) x 400(d) mm
Straight 1824 square corners	MOD-S-1824-SQ	ര്വ_ 1818(w) x 2400(h) x 400(d) mm



#### Modulate<sup>™</sup> Straight 2020, 2024

Straight 2020 rounded corners	MOD-S-2020	ര്_ 2018(w) x 2000(h) x 400(d) mm
Straight 2024 rounded corners	MOD-S-2024	<u>ര</u> ്വ 2018(w) x 2400(h) x 400(d) mm
Straight 2020 square corners	MOD-S-2020-SQ	ര്_ 2018(w) x 2000(h) x 400(d) mm
Straight 2024 square corners	MOD-S-2024-SQ	ര്_ 2018(w) x 2400(h) x 400(d) mm



5

5

5



#### Modulate<sup>™</sup> Slope

#### Modulate<sup>™</sup> Slope

Material	Aluminium
Tube	30mm Ø
Assembly	Tool-free push-button connectors
Shape	Straight
Graphic area	Double-sided
Graphic attachment	Zipped tension-fit graphic
Application	Free-standing with feet (included)
Transport	$Modulate^{M}$ carry bag with dedicated pockets for the feet and graphics

Slope 1	MOD-SS-824-01	ര്_ 818(w) x 2300(h) x 400(d) mm
Slope 2	MOD-SS-824-02	ര്വ് 818(w) x 2400(h) x 400(d) mm




#### Modulate<sup>™</sup> Door

The Modulate<sup>™</sup> Door frame joins magnetically to other frames in the Modulate<sup>™</sup> range and is tool-free in its design. Constructed from lightweight aluminium tubing with magnets held in the frames to join backwalls together. Complete with optional tension-fit fabric graphic, the door is ideal for store room areas or meeting rooms.

Material	Aluminium
Tube	30mm Ø
Assembly	Tool-free push-button connectors
Shape	Straight
Graphic area	Double-sided
Graphic attachment	Zipped tension-fit graphic
Application	Free-standing with feet (included)
Transport	$Modulate^{M}$ carry bag with dedicated pockets for the feet and graphics

	MOD-S-DOOR-820	ര്വ് 800(w) × 2000(h) × 120(d) mm
Modulate™ door Rounded corners	MOD-S-DOOR-824	ര്_ 800(w) x 2400(h) x 120(d) mm
Modulate™ door Square corners	MOD-S-DOOR-820-SQ	ര്വ_ 800(w) × 2000(h) × 120(d) mm
	MOD-S-DOOR-824-SQ	ര്വ് 800(w) x 2400(h) x 120(d) mm





2 handles and 1 stop for Modulate™ door included



An adjustable foot 2 included








The Modulate™ Door can be used with either a left or right-hand handle



#### Modulate<sup>™</sup> ancillaries


#### Modulate<sup>™</sup> Half Feet (pair)



2 possible finishes (with or without visible shelf)

#### **Pre-configured Modulate™ stand examples**

This section showcases examples of various pre-configured Modulate<sup>™</sup> Stands that can be achieved using the various Modulate<sup>™</sup> hardware and ancillaries.



#### Modulate<sup>™</sup> Stand 12m<sup>2</sup>

Material	Aluminium
Tube	30mm Ø
Assembly	Tool-free push-button connectors
Graphic area	Double-sided
Graphic attachment	Zipped tension-fit graphic

Straight 2024 square corners (x3)	MOD-S-2024-SQ
Straight 1024 square corners	MOD-S-1024-SQ
Straight 824 right angles (x4)	MOD-S-824-SQ
Modulate™ Door	MOD-S-DOOR-824-SQ
Pair of half flat feet x4	MOD-HALF-FOOT-P







Possibility to add PS950-1000-LED-BDLK spotlights



Half feet Twist & Lock MOD-HALF-FOOT-P grey




2 handles and 1 stop for Modulate™ Door MOD-S-DOOR-SP-01 included

5

#### Modulate<sup>™</sup> Stand 15m<sup>2</sup>

Material	Aluminium
Tube	30mm Ø
Assembly	Tool-free push-button connectors
Graphic area	Double-sided
Graphic attachment	Zipped tension-fit graphic

Straight 2024 square corners (x3)	MOD-S-2024-SQ
Straight 1024 square corners	MOD-S-1024-SQ
Straight 824 square corners (x3)	MOD-S-824-SQ
Slope 2	MOD-SS-824-02
Door Modulate™	MOD-S-DOOR-824-SQ
Pair of half flat feet x4	MOD-HALF-FOOT-P
Modulate™ counter	FORM-MOD-CNTR
Internal shelf	FORM-MOD-CNTR-02



5

Configure the stand interior with additional Modulate™ frames



Possibility to add PS950-1000-LED-BDLK spotlights

Half feet Twist & Lock MOD-HALF-FOOT-P Accessorise with a Modulate™ counter

## **Display Stands**

5


### MODULATE

#### Modulate<sup>™</sup> Stand 18m<sup>2</sup>

The Modulate<sup>™</sup> range is ideal for the design of small and medium sized exhibition stands. The assembly of Modulate<sup>™</sup> structures is simple, without tools and allows unlimited modularity and evolution of your configurations.

Material	Aluminium		
Tube	30mm Ø		
Assembly	Tool-free push-button connectors	824 DOOR	$\leftarrow$ 3 m $\rightarrow$
Graphic area	Double-sided	$\uparrow$	
Graphic attachment	Zipped tension-fit graphic		
		2024 2024 1024 2024	2024 824
Straight 2024 square corners (x4	4) MOD-S-2024-SQ	2,4 m	
Straight 1024 square corners	MOD-S-1024-SQ		
Straight 824 square corners (x4)	MOD-S-824-SQ	The second se	
Door Modulate™	MOD-S-DOOR-824-SQ		_
	1	< 6 m −	$\longrightarrow$

Modulate™ cupboard - door with handle (without lock)



The ease of assembly of the range allows for reconfigurable and reusable solutions: mix and match structures in an instant!






### Vector

#### Visual marketing for every budget

Whether wall mounted or free-standing, the diverse range of Vector aluminium profiles provides a solution for every need and every budget.


Vector offers optimal visual impact and original designs that can be adapted to any event: showrooms, point of sale, exhibitions, museums and many others.





#### Illuminova<sup>™</sup> brings your Vector stand to light

Add eye-catching Illuminova<sup>™</sup> lightbox modules to your Vector display stand. Available in 4 standard LED modules, (I, J, P, and Q), both systems can be combined to create a striking mix of simplicity and illumination to your exhibition stand.



75 mm LED

100 mm LED

#### Anodised aluminium profiles

The Vector and Illuminova<sup>™</sup> modules are available in a range of aluminium profiles to suit each application. For more information, please consult the table below.

	VECTOR	Wall mounted	Free- standing	Illuminated	Double-sided	Premium range	Various colours
VECTOR	20 mm	х					x
VECTOR	50 mm		х		х	х	
) illumiNOVA	75 mm LED	х	х	х		х	х
)] illumiNOVA	100 mm LED		х	х	х		

For Illuminova<sup>™</sup> products, please see page 10

#### **Vector Modules**


#### An ultra-compact solution


From free-standing textile walls to exhibition stands, the Vector range offers a versatile and adaptable solution for all your events. The Vector frame system with stretched fabric covering is one of the simplest communication solutions on the market, particularly in a stand environment. Scalable, reconfigurable, ultra-portable: go from a 9 m<sup>2</sup> to a 15 m<sup>2</sup> stand with ease. Easily create stands of all sizes and shapes and accessorise them with spotlights, counters, document holders, and anything else you need to display.

#### A compact solution for portability and optimised storage

#### **Choose the Vector Modules:**


- 50 mm aluminium profiles
- Different modules: walls, arches, LEDs, storage...
- Packaged in numbered sections of 1250 mm
- Delivered in a cardboard box with assembly instructions, accompanied by the visual of your choice
- In stock all year round
- Each module is already perforated on 4 sides and equipped with the necessary screws: easily assemble different modules together, one Allen key is the only tool you will need.
- Reconfigurable and reusable: store the stand at home in a small box (1350 x 400 x 300 mm)
- Excellent return on investment





#### **Vector Modules – Walls**

Material	Alumin	ium	
Profile width	50mm		
Profile Colour Tube	Anodis	ed	
Assembly	Conne	ctors assemble using Alle	n key
Graphic area	Single a	and double-sided	
Graphic attachment	SEG 3n	nm	
Module A		MODULE-VFF-A	ര്വ_ 2950(w) x 2500(h) x 50(d) mm
Module B		MODULE-VFF-B	ര_ 1950(w) x 2500(h) x 50(d) mm
Module C		MODULE-VFF-C	ര്വ് 950(w) x 2500(h) x 50(d) mm
Module M		MODULE-VFF-M	ര്വ് 2850(w) x 2500(h) x 50(d) mm
Module N		MODULE-VFF-N	ി്_ 1850(w) x 2500(h) x 50(d) mm
Module O		MODULE-VFF-O	450(w) × 2500(h) × 50(d) mm
Module L		MODULE-VFF-L	2800(w) x 2500(h) x 620(d) mm




#### **Post Module**

Material	Aluminium
Profile width	50mm
Profile Colour Tube	Anodised
Assembly	Connectors assemble using Allen key, Screw-in strips
Module E	MODULE-VFF-E ( 주, 50(w) x 50(d) x 2500(h) mm

EU

EU OTEX

#### Illuminova<sup>™</sup> Modules



#### **Modules Vector - Arches**

Module H

Material		Aluminium		
Profile width		50 mm		
Profile Colour Tube		Anodised		
Assembly		Connectors assemble using Allen key		
Graphic area		Single and double-sided		
Graphic attachment		SEG 3mm		
Module D		MODULE-VFF-D	ු 2550(h) x 950(l) x 2600(p) mm	

MODULE-VFF-H



စြ\_ 2550(h) x 950(l) x 2600(p) mm

EU DTEX

#### Vector Modules - Storage

EU TEX


Material	Aluminium	
Profile width	50 mm	
Profile Colour Tube	Anodised	
Assembly	Connectors assemble using Allen key	
Graphic area	Single and double-sided	
Graphic attachment	SEG 3mm	

Module F - door and extension hardware	MODULE-VFF-F-2	ල_ 2500(h) x 950(l) x 50(p) mm Extension: 545 (h) x 950 (l) mm. Door: 1930 (h) x 940 (l) mm
Module G - corner storage room hardware	MODULE-VFF-G-2	ලි_ 2500(h) x 1050(l) x 1050(d) mm
Module G3 - storage room hardware	MODULE-VFF-G3-2	2500(h) × 1050(l) × 1050(d) mm



#### **Vector Modules Extensions**

Material	Aluminium			
Profile width	50mm			
Profile Colour	Anodised			
Assembly Connectors assemble using Allen key				
Graphic area				
Graphic attachment SEG 3mm				
Module K		MODULE-VFF-K	ര്_ 1050(w) x 1000(h) x 1050(d) mm	



EU TEX


EU DTEX

# VECTOR

## Vector standard stand designs

This section showcases examples of various pre-configured Vector Stands that can be achieved using the various Vector hardware and ancillaries.

#### Vector Stand 9m<sup>2</sup>




### Vector Stand 12m<sup>2</sup> - Design 1

EU OTEX

Material	Aluminium
Profile width	50mm
Profile Colour	Anodised
Assembly	Connectors assemble using Allen key
Graphic area	Single or double-sided
Graphic attachment	SEG 3mm

Module C (x2)	MODULE-VFF-C
Cross bar 900 mm (x3)	LN605-900-L2
Module F	MODULE-VFF-F-2
Module V (x4)	MODULE-LN-V
Module L	MODULE-VFF-L
Module E (x2)	MODULE-VFF-E
Cross bar 950 mm (x12)	LN605-950-L2
Pair of angled feet	SLF1P









Square post to create 90° angles



Return with lock and key set


EU DTEX

# VECTOR

### Vector Stand 12m<sup>2</sup> - Design 2

Material	Aluminium
Profile width	50mm
Profile Colour	Anodised
Assembly	Connectors assemble using Allen key
Graphic area	Single or double-sided
Graphic attachment	SEG 3mm

Module C	MODULE-VFF-C
Module H	MODULE-VFF-H
Module G	MODULE-VFF-G-2
Module B (x2)	MODULE-VFF-B
Pair of angled feet	SLF1P







Vector graphic



Return with lock and key set




LED Exhibition Light

### Vector Stand 15m<sup>2</sup> - Design 1

EU OTEX

Material	Aluminium
Profile width	50mm
Profile Colour	Anodised
Assembly	Connectors assemble using Allen key
Graphic area	Single or double-sided
Graphic attachment	SEG 3mm
Module B (x2)	MODULE-VFF-B

Pair of angled feet	SLF1P
Module-G3	MODULE-VFF-G3-2
Module B (x2)	MODULE-VFF-B





Square post to create 90° angles


Possibility to add LED Exhibition Light Code: LED-EXHIB-ARM-BDLK



### Vector Stand 15m<sup>2</sup> - Design 2

Material	Aluminium
Profile width	50mm
Profile Colour	Anodised
Assembly	Connectors assemble using Allen key
Graphic area	Single or double-sided
Graphic attachment	SEG 3mm

Module F	MODULE-VFF-F-2
Module B (x3)	MODULE-VFF-B
Module C (x3)	MODULE-VFF-C
Module J	MODULE-VFF-J
Module O	MODULE-VFF-O
Module E (x6)	MODULE-VFF-E
Module K	MODULE-VFF-K
Pair of angled feet	SLF1P









Possibility to add LED Exhibition Light Code: LED-EXHIB-ARM-BDLK



EU OTEX

#### Vector Stand 18m<sup>2</sup>

Aluminium

50mm

Anodised

Connector with Allen key

Material


Profile width

Profile Colour

Assembly

EU OTEX

Graphic area Sing		Sing	le or double-sided
Graphic attachment SEG		SEG	3mm
	Module G		MODULE-VFF-G-2
	Module B (x3)		MODULE-VFF-B
	Module C		MODULE-VFF-C
	Module H		MODULE-VFF-H
	Illuminova™ 125mm hanging 1000 x 2500mm		iLLNOH-125-25X10
	Pair of angled feet		SLF1P









Rounded corner for a full graphic

Return with lock and key set

#### Vector Stand 24m<sup>2</sup>

 Material
 Aluminium

 Profile width
 50mm

 Profile Colour
 Anodised

 Assembly
 Connectors

 Graphic area
 Single or do


 Graphic attachment
 SEG 3mm

Pair of angled feet

Module B (x2)	MODULE-VFF-B
Module N (x2)	MODULE-VFF-N
Module D (x2)	MODULE-VFF-D
Module C	MODULE-VFF-C
Module F	MODULE-VFF-F-2
Module E (x4)	MODULE-VFF-E
Module Q	MODULE-VFF-Q
Posts (x2) 1000 mm	LN616-CUSTOM-M

SLF1P


50mm Anodised Connectors assemble using Allen key Single or double-sided SEG 3mm 2,55 m






EU OTEX

# Vector free-standing module configurations and ancillaries





## **Vector Modules ancillaries**



### **Custom Vector stands**

The Vector range offers a versatile and adaptable solution for any event. The frame system is scalable and reconfigurable and is dressed with an optional custom printed stretched fabric graphic. The Vector range offers a versatile and adaptable solution for any event.

#### Vector Custom Stand 24m<sup>2</sup>



#### Vector Custom Stand 40m<sup>2</sup>

Material
Profile width
Profile colour
Assembly
Graphic area
Graphic attachment

Aluminium 50mm Anodised Connectors assemble using Allen key Single or double-sided SEG 3mm



#### Vector Custom Stand 40m<sup>2</sup>

Material	Aluminium
Profile width	50mm
Profile colour	Anodised
Assembly	Connectors assemble using Allen key
Graphic area	Single or double-sided
Graphic attachment	SEG 3mm



#### Vector Custom Stand 50m<sup>2</sup>

Material	Aluminium
Profile width	50mm
Profile colour	Anodised
Assembly	Connectors assemble using Allen key
Graphic area	Single or double-sided
Graphic attachment	SEG 3mm



### Vector Custom Stand 60m<sup>2</sup> - Design 1

Material	Aluminiur
Profile width	50mm
Profile colour	Anodised
Assembly	Connecto
Graphic area	Single or
Graphic attachment	SEG 3mm

Aluminium 50mm Anodised Connectors assemble using Allen key Single or double-sided 5FG 3mm



### Vector Custom Stand 60m<sup>2</sup> - Design 2

Material	Aluminium
Profile width	50mm
Profile colour	Anodised
Assembly	Connectors assemble using Allen key
Graphic area	Single or double-sided
Graphic attachment	SEG 3mm CO SHOTS

#### Vector Custom Stand 80m<sup>2</sup>

Material	Aluminium
Profile width	50mm
Profile colour	Anodised
Assembly	Connectors assemble using Allen key
Graphic area	Single or double-sided
Graphic attachment	SEG 3mm







## Ancillaries

#### Dome base (single)



#### Linear foot (pair)

Weights: 1,2 kg

SLF1P 0, 220(w) x 220(h) x 5(d) mm

### Flat foot (single)



LN155 0, 7(h) x 100(w) x 450(d) mm

#### LCD screen bracket

Mounting on post or crossbar

LN124 🙆 , Screen 37" - 70" (94 - 177 cm)

### Roll of magnetic tape

EM303 Polarity A-30m x 4 mm

#### **Steel tape**

















### Transform your space in seconds using **FASTFRAME™**™




#### 1. Folded state

The lightweight frame is pre-assembled in a convenient, portable carry bag.



#### 2. Unfold

From its pre-assembled state, the frame can then be effortlessly unfolded and locked in place with a central support rod.





#### 3. Components

Feet can be added if required to give additional rigidity to the frame.

#### 4. Install graphics

Your graphics, available in a Standard or Premium finish, can then be applied to the fully assembled frame.


### Sustainable exhibitions

With sustainability a key theme for event organisers and exhibitors alike, modular exhibition systems offer an environmentally conscious choice.

- » Made from aluminium, an infinitely recyclable material
- > Using polyester graphic materials which can be recycled multiple times
- » Graphics printed using water based inks
- » One system for multiple display applications



### Enjoy many benefits, such as:



### **FASTFRAME™** utilises **Silicone Edge Graphics**

- Fabric graphics are edged with a silicone strip which slots into the channel of the frame for easy installation
- » This is more cost-effective than alternative options and can be re-used multiple times
- » The graphics are printed using water based inks which is more eco-friendly
- » Seamless graphics can be applied to the connected frames for large displays
- » Graphics can be reproduced to deliver new messages

#### Polyester Stretch Graphics

Stretch textile fabric, 3mm silicone edge.

#### **Black Back Graphics**


Black back textile (black out), 3mm silicone edge.

Material
Profile width
Profile Colour
Assembly
Graphic area
Graphic attachment
Application
Transport

Aluminium 40 mm Silver Tool-free Single and Double-sided Silicone Edged Graphics (3 mm silicone) Free-standing Fastframe™ carry bag

### **FASTFRAME™**

#### **FASTFRAME™1000x500 - 2 Pack**








Feet can be added if required. Feet sold separately




Silicone edged (SEG) graphic



#### **FASTFRAME™1000x1000 - 2 Pack**



#### FASTFRAME™1000x2000



#### FASTFRAME™1000x2400



### **FASTFRAME™**

#### FASTFRAME™1200x2400

Fastframe™ Fastframe™ (Black back graphic) Fastframe™ (Polyester stretch graphic)	FF-120X240 G-FF-120X240-BB G-FF-120X240-PS	ල්_ 1204(w) x 2407h) x 400(d) mm ල්_ 1200(w) x 2400(h) ල්_ 1200(w) x 2400(h)	
(Polyester stretch graphic)	Includes 2 x feet	Silicone edged	

#### **FASTFRAME™Starter Kit**

Fastframe™	Starter	Kit	

Price on demand

ര്വ് 1004(w) x 2007(h) x 400(d) mm






Fastframe™ Starter Kit



Portable carry bag 1 frame 1000 x 2000mm Includes feet 5 graphics 1000 x 2000mm

C



### **FASTFRAME™** Feet

#### Full Foot (Single)

FF-FF (@, 50(w) x 99(h) x 400(d) mm

#### Middle Full Foot (Single)

FF-MFF (0, 50(w) x 89(h) x 400(d) mm

#### Half Middle Foot (Single)



#### Small Middle Foot (Single)

FF-SMF \_\_\_\_\_ 40(w) x 89(h) x 97(d) mm

#### Side Half Feet (Pair)

FF-SHF 🔘 , 50(w) × 98(h) × 220(d) mm





### **FASTFRAME™**Connectors

#### 45° Connector Kit - Top & Bottom

FF-45C 이, 45(w) x 108(h) x 95(d) mm

#### 90° Connector Kit - Top & Bottom

🙆 , Top 81.5(w) x 60.7(h) x 81.5(d) mm FF-90C O\_, Bottom 81.5(w) x 60.7(h) x 81.5(d) mm

#### 90° Middle Connector Kit - Pair

FF-90MC 💁 40(w) x 55(h) x 40(d) mm

#### 90° Left Inside Connector Kit - Pair

FF-90LIC [0]\_ 40w) x 55(h) x 40(d) mm

#### 90° Right Inside Connector Kit - Pair

FF-90RIC 이, 55(w) x 85h) x 55(d) mm

#### **Arch Connector Kit - 4 Brackets**

FF-ACC O, 90(w) x 105(h) x 60(d) mm

#### **Cross Connector Kit - Top & Bottom**

O, Top 142(w) x 94.3(h) x 100.7(d) mm FF-CC (), Bottom 141.3(w) x 90(h) x 100.4(d) mm













## **FASTFRAME™** Connectors and Lighting

### T-Shape Connector Kit - Top & Bottom

VCL	<ul></ul>	an 9 Dattain		
y Sna	pe Connector Kit - T	op & Bottom		
FF-YC	<ul> <li>☐, Top 107(w) × 97.3(h) × 107(d) mm</li> <li>ⓓ, Bottom 107(w) × 107(h) × 94.3(d) mm</li> </ul>		4	
2-Wa	y Connector - Single	1		N.
				945
FF-2WC	41w) x 82(h) x 21(d) mm			
I-Wa	y Connector - Single			
FF-4WC				
11-4VVC	[O]_ 150(W) x 12.12(f) x 19.6(d) fiffi			
			1	
LED E	Exhibition Light - 2 x	Lights	۲	
		Lights		
LED E		Lights	•	
		Lights	•	
	ARM-BDLK 0, 50(w) x 455(h) x 55(d) mm	Lights		
		T		
	ARM-BDLK 0, 50(w) x 455(h) x 55(d) mm		FFACC	
	ARM-BDLK 0, 50(w) x 455(h) x 55(d) mm	T		
LED-EXHIB-	ARM-BDLK (D), 50(w) × 455(h) × 55(d) mm	FF-90C FF-90C	FF-ACC	
LED-EXHIB-	ARM-BDLK (D), 50(w) × 455(h) × 55(d) mm	FF-90C		
LED-EXHIB-	ARM-BDLK (D), 50(w) × 455(h) × 55(d) mm	FF-90C FF-90C	FF-ACC Arch connection	
LED-EXHIB-	ARM-BDLK (D), 50(w) × 455(h) × 55(d) mm	FF-90C FF-90C	FF-ACC	

FF-45C

45° connection

FF-CC

Cross connection

FF-TC

FF-YC


Υ

Y-connection

## 

## Fastframe<sup>™</sup> Stand 12m<sup>2</sup>

Quick and easy to assemble and disassemble. Add energy saving LED lighting to illuminate the back walls for more standout.




## 

## Fastframe<sup>™</sup> Stand 15m<sup>2</sup>

Quick and easy to assemble and disassemble. Add energy saving LED lighting to illuminate the back walls for more standout.

Material	Aluminium and ABS/nylon
Profile width	40mm
Profile colour	Silver
Assembly	Pre-assembled folding
Graphic area	Single or double-sided
Graphic attachment	SEG 3mm

Fastframe™ 1000x2000mm	FF-100X200
Fastframe™ 1000x2000mm graphic	G-FF-100X200-BB/PS
Fastframe™ 1200x2400mm	FF-120X240
Fastframe™ 1200x2400mm (5) graphics	G-FF-120X240-BB/PS
Fastframe™ 1000x2400mm	FF-100X240
Fastframe™ 1000x2400mm (2) graphics	G-FF-100X240-BB/PS
LED exhibition lights (5)	LED-EXHIB-ARM-BDLK
Fastframe™ middle full foot (4)	FF-MFF
Fastframe™ 90 degree connector kit	FF-90C
Fastframe™ ARCH KIT	FF-ACC
Fastframe™ two-way connector (4)	FF-2WC
	-



Portable carry bag

Feet can be added if required

> Graphics available in black back or polyester stretch, seamless graphics are available

Silicone edged (SEG) graphic




## 


## Fastframe<sup>™</sup> Stand 24m<sup>2</sup>

Quick and easy to assemble and disassemble. Add energy saving LED lighting to illuminate the back walls for more standout.

Material	Aluminium and ABS/nylon
Profile width	40mm
Profile colour	Silver
Assembly	Pre-assembled folding
Graphic area	Single or double-sided
Graphic attachment	SEG 3mm

Fastframe™ 1000x2400mm	FF-100X240
Fastframe™ 1000x2400mm (8) graphics	G-FF-100X240-BB/PS
Fastframe™ 1000x2000mm	FF-100X200
Fastframe™ 1000x2000mm (4) graphics	G-FF-100X200-BB/PS
Fastframe™ middle full foot (5)	FF-MFF
Fastframe <sup>™</sup> pair side half feet (5)	FF-SHF
Fastframe™ Y-connector kit	FF-YC
Fastframe™ arch kit	FF-ACC
Fastframe™ two-way connector (5)	FF-2WC
Fastframe™ 90 degree connector kit	FF-90C





# **Arena Structures**


## Arena Gantry structures for your stand

These 25mm diameter aluminium tubes have been assembled and welded into sections of various sizes to form the basis of an imposing and solid architecture.

A wide range of sections are available to make this solution compatible with your project requirements. With 13 components in various lengths and designs, you can create the right structure for you, and your chosen mode of transport.

#### Simple, tool-free assembly

Simple assembly - sections are connected using the supplied bolt and wing-nut fixings, and no tools are required. The double-sided graphics are attached to the gantry using a bungee cord. Create maximum brand visibility using sections up to 6m long without the need for reinforcement.



## Arena components

#### **Arena Straight Sections**

The Arena Straight Sections are available in a variety of lengths, they are strong but lightweight with a natural silver grey finish. The system is quick and easy to assemble using bolt and wing-nut fixings. This aluminium tubular system is both modular and scalable, where different sections can be assembled and reused according to the needs of each project. The structure can then be dressed with interchangeable UV printed PVC graphics.

UT-S250	Section 250mm
UT-S500	Section 500mm
UT-S750	Section 750mm
UT-S1000	Section 1000mm
UT-S1250	Section 1250mm
UT-S1500	Section 1500mm
UT-S2000	Section 2000mm



#### **Arena Junction Sections**

The Arena Junction Sections are available in a variety of configurations including: 3-way T-junction, 4-way corner junction. The choice of sections enables a custom build design for your application to create a modular and scalable system. The structure can then be dressed with interchangeable UV printed PVC graphics.



90° angle 2 connections UT-C21



4-way corner connector UT-C41



Corner connection 3 connections UT-C30



Foot 250mm UT-BS250



T-junction 3 connections UT-C35



T-junction 4 connections UT-C40

## Arena Gantry stand designs

#### Arena Custom Stand 16m<sup>2</sup>

Aluminium

Material
Colour
Graphic area
Graphic attachment
Graphic option

Anodised Single or double-sided Bungee fixings Vinyl



#### Arena Custom Stand 36m<sup>2</sup>

Material
Colour
Graphic area
Graphic attachment
Graphic option

Aluminium Anodised Single or double-sided Bungee fixings Vinyl



## Arena Gantry free-standing design

#### Arena Custom Structure

Material
Colour
Graphic area
Graphic attachment
Graphic option

Aluminium Anodised Single or double-sided Bungee fixings Vinyl



#### **Arena Hanging Structure**

The Arena hanging structure is a tubular aluminium stage structure used as a light bridge or suspended sign with 6m sides to draw attention to your brand.

Material	Aluminium
Colour	Anodised
Graphic area	Single or double-sided
Graphic attachment	Bungee fixings
Graphic option	viry

## Hanging structures

Formulate suspended signs have been specially designed to allow for easy and safe installation. The lightweight aluminium tubular structure makes them ideal for use on exhibition stands, in shopping arcades or in high traffic areas.

#### Formulate Square Hanging Structure

5 TEX

Material	Aluminium tubes		
Tube	Ø 30 mm		
Assembly	Push-fit button		
Shape	Square		
Graphic area	Double-sided		
Graphic attachment	Zipped tension fabric graphic		
Application	Suspended pitons included, Slings not inclue	ded	
Availability	Basic range - in stock		A A ALLAN ANA
Square Formulate 800	FORM-SQU-80	ര്വ 1500(w) x 800(h) x 1500(d) mm	
Square Formulate 1000	FORM-SQU-100	ര്_ 3000(w) x 1000(h) x 3000(d) mm	In the
Square Formulate 1500	FORM-SQU-150	ര_ 4500(w) × 1500(h) × 4500(d) mm	

#### Formulate Circular Hanging Structure

5 TEX

Material	Aluminium tubes				
Tube	Ø 30 mr	Ø 30 mm			
Assembly	Push-fit	button			
Shape	Circle				
Graphic area	Double-sided				
Graphic attachment	Zipped tension fabric graphic				
Application	Suspended pitons included, Slings not included				
Availability	Basic range - in stock				
		1			
Circular Formulate 800		FORM-RNG-80	ര്വ_ 1500(w) x 800(h) x 1500(d) mm		
Circular Formulate 1000		FORM-RNG-100	ര_ 3000(w) x 1000(h) x 3000(d) mm		
Circular Formulate 1500		FORM-RNG-150	ര്വ് 4500(w) x 1500(h) x 4500(d) mm		




#### Formulate Rectangular Hanging Structure

Aluminium tubes Tube Ø 30 mm Push-fit button Assembly Shape Rectangle Graphic area Double-sided Graphic attachment Zipped tension fabric graphic Application Suspended pitons included, Slings not included Availability Basic range - in stock FORM-RTG-M100 Formulate Rectangle 250 ര്\_ 3500(w) x 1000(h) x 2500(d) mm Formulate Rectangle 350 FORM-RTG-L100

FORM-RTG-XL120

ര്വ 5000(w) x 1200(h) x 2500(d) mm



#### **MS Panel**

Formulate Rectangle 500

Material

Material	Aluminium tubes				
Tube	Ø 30 mr	Ø 30 mm			
Assembly	Push-fit	button			
Shape	Rectang	Rectangle			
Graphic area	Double-	Double-sided			
Graphic attachment	Zipped tension fabric graphic				
Application	Suspended pitons included, Slings not included				
Availability	Basic range - in stock				
Formulate Panel 250		FORM-FLT-M100	ര്വ_ 2500(w) x 1000(h) x 30(d) mm		
Formulate Panel 350		FORM-FLT-L100	ത്ര_ 3500(w) x 1000(h) x 30d) mm		
Formulate Panel 500		FORM-FLT-XL120	ര്വ_ 5000(w) x 1200(h) x 30(d) mm		



### 5 TEX

5 TEX



# **Display Backwalls**

Display Backwalls create a dramatic backdrop to events, presentations, product demonstrations, pop-up shops or window displays. They are also ideal for smaller spaces, or as large static advertising boards in public spaces such as museums, reception areas, public transportation hubs and other large spaces.

Segmented frame walls are fully configurable, professional grade backwalls, where flexibility, ease of storage, reusing, portability and assembly are important. The pop-up display backwalls are constructed from lightweight aluminium scissor mechanisms that are easy to transport, assemble and store, and are ideal for small exhibitions or events as well as static displays. For a simple backdrop, the Pegasus tension walls offer a cost effective, easy solution to meet those needs. Configurable in both height and width, the tension wall is quick to assemble and makes an ideal backdrop to temporary or short-term presentations.

## **Display Backwalls**

Backwalls can be configured in a variety of ways, based on the application, with each offering a different method of consturction, illumination and use.



### **Pop-up backwalls**

#### Impact Pop-up Straight

A great entry level display backwall that is perfect for use at an exhibition, event or for a demonstration backdrop. Frames are available in a variety of widths, and are quick and easy to deploy using the self-locating locking arms. Magnetic tape attaches to the back of the graphic panels enabling them to be attached directly to the mag bars which are mounted to the frames.

Material	Aluminium structure, plastic connectors	
Assembly	Magnetic connectors	
Shape	Straight	
Graphic area	Single-sided (with or without D-ends) / double-sided (optional)	
Graphic attachment	Mag bars, hangers and kickers	
Application	Free-standing	

3x2 Straight	IMP-3X2S	ര്വ_ 1970(w) x 2225(h) x 306(d) mm
3x3 Straight	IMP-3X3S	ര്_ 2700(w) x 2225(h) x 306(d) mm
3x4 Straight	IMP-3X4S	ര്_ 3435(w) x 2225(h) x 306(d) mm











Magnetic bars

Magnetic Locking arms

Hook-over graphic attachment

#### Impact Pop-up Straight Bundle

Impact Pop-up straight bundles are a great entry level display backwall kit that contains everything you will need to get you up and running at a show, event or demonstration - they even come with a counter and lighting!

Material		Aluminium structure, plastic connectors			
Assembly		Magnetic connectors			
Shape		Straight			
Graphic area		Single-sided (with or without D-ends) / double-sided (optional)			
Graphic attachment		Mag bars, hangers and kickers			
Application		Free-standing			
	3x2 Straight	99-XX-106	ര്]_ 1970(w) x 2225(h) x 306(d) mm		
	3x3 Straight	99-XX-107	ලි_ 2700(w) x 2225(h) x 306(d) mm		
	3x4 Straight	99-XX-108	3435(w) x 2225(h) x 306(d) mm		



Impact Pop-up Bundle









Carry bag

Straight or curved frame system

Hangers, kickers and mag bars

1x Roll of self-adhesive magnetic tape (EM301)

Zenith transport and counter base case

Thermoformed table top in F beech

2x PS950-1000-LED-BDLK lights

### **Impact Pop-up Curved**

### 

A great entry level display backwall that is perfect for use at an exhibition, event or for a demonstration backdrop. Frames are available in a variety of widths, and are quick and easy to deploy using the self-locating locking arms. Magnetic tape attaches to the back of the graphic panels enabling them to be attached directly to the mag bars which are mounted to the frames.

Material	Aluminium structure, plastic connectors				
Assembly	Magnetic cor	Magnetic connectors			
Shape	Curved	Curved			
Graphic area	Single-sided (with or without D-ends) / double-sided (optional)				
Graphic attachment	Mag bars, hangers and kickers				
Application	Free-standing				
3x2 Curved		IMP-3X2C	ര്_ 1930(w) x 2225(h) x 485(d) mm		

3x2 Curved	IMP-3X2C	ര്_ 1930(w) x 2225(h) x 485(d) mm
3x3 Curved	IMP-3X3C	ത്ര_ 2540(w) x 2225(h) x 685(d) mm
3x4 Curved	IMP-3X4C	ര്_ 3070(w) x 2225(h) x 960(d) mm







Magnetic bars

Magnetic Locking arms

Hook-over graphic attachment

# Impact Pop-up Curved Bundle

Impact Pop-up curved bundles are a great entry level display backwall kit that contains everything you will need to get you up and running at a show, event or demonstration - they even come with

a counter and lighting!

Material Aluminium structure, plastic connectors Assembly Magnetic connectors Shape Curved Graphic area Single-sided (with or without D-ends) / double-sided (optional) Graphic attachment Mag bars, hangers and kickers Application Free-standing

3x2 Curved	99-XX-110	ල_ 1930(w) x 2225(h) x 485(d) mm
3x3 Curved	99-XX-071	ര്വ_ 2540(w) x 2225(h) x 685(d) mm
3x4 Curved	99-XX-070	3070(w) × 2225(h) × 960(d) mm

### Impact Pop-up Bundle

















2x PS950-1000-LED-BDLK lights

Carry bag

curved frame system

Hangers, kickers and mag bars

1x Roll of self-adhesive magnetic tape (EM301)

Zenith transport and counter base case

Thermoformed table top in beech

### Quick+ Straight Kit

The premium Quick+ Straight display backwall is a full magnetic system that can be used single or double-sided. Use with optional interchangeable, vibrant UV printed PVC graphics. Deploys tool-free in seconds straight out of the supplied protective padded bag giving you a brilliant backwall display for your event or shell scheme. Quick+ displays are also available in a curved display and come in 3 different sizes.

Material	Aluminium structure, plastic connectors
Assembly	Magnetic connectors
Shape	Straight
Graphic area	Single-sided (with or without D-ends) / double-sided (optional)
Graphic attachment	Mag bars, hangers and kickers
Application	Free-standing

3x2 Straight	WH222-S-CA	ര്വ_ 1970(w) x 2225(h) x 306(d) mm
3x3 Straight	WH223-S-CA	ര്വ_ 2700(w) × 2225(h) × 306(d) mm
3x4 Straight	WH224-S-CA	ര്_ 3435(w) x 2225(h) x 306(d) mm









Square end magnetic bars M

Magnetic locking arms



### Quick+ Curved Kit

The premium Quick+ Curved display backwall is a full magnetic system that can be used single or double-sided. Use with optional interchangeable, vibrant UV printed PVC graphics. Deploys tool-free in seconds straight out of the supplied protective padded bag giving you a brilliant backwall display for your event or shell scheme. Quick+ displays are also available in a straight display and come in 3 different sizes.

Material	Aluminium structure, plastic connectors		
Assembly	Magnetic connectors		
Shape	Curved		
Graphic area	Single-sided (with or without D-ends) / double-sided (optional)		
Graphic attachment	Mag bars, hangers and kickers		
Application	Free-standing		
3x2 Curved		WH222-C-CA	്രൂ 1930(w) x 2225(h) x 485(d) mm
3x3 Curved		WH223-C-CA	စြ္ 2540(w) x 2225(h) x 685(d) mm

WH224-C-CA





3x4 Curved





ര്പ്പ 3070(w) x 2225(h) x 960(d) mm





Square end magnetic bars

Magnetic locking arms

Magnetic hanger

### **Quick+ Straight Bundle**

The Premium Quick+ Straight Display Bundle includes the full magnetic display backwall kit which can be used single or double-sided, the unique Zenith transit case which converts to a counter and two PS950-1000 LED lights. Use with optional interchangeable, vibrant UV printed PVC graphics. Deploys tool-free in seconds, giving you a brilliant backwall display for your event or shell scheme. Quick+ displays are also available in a curved display bundle and come in 3 different sizes.

Material	Aluminium structure, plastic connectors
Assembly	Magnetic connectors
Shape	Straight
Graphic area	Single-sided (with or without D-ends) / double-sided (optional)
Graphic attachment	Mag bars, hangers and kickers
Application	Free-standing

3x2 Straight	99-XX-101Q	ര്വ_ 1970(w) x 2225(h) x 306(d) mm
3x3 Straight	99-XX-102Q	ര്വ_ 2700(w) × 2225(h) × 306(d) mm
3x4 Straight	99-XX-103Q	ര്വ_ 3435(w) x 2225(h) x 306(d) mm



Quick+ Kit















Padded nvlon carry bag

Ouick+ Structure Straight / Curved

**Quick+ Bundle** 

and mag bars

1x Roll of Zenith self-adhesive transport and magnetic tape (EM301) counter base case

Thermoformed table top in beech

PS950-1000-LED-BDLK lights



### **Quick+ Curved Bundle**

The Premium Quick+ Curved Display Bundle includes the full magnetic display backwall kit which can be used single or double-sided, the unique Zenith transit case which converts to a counter and two PS950-1000 LED lights. Use with optional interchangeable, vibrant UV printed PVC graphics. Deploys tool-free in seconds, giving you a brilliant backwall display for your event or shell scheme. Quick+ displays are also available in a straight display bundle ond came is a different size. and come in 3 different sizes.

Material	Aluminium structure, plastic connectors
Assembly	Magnetic connectors
Shape	Curved
Graphic area	Single-sided (with or without D-ends) / double-sided (optional)
Graphic attachment	Mag bars, hangers and kickers
Application	Free-standing

3x2 Curved	99-XX-016Q	ര_ 1930(w) x 2225(h) x 485(d) mm
3x3 Curved	99-XX-017Q	ര്വ_ 2540W) x 2225(h) x 685(d) mm
3x4 Curved	99-XX-020Q	ල_ 3070(w) x 2225(h) x 960(d) mm

#### **Quick+ Bundle**



Ouick+ Kit





Straight / Curved









Padded nylon carry bag

Hangers, kickers and mag bars

1x Roll of self-adhesive magnetic tape (EM301)

Zenith transport and counter base case

Thermoformed table top in beech

PS950-1000-LED-BDLK lights

### Hop-up Impact Straight



Impact Hop-ups are simple lightweight interlocking frame structures that deploy in minutes. Complete with tension-fit graphics that can stay on even when packed away.

	1		5	1	
	Material	Alumini	Aluminium structure, plastic connectors		
	Assembly	Lock tog	gether with clips		
	Shape	Straight			
	Graphic area	Single-s	ided (with or without returr	ns) or double-sided (optional)	
	Graphic attachment	Hook ar	nd loop		
Application		Free-sta	Free-standing		
	3x2 quads		HUI3X2	ြ_ 1525(w) x 2260(h) x 295(d) mm	
	3x3 quads		HUI3X3	ര്വ_ 2260(w) x 2260(h) x 295(d) mm	
	3x4 quads		HUI3X4	ര്വ് 2995(w) x 2260(h) x 295(d) mm	
	3x5 quads		HUI3X5	ര്_ 3730(w) × 2260(h) × 295(d) mm	









Easy to transport





Graphics attach with hook and loop fastener

#### Ancillaries :

j N∕A

ES508

### Hop-up Impact Curved

Impact Hop-ups are simple lightweight interlocking frame structures that deploy in minutes. Complete with tension-fit graphics that can stay on even when packed away.

Material	Aluminium structure, plastic connectors
Assembly	Lock together with clips
Shape	Curved
Graphic area	Single-sided (with or without returns)
Graphic attachment	Hook and loop
Application	Free-standing

3x3 quads	HOP-2-3X3-C	ര_ 2310(w) × 2270(h) × 570(d) mm
3x4 quads	HOP-2-3x4-C	ര്_ 2950(w) x 2260(h) x 810(d) mm







Plastic connectors



Graphics attach with hook and loop fastener






### **FASTFRAME™Pop-up Kit**



Fastframe <sup>™</sup> Pop-up Kit Price on demand 2690(w) x 2007(h) x 940(d) mm
---

Dimensions based on configuration shown



## Fabric tube walls

### **Formulate Straight**

5 TEX

Formulate Straight backwalls are constructed of lightweight 30mm diameter push-fit aluminium tubing for tool-free simple deployment. Complete with optional double-sided dye-sublimated tension-fit fabric graphics that zip at the base to perfectly contour the shaped aluminium structure and maximize your brand message. Formulate displays offer a variety of great shapes with clean lines, ideal for creating picture backwalls or defining areas in rooms by screening or zoning.

Material	Aluminium tubing
Tube	Ø 30 mm
Assembly	Push-fit / Allen key
Shape	Straight
Graphic area	Double-sided
Graphic attachment	Zipped tension fabric graphic
Application	Free-standing with feet (included)

NEW	١
PRODUCT	ł
	ł

2000 mm	FORM-STR-20	ര്_ 2000(w) x 2380(h) x 400(d) mm
2400 mm	FORM-STR-24	ര്_ 2350(w) x 2380(h) x 400(d) mm
3000 mm	FORM-STR-30	ര്_ 2950(w) x 2380(h) x 400(d) mm
4000 mm	FORM-STR-40	ര്_ 3950(w) x 2380(h) x 400(d) mm
5000 mm	FORM-STR-50	ര്_ 4950(w) x 2380(h) x 400(d) mm
6000 mm	FORM-STR-60	ര്വ_ 5950(w) x 2380(h) x 400(d) mm







Bungee tubes

Numbered system for easy assembly

Gloves included

5 TEX


### **Formulate Horizontal Curve**

Formulate Horizontal Curve displays are an eye-catching shape, constructed of lightweight 30mm diameter push-fit aluminium tubing, combined with a zipped tension-fit graphics for tool-free impressive backwalls. Formulate displays offer a variety of great shapes with clean lines, ideal for creating picture backwalls or defining areas in rooms by screening or The optional double-sided tension fabric graphics perfectly contour the shaped alum structures and maximise your brand message.

Material	Aluminium tubes
Tube	Ø 30 mm
Assembly	Push-fit button
Shape	Horizontal curve
Graphic area	Double-sided
Graphic attachment	Zipped tension fabric graphic
Application	Free-standing

ch cican	
zoning.	
ninium	
-	
	1
	1
	1













Possibility to add LED Spotlights and Ancillaries

Zipped tension fabric graphic

Bungee tubes

Numbered system for easy assembly





Display Backwalls

# **Tension walls**

### Horizon

Horizon is the ideal solution for large scale promotions. Use single-sided or double-sided to maximise the impact for brand displays. Link individual units together to form a display wall. Securely weighted by twin water filled bases for total stability.



to maximise the impact for brand displays. Link individual units together to form a		
display wall. Securely weighted by twin water filled bases for total stability.		
Aluminium, moulded grey plastic base		
A (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)		
Adjustable height (1500-2400 mm)		

Graphic area	Single or double-sided
Graphic attachment	Eyelets
Base capacity	28 litres per tank
Wind resistance	Up to 12 mph / 19 km/h

Horizon	UB203	බ_ 2500(w) x 1500/3000(h) x 800(d) mm
---------	-------	---------------------------------------





eyelets



Pegasus

The large-format Pegasus tension banner has telescopic poles and can adjust to 2.5m wide and tall - perfect for large format imagery and brand messaging. Tool-free assembly for quick and simple deployment, Pegasus packs down into a supplied carry bag, and is suitable for vinyl or fabric graphics with pole pockets.

Material	Aluminium
Assembly	Telescopic poles / screws
Shape	Straight
Graphic area	Single or double-sided
Graphic attachment	Pole pocket
Application	Free-standing with feet (included)

	Pegasus	UB165-S	ത്ര 1429/2540(w) x 1000/2515(h) x 442(d) mm
--	---------	---------	---





Telescopic poles

Poles slide into graphic

pole pocket



Quick and easy installation



### Pegasus 3m

The most compact 3m wide video wall! Ideal for large format photo calls for group meetings, political events or product launches.

Material	Aluminium
Assembly	Telescopic twist-lock poles
Shape	Straight
Graphic area	Single sided
Graphic attachment	Pole pocket
Application	Free-standing with feet (included)

UB167-S Pegasus 3 m

ര്\_ 1845/3180(w) x 1835/2610(h) x 440(d) mm



from 1845 to 3180 mm –





Quick and easy installation

Telescopic poles



# **Display Banners**

# Portable display banners are ideal for a temporary but stable communications tool.

Our unique range of Display Banners are highly portable, quick to deploy and suitable for a broad range of applications. Choose from the economy range through to premium options for use indoors or select specifically designed solutions for outdoor applications.

Alternatively the fabric systems are a premium display solution, featuring aluminium tubing, with double-sided high-quality dye sublimated fabric graphics. Easy to deploy with tool-free assembly.

# **Display Banners**

Affordable by nature, the roller banner range delivers a convenient, tool-free solution, with retractable graphics that deploy in seconds. Choose from a range of indoor or outdoor designs that best suits your application, with single or double-sided graphic options.

Tension banners are constructed of lightweight materials and offer the best value for money.



# **Tension textile systems**

### **Formulate Monolith**

Monolith; the gentle giant, with weighted base for high traffic areas and practical, changeable fabric graphics for multiple brand messaging. This tall double-sided display banner comes in a variety of widths, from 600mm up to 1500mm, and is trusted for stability and easy deployment.

Material	Aluminium tubes, steel base
Tube	Ø 30 mm
Assembly	Push-fit button, Allen key
Graphic area	Double-sided
Graphic attachment	Zipped tension fabric graphic
Application	Free-standing with metal base (included)
Transport	Padded with compartments

600 mm	FORM-MON-600	ത്_ 600(w) × 2380(h) × 300(d) mm
900 mm	FORM-MON-900	ര്വ_ 900(w) x 2380(h) x 300(d) mm
1200 mm	FORM-MON-1200	ത്_ 1200(w) x 2380(h) x 300(d) mm
1500 mm	FORM-MON-1500	ര്_ 1500(w) x 2380(h) x 300(d) mm
	900 mm 1200 mm	900 mm FORM-MON-900 1200 mm FORM-MON-1200



Hinged metal base (from sizes 900mm wide upward)



Bungee tubes



### Formulate Monolith Eco

The Formulate Monolith Eco is an ideal alternative to a roller banner as it provides a cost effective option for the budget conscious whilst delivering an uninterrupted double-sided stretch fabric display. It comes with powder coated steel feet for increased stability that connect to the aluminium tubular frame. The tension graphic hugs the frame and is zipped at the base to hold it in place.

Material	Aluminium tubes, powder coated steel feet
Tube	25mm
Assembly	Push-fit, tool-free
Graphic area	Single or double-sided
Graphic attachment	Tension fabric graphic
Application	Free-standing with feet (included)
Transport	Simple carry bag

800 mm	FORM-MON-ECO-800	ര്വ_ 800(w) × 2009(h) × 378(d) mm
1000 mm	FORM-MON-ECO-1000	1000(w) x 2009(h) x 378(d) mm






Numbered system on tubes for easy assembly

### **Vector Media**

Vector Media is a versatile display which accepts a variety of changeable media substrates; from SEG stretch fabric to rollable PVC. Each side of the frame has a channel for SEG fabrics, alternatively you can also use PVC with magnetic tape that magnetise to the inner frame profile.

Material	Aluminium
Profile width	35 mm
Profile Colour	Silver
Assembly	Tool-free
Graphic area	Single or double-sided
Graphic attachment	For textile graphics: 3 mm SEG For PVC graphics: magnetic tape (included)
Application	Free-standing solid foot

Vector Media	VF-MEDIA-16X06	ු_ 600(w) x 1610(h) x 280(d) mm
--------------	----------------	---------------------------------





Fabric graphic with silicone edging (SEG)



PVC graphic with magnetic tape



#### 600mm







800mm



1500mm





1200mm



Mosquito Orient+ Barracuda



850mm







Orient+ Mosquito Barracuda

Outdoor





Table Top

Thunder 2 Blizzard



Breeze A4 Breeze A3



1000mm

# Roller banners (economy)

### Wasp

The Wasp roller banner is an entry level product, ideal for short-term events or displays, where cost is a primary consideration. Despite its affordable price, Wasp is made to exacting quality standards and carries a full manufacturer's warranty, so you can be confident it will perform as expected.

Material	Aluminium, plastic end caps on rail and feet tips
Rail	Snap rail
Pole	Aluminium three-part bungee pole
Leader	Self-adhesive
Graphic area	Single-sided
Feet	Twin, twist-out feet
Transport	Simple nylon bag

600 mm	UB204-600-05	ര്_ 615(w) x 1710/2080(h) x 320(d) mm
800 mm	UB204-800-03	ര്വ_ 815(w) × 2080(h) × 320(d) mm
850 mm	UB204-850-03	ര്വ് 865(w) × 2080(h) × 320(d) mm
1000 mm	UB204-1000-03	ര്വ_ 1015(w) x 2080(h) x 320(d) mm









### Mantis

The Mantis roller banner is suitable for budget conscious users, who need a cost-effective roller banner with a little more durability for busier areas. With a weighted base, the unit provides enhanced stability over the unweighted banners in the range. Despite its economical price, Mantis is made to exacting quality standards and carries a full manufacturer's warranty, so you can be confident it will perform as expected.

Material	Aluminium, plastic end caps on rail	
Rail	Snap	
Pole	Bungee	
Leader	Self-adhesive	
Graphic area	Single-sided	
Feet	Twin, twist-out feet	
Transport	Padded nylon bag with side opening	

800 mm	UB216-800-01	ු_ 818(w) x 2085(h) x 280(d) mm
850 mm	UB216-850-01	ര്വ_ 868(w) x 2085(h) x 280(d) mm
1000 mm	UB216-1000-01	ര്വ് 1018(w) x 2085(h) x 280(d) mm



Pole top



Rigidising bracket in base for increased strength and longevity of banner





### Mosquito

The Mosquito roller banner is an industry standard workhorse. This roller banner offers a blend of affordability, durability and robustness that is often copied, but never equalled. It is constructed from more robust componentry, allowing it to perform reliably in high traffic applications, or where there are likely to be repeated deployments of the roller banner.

Material	Aluminium and plastic
Rail	Snap rail
Pole	Aluminium three-part bungee pole
Leader	Self-adhesive
Graphic area	Single-sided
Feet	Twin, twist-out feet
Transport	Nylon bag with inner protection (double skin)

800 mm	UB197	ര്_ 860(w) x 2105(h) x 285(d) mm
850 mm	UB196	ര്_ 910(w) x 2105(h) x 285(d) mm
1000 mm	UB197-1000	ര്_ 1060(w) x 2105(h) x 285(d) mm
1200 mm	UB197-1200	ര്_ 1260(w) x 2105(h) x 285(d) mm
1500 mm	UB197-1500	ര്_ 1560(w) x 2105(h) x 285(d) mm
2000 mm	UB197-2000	ര്_ 2060(w) x 2105(h) x 285(d) mm





Rigidising bracket in base for increased strength and longevity of banner









### Grasshopper

The Grasshopper roller banner is an industry standard workhorse. A popular, classic-style lightweight economy banner with twin twist-out feet for stability. This roller banner offers a blend of affordability, durability and robustness.

Material	Aluminium and plastic
Rail	Adhesive Rail
Pole	Aluminium three-part bungee pole
Leader	Self-adhesive
Graphic area	Single-sided
Feet	Twin, twist-out feet
Transport	Nylon bag with inner protection (double skin)

800 mm	UB191	ලි_ 860(w) x 2105(h) x 285(d) mm
850 mm	UB193	ര്വ് 910(w) x 2105(h) x 285(d) mm







Self-adhesive rail

Three-part bungee pole

Rigidising bracket in base for increased strength and longevity of banner



# **Roller banners (standard)**

### **Dragonfly 2**

Economical and cost-effective double-sided roller banner with pole storage in base. Comes with padded nylon bag for ease of transportation.

Material	Aluminium, plastic end caps on rail
Rail	Snap rail with end caps
Pole	Aluminium three-part bungee pole
Leader	Self-adhesive
Graphic area	Double-sided
Feet	Twin, twist-out feet
Transport	Padded nylon bag

850 mm	UB199-850-01	ത്_ 890(w) x 2105(h) x 395(d) mm
1000 mm	UB199-1000-01	ര്വ_ 1040(w) x 2105(h) x 395(d) mm



**7** Double-sided





Nylon padded carry bag included



### Orient +

The Orient + is a trusted market leading roller banner that delivers stability whilst still being cost-effective. With its front-loading graphic that pulls up from the front of the base, the banner design ensures your brand message has maximum visibility from floor to top rail. It comes with our manufacturer's quality warranty, giving peace of mind.

Material	Aluminium and plastic
Rail	Patented Dual action self-adhesive and snap rail
Pole	Hybrid adjustable height telescopic pole
Leader	Self-adhesive or Hook and Loop
Graphic area	Single-sided
Feet	Adjustable
Transport	Padded nylon bag with side opening and foam reinforced ends

800 mm	WH353-800-003	ര്വ് 840(w) x 1595/2220(h) x 185(d) mm
850 mm	WH353-850-003	890(w) x 1595/2220(h) x 185(d) mm
1000 mm	WH353-1000-003	ര്വ_ 1040(w) x 1595/2220(h) x 185(d) mm
1200 mm	WH353-1200-003	ര്വ_ 1240(w) x 1595/2220(h) x 185(d) mm
1500 mm	WH353-1500-003	1540(w) x 1595/2220(h) x 185(d) mm
2000 mm	WH353-2000-003	ര്വ_ 2040(w) x 1595/2220(h) x 185(d) mm









Pole top

Banner components



∑ 5 € PVC

### **Delta Lite**

The Delta Lite roller banner is highly stylish and has great stability thanks to the wide footprint aluminium base. This elegant banner has great design details including the chrome finished end covers. With adjustable levelling feet and telescopic pole, Delta Lite is excellent value for money. It comes with our manufacturer's quality warranty, giving you peace of mind that it will perform every time.

ര്\_ 903(w) x 1625/2224(h) x 203(d) mm

Material	Aluminium, chrome base end covers
Rail	Snap rail with end caps
Pole	Hybrid adjustable height telescopic pole
Leader	Self-adhesive
Graphic area	Single-sided
Feet	Adjustable
Transport	Padded nylon bag

850 mm UB205-850-004







Hybrid telescopic pole



Use outdoors

### Thunder 2

Thunder 2

The Thunder 2 double-sided retractable roller banner is ideal for outdoor use as it is strong and durable yet very easy to assemble and transport. Standing 2m high, Thunder 2 will display your message on both sides for maximum viewing impact.

Material	Plastic, aluminium and steel
Pole	Three part bungee pole
Graphic area	Double-sided
Graphic attachment	Self-adhesive leader / top snap rail
Ground fixing	4 pegs (included)
Wind resistance	Up to 7 mph / 11 km/h (unpegged) up to 24 mph / 39 km/h (if pegged)
Transport	Padded bag

UB185-850-01 (D\_ 884(w) × 2100(h) × 740(d) mm





Three-part bungee pole

Ground pegs



# **Roller banners (premium)**

#### Merlin

Merlin is a sleek and elegant premium roller banner with an interchangeable graphic cassette which extends the life of the banner as graphics are quick and easy to change. The graphic cartridge is housed independently from the main base unit so it is simple to remove and replace with new graphics and old graphics can also be reused, just by swapping the cassette. A great value-for-money solution if the message or marketing campaign changes regularly. The Merlin roller banner comes with our manufacturer's quality warranty, giving peace of mind that it will perform every time.

Material	Aluminium and plastic
Rail	Snap rail
Pole	Hybrid adjustable height telescopic pole
Leader	Cassette banner with adhesive leader
Graphic area	Single-sided
Feet	Adjustable
Transport	Padded nylon with side opening and foam reinforced ends

UB160-850-01

850 mm

\_\_\_\_ 915(w) x 1655/2315(h) x 195(d) mm







5 PVC

# in seconds

Interchangeable graphic cassette - swap messaging

The original best-selling premium Barracuda roller banner delivers a reliable, enduring display which is backed up by a life-time manufacturer's hardware warranty. The stylish anodised aluminium base has an elegant pinstripe detail on the front casing. Barracuda is height adjustable and has a large internal graphic housing and tensioner.

Material	Aluminium and plastic
Rail	Patented snap rail
Pole	Hybrid adjustable height telescopic pole
Leader	Self-adhesive slider
Graphic area	Single-sided
Feet	Adjustable
Transport	Padded nylon with side opening and foam reinforced ends

800 mm	WH321C-800A3	ര്വ് 860(w) x 1605/2210(h) x 200(d) mm
1000 mm	WH321C-1000A3	1060(w) x 1605/2210(h) x 200(d) mm
1200 mm	WH321C-1200A3	ര്വ_ 1260(w) x 1605/2210(h) x 200(d) mm
1500 mm	WH321C-1500A3	<u>പ്</u> 1560(w) x 1605/2210(h) x 200(d) mm
2000 mm	WH321C-2000A3	ര്വ_ 2060(w) x 1605/2210(h) x 200(d) mm
2400 mm	WH321C-2400A3	2460(w) x 1605/2210(h) x 200(d) mm






Rail cap

Ratchet graphic tensioner



### **FASTFRAME™**

### **FASTFRAME™1000x500 - 2 Pack**








Feet can be added if required. Feet sold separately



Silicone edged (SEG) graphic



### **FASTFRAME™1000x1000 - 2 Pack**



### FASTFRAME™1000x2000



Portable carry bag

Includes 2 x feet

Silicone edged (SEG) graphic **Display Banners** 

# **FASTFRAME™**

### FASTFRAME™1200x2400

Fastframe™	FF-120X240	ര്_ 1204(w) x 2407(h) x 400(d) mm	NEW	
Fastframe™ (Black back graphic)	G-FF-120X240-BB	ത്ര് 1200(w) x 2400(h)	PRODUCT	
Fastframe™ (Polyester stretch graphic)	G-FF-120X240-PS	j 1200(w) x 2400(h)		
				.*







Portable carry bag

### **Breeze**

The Breeze mini roller banner is ideal for use on a tabletop, counter, or reception desk. Ultra-light and simple to assemble, it delivers a professional, smart display that is elegant and stylish.

Material	Aluminium, plastic end caps on rail
Rail	Self-adhesive
Pole	Aluminium, two-part pole
Leader	Self-adhesive
Graphic area	Single-sided
Transport	Padded nylon bag

Breeze A4		332(w) x 440(h) x 82(d) mm
Breeze A3	WH361	238(w) x 335(h) x 80(d) mm





Two-piece support pole



## **Tension banners (X Banner)**

### **Beijing Lite**

The Beijing Lite is a basic X-Banner with an ultra-light frame. It is very easy to assemble and compact once packed down.

Material	Fibreglass
Graphic area	Single-sided
Graphic attachment	Eyelets
Application	Free-standing
Transport	Budget drawstring carry bag

600 m	m	WH358-6X16-01	ര്വ_ 600(w) x 1800(h) x 650(d) mm
800 m	m	WH358-8X18-01	ര്വ_ 800(w) × 1800(h) × 650(d) mm



Banner reverse

Blizzard



Graphic attaches with eyelets





Blizzard is a great all-rounder as it is ideal for all kinds of corporate, sporting and outdoor events. Its simple design makes it very easy to assemble on-site, and because it's adjustable, it can accommodate different graphic sizes to suit your application.

Material	Plastic and metal
Pole	Adjustable in width and height
Graphic area	Single-sided
Graphic attachment	Eyelets
Base capacity	12 litres
Wind resistance	Up to 18 mph / 29 km/h
Transport	Non-padded bag


Blizzard UB701 @\_ 600/800(w) x 1600/2100(h) x 540(d) mm



Non-padded bag included







# **Display Signs**

We offer a comprehensive range of professional display signage solutions for a variety of uses from navigational signs to advertising, information, decorative and display needs.

Display signage solutions are versatile, reusable, durable, and reliable, ensuring investment in hardware is maximised, whilst allowing the flexibility to update marketing messages frequently.

# **Display Signs**

With a wide choice of installation options such as wall, suspended or free-standing, we are proud to offer one of the most comprehensive ranges on the market.



# **Free-standing signs**

### Wedge

Wedge is a weighted clamping banner base range that comes in 2 parts and is designed to hold a variety of rigid substrates for indoor or temporary outdoor usage. Available in four sizes from 300mm up to 1000mm, Wedge can be used in tandem with a second pair of bases to create larger displays.

Material	Powder coated steel			
Graphic area	Single or double-sided			
Graphic attachment	Screwed to base			
Graphic option Rigid panel from 18-40mm thickness - optional extr		onal extra 1500mm height max.		
Application	Free-standing			
Wedge 300 mm		UB102-300-S	300(w) × 85(h) × 360(d) mm	

Wedge 600 mm	UB102-600-S	ര്വ_ 600(w) x 85(h) x 360(d) mm
Wedge 800 mm	UB102-800-S	ര്വ_ 800(w) x 85(h) x 360(d) mm
Wedge 1000 mm	UB102-1000-S	ര്_ 1000(w) x 85(h) x 360(d) mm

### 





### Sentry

Sentry is a handy and versatile way of imparting brand messaging or wayfinding information quickly and tool-free using the 'snap action' poster area which can be deployed either landscape or portrait. A3 and A4 sizes are available and the weighted base aids deployment in high foot-fall areas.

Material		25mm aluminium profile, clear PVC protection sheet			
Colour		Anodised silver finish, chromed corners			
Mounting		Free-standin	g		
Graphic attachment Snap rail					
Graphic option Suita		Suitable for s	Suitable for substrates up to 420 microns		
Positioning P		Portrait or La	Portrait or Landscape		
Sentry A	4		SL104	്ര_ 245(w) x 1005(h) x 326(d) mm	
Sentry A	3		SL103	പ്ര 245(w) x 1075(h) x 326(d) mm	





Snap frame

### Symbol

\td

Symbol is constructed of robust weighted steel and angled for optimal viewing and reading for better engagement with prospective customers. Interchangeable graphics slide in to the recess channel and fix in place tool-free with a turnscrew.

Material	Steel
Profile colour	Black
Assembly	Allen key and thumb screws
Graphic attachment	Thumbscrews
Graphic option	Rigid PVC and Dibond (3-5 mm thickness)
Weight	7.2 kg
Wind speed	18 mph

IP



201	0 0









outdo



Content detail



Tool-free locking

mechanism



Quick change graphic

420(w) x 1280(h) x 450(d) mm (A4)

480(w) x 1280(h) x 450(d) mm (A3)



### Whirlwind

The Whirlwind signage solution is a heavy duty, weather resistant swing sign with a wheeled base for ease of deployment. Base can be filled with a whopping 25 litres of water to keep in place. Double-sided graphics are held securely in a front loading 'snap-action' double-sided panel and it all flat packs for ease of transportation. A perfect piece of kit!

Material Aluminium, steel, plastic base, PVC sheet cover			over	
Graphic area Double-sided				
Graphic attachment Snap rail		Snap rail		
Graphic option Ba		Banner vinyl		
Application		Free-standing		
	Whirlwind - A1		UB207-A1	780w) × 1165(h) × 500(d) mm
	Whirlwind - A0		UB207-A0	ര്വ_ 1010(w) x 1554(h) x 625(d) mm







Tool-free snap rail

Wheels for easy transportation

### A-sign Board

Pavement signage is a marketing stalwart. No high street would be without one, and the A-sign Board is one of the best. Simple to use with double-sided 'snap-action' front loading frames, complete with protective PVC sheeting to shield graphics which can be changed over and over again to keep up with brand messaging or offers.

Material	Aluminium, steel, PVC sheet cover
Graphic area	Double-sided
Graphic attachment	Snap rail
Wind speed	18 mph
Weight	10.56 kg

A-sign Board A1 VF204-C O 638(w) x 1060(h) x 825(d) mm		A-sign Board A1	VF204-C	ര്വ_ 638(w) x 1060(h) x 825(d) mm
--	--	-----------------	---------	-----------------------------------





### **Formulate Shadow**

Formulate Shadow is a no fusss outdoor sign offering customers a viable alternative to traditional outdoor signs that typically rely on water or sand for stability.

Material	Steel
Assembly	Push-fit button/Allen key
Tube	32 mm
Graphic area	Double-sided
Graphic attachment	Zipped tension fabric graphic
Wind resistance	Up to 18 mph / 29 km/h
Weight	12.7 kg

Formulate Shadow

| ത്ര 800(w) x 1174(h) x 420(d) mm





FORM-ODS



SHADOW



### Monsoon

Monsoon is a perfect all-weather sturdy single or double-sided 'A' frame banner with bungeed PVC eyelet banner graphics - perfect for displaying brand messaging or wayfinding information.

Material	Aluminium tubes (25 mm), plastic connectors
Graphic area	Single or double-sided
Graphic attachment	Eyelets and looped bungee cords
Wind resistance	Up to 24 mph / 39 km/h

Monsoon 2500 mm	UB707-C	ര്വ_ 2500(w) x 1000(h) x 640(d) mm
Monsoon 3000 mm	UB711-C	ල_ 3000(w) × 1250(h) × 795(d) mm









Eyeletted graphic attaches to frames with bungee cord



Metal hinge



Interlocking sections



### Stowaway

Make brand messaging or wayfinding information literally pop with the Stowaway pop-out display banner that deploys in seconds for use either indoors or secured outside with pegs supplied.

Material	Sprung steel pole
Graphic area	Double-sided
Graphic attachment	Elasticated pole pocket
Ground fixing	4 pegs (included)
Transport	Carry bag included
Wind Speed	18 mph (when pegged)

Stowaway 1400 mm	UB736-03A	പ്ര 1420(w) x 700(h) x 400/480(d) mm
Stowaway 2000 mm	UB736-01A	O 2020(w) × 1000(h) × 400/480(d) mm





Internal hook and loop straps



Portable carry bag

### Formulate Round Table



# Wall mounted signs

### Trappa Frame

The Trappa 'snap-action' Frame delivers a professional look and is quick to fix to a wall and easy to update. Posters can be changed, simply by opening the frame edges.

25mm aluminium profile, clear PVC protection sheet
Anodised silver finish
Wall*
Snap rail
Suitable for substrates up to 420 microns
Portrait or Landscape

Тгарра А4	AT401-C	O 241(w) x 328(h) x 13(d) mm
Тгарра АЗ	AT402-C	ര്വ_ 328(w) x 451(h) x 13(d) mm
Trappa A1	AT404-C	<u>്ര</u> 625(w) x 872(h) x 13(d) mm





Trappa snap frame

\* : Wall mounting screws not included


# Suspended signs

### Twista Lite

Twista Lite delivers a smart, modern poster display system that is quick and simple to deploy via the 'snap-action' rail. Versatile, as well as functional, it can be displayed single-sided on walls or double-sided when suspended from ceilings.

Material	Aluminium (rail), plastic (end caps, hooks)	
Colour	Grey	
Mounting	Wall / Ceiling	
Graphic area	Single or double-sided	
Graphic attachment	Snap rail	

500 mm Kit	TWLHR-500	ര്വ_ 500(w) x 31(h) x 12(d) mm
600 mm Kit	TWLHR-600	ര്വ_ 600(w) x 31(h) x 12(d) mm
800 mm Kit	TWLHR-800	പ്ര 800(w) x 31(h) x 12(d) mm
850 mm Kit	TWLHR-850	ത്ര 850(w) x 31(h) x 12(d) mm
1000 mm Kit	TWLHR-1000	ര്വ_ 1000(w) x 31(h) x 12(d) mm
1500 mm Kit	TWLHR-1500	ര്ര_ 1500(w) x 31(h) x 12(d) mm
Twista closed grey hook	TWLHR-CG	
Twista left grey moulding	TWLHR-LG	
Twista right grey moulding	TWLHR-RG	
3100 mm (rail only)	TWLHR-3100	ത്ര 3100(w) x 31(h) x 12(d) mm









The snap rail clamps Top rail with hanging media securely

nging Snap rail



# **Flag Banners**


Draw attention to branding, products, services, or business premises with custom printed flags. Instantly noticeable due to their height, shape, and movement, our all-fibre flag poles are durable and flexible, easy to assemble and quick to deploy, making them an extremely effective means of advertising.

Choose from a range of free-standing, post / wall mounted, mobile and specialist hardware that can be used in a variety of applications such as car forecourts, festivals, and beach flags.

Alternatively, deploy taller or multiple flags to increase visibility and attention to branding. Our all-fibre flag poles are reusable with interchangeable graphics for greater return on investment. To protect this investment, it is recommended that flags be kept securely in place by selecting an appropriate base suitable for the desired application and location from the specifically designed range.

# **Flag Banners**

Available as single or double-sided options and printed using hardy, UV resistant media, flag graphics can be utilised indoors or outside with standard or custom flag shapes.



# **Free-standing flags**

### Zoom+ Quill / Feather / Crest Flag

Zoom+ flags are a popular and versatile, lightweight flexible flag system, with black finish all fibre poles. Choose Feather, Quill or Crest shaped graphics. Ideal for advertising and used for all types of indoor and outdoor displays. Optional custom printed flag graphics are available in a range of sizes from small to extra-large and with a choice of single or doublesided options (small, medium, and large). The eye-catching shape creates movement in the wind and is a great for attracting attention.

Material	GRP fibre glass pole
Graphic area	Single-sided or double-sided (double-sided only available up to large)
Graphic attachment	Pole pocket
Wind resistance	Up to 63 mph / 101 km/h*

Zoom + Small	UF-ZM-SM	ര്വ_ 550/800(w) x 2100/2600(h) mm
Zoom + Medium	UF-ZM-ME	ി_ 600/900(w) x 2800/3200(h) mm
Zoom + Large	UF-ZM-LA	ര്വ_ 800/1100(w) x 3500/4000(h) mm
Zoom + Extra large	UF-ZM-EXLA	ര്വ_ 850/1200(w) x 4600/4900(h) mm


\* Under controlled test conditions







Graphic attaches on to hook



### Zoom+ Edge Flag

Zoom+ is a popular and versatile, lightweight rectangular shaped flag system with black finish all-fibre poles. Ideal for all types of indoor and outdoor displays. Quick and easy to deploy and can withstand winds of approximately 13 -18m/h (21-29km/h). Optional custom printed flag graphic available in single and double-sided options (small, medium, and large), and all flag graphics have a printed pole pocket. The flag moves naturally in breezy/windy conditions and is ideal for attracting attention on car forecourts, at exhibitions and events, or outside a building or premises.

Material	Aluminium and GRP
Graphic area	Single-sided or double-sided (double-sided only available up to large)
Graphic attachment	Pole pocket
Wind resistance	Up to 18 mph / 29 km/h


Zoom + Edge Small	UF-ZME-SM	ര്വ_ 750(w) x 2080(h) mm
Zoom + Edge Medium	UF-ZME-ME	ര്വ_ 750(w) x 2900(h) mm
Zoom + Edge Large	UF-ZME-LA	ര്വ_ 750(w) x 4000(h) mm
Zoom + Edge Extra large	UF-ZME-EXLA	ര്]_ 750(w) x 5000(h) mm





Graphic attaches on to hook







# outdoo

# **Free-standing flag bases**

					V	Veigh	ted	bas	es																									
Base	Product	Code	e O_				Uti	lisation		Zoom	+ Quill		:	Zoom +	Feathe	r		Zoom	+ Edge															
	Large water base	UF-ZMLWB		50 x 26 cm 3.3 - 33 k		i0 x 50 x 26 cm		50 x 50 x 26 cm 3		0 x 50 x 26 cm 3		) x 50 x 26 cm 3		x 50 x 26 cm :		;0 x 50 x 26 cm		50 x 50 x 26 cm				Ext.	S	м	с С	XL	S	м	с С	XL	S	м	L	XL
1	Stackable water base	UF-ZMSWB	64.2 x 64	4.2 x 27.7 cm 3.6 - 3		! x 64.2 x 27.7 cm		64.2 x 64.2 x 27.7 cm		54.2 x 64.2 x 27.7 cm		4.2 x 64.2 x 27.7 cm		2 x 64.2 x 27.7 cm		4.2 x 64.2 x 27.7 cm		64.2 x 64.2 x 27.7 cm		0 kg 261	•	•	0	•	0	0	•	0	0	0	0	0	0	0
	Parasol base	UF-ZMGMB	44 x 4	14 x 44 x 25 cm 1		44 x 44 x 25 cm		3 kg	•	•	⊘	•			0	•			•	0														
Metal and cement bases																																		
Base	Utilisation Zoom + Quill Zoom + Feather Zoom + Edge																																	
	Troduce					(KG)		Ext.	S	S M L XL		XL	S M		L	XL	S	ML		XL														
$\times$	Zoom+ Small cross ba	se UF-ZMS	UF-ZMSCB-01 140 x 475 x 41		10 mm	1.05kg	•		*				*				*																	
$\times$	Zoom + Large cross ba	se UF-ZML	UF-ZMLCB-01 240 x 400		00 mm	1.5 kg	•	•		*	<b>•</b> * **	*		*	*	*	*	*	<b>•</b> * **	*														
	Zoom + Concrete bas	uF-ZMCE	ZMCEM Ø 450 x 350		) mm	22.5 kg	⊘	0	•	0	0		0	0	•		0	•	0															
4	Zoom + Small squar base 7,5 kg	e UF-ZMLS	Q-01	01 180 x 400 x 4		7.5 kg	⊘	0	*	*			*	*			*	*																
	Zoom + Large squar base 12.5kg		UF-ZMLSQ-03 180		50 mm	12.5kg	⊘	0	0	0	0	0	0	0	0	0	0	0	0	0														
	Zoom + Drive on car foot	Drive on UF-ZMCFS-01		605 x 195 x 125 mm		1.7 kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0														
						S	pike	S																										
Base	Product	Code	e	0_		(KG)		isation Ext.	S	Zoom M	+ Quill L	XL	S	Zoom + M	Feathe	r XL	S	Zoom ·	+ Edge L	XL														
	Zoom + Ground spike	UF-ZMG	5S-01	600 mr	n	1.16kg		0	0	0	0	0	0	0	0	0	0	0	0	0														
	Zoom + Budget ground spike	UF-ZMB	GS-01	600 mr	n	1kg		0	0	0			0	0			0	0																

\*Use with Weighting ring UB719-C **\*\*** Use with Heavy duty pegs FX620

#### Zoom+ Arch

The Zoom+ Arch stands out at any outdoor event or activity. With an overall height of 3m to the top of the graphic and a 4m width, it's perfect to use as a focal point or to attract attention. Simple and quick to assemble, it can be deployed in minutes and when used with the optional stackable bases, provides an extremely stable display that can be used in wind speeds of up to 20mph.

Material	GRP fibre glass pole - chrome steel end caps, plastic hook
Graphic area	Single-sided
Graphic attachment	Pole pocket
Wind resistance	Up to 19 km/h

Zoom+ Arch	ZOOM+ARCH	ര്_ 4000(w) x 2500/3000(h) mm
Stackable base (optional) recommended that 2 bases either side are used	UF-ZMSWB	ര്_ 642(w) x 277(h) x 642(d) mm

Supplied with 1 x 6-part bungee pole, 2 x base rods





Graphic attaches on to plastic hook





Handle for easy transportation



**Flag Banners** 

#### Wind Dancer

An imposing telescopic flag which stands 5m high when fully assembled and is certain to make an impact at any outdoor event, Wind Dancer comes complete with a base which can be filled with either water or sand. The 3.5m flag height makes an impressive statement when the flagpole is deployed at its full 5m height, and is particularly impactful when used in large crowded areas because of its dominating presence.

Material	Aluminium pole, plastic base
Pole	Telescopic
Graphic area	Single-sided
Graphic attachment	Eyelets
Base capacity	66 litres
Wind resistance	Up to 18 mph / 29 km/h

Wind Dancer	WD105	്ര_ 1000(w) x 2900/5300(h) x 1000(d) mm
-------------	-------	---



From 2900 to 5300 mm

# Post / wall mounted flags

#### Mistral

The Mistral is a fixed outdoor flag system designed for mounting to lampposts or building exteriors and is perfect for advertising or promoting a brand or event. The mechanism attaches directly to a pole, posts, or wall and can be moved to accommodate varying graphic heights. An eye-catching solution that can also be used for information and wayfinding, this flag is especially effective when repeated over a series of posts.

uminium castings and GRP tubes
eight adjustable
ngle-sided or double-sided
ble pocket
p to 40 km/h

Mistral	UB725-01	ര്വ_ 890(w) x 2000(h) mm
---------	----------	--------------------------








Clamp (Ø 300mm max)

Post fixing

# **Mobile flags**

#### **Street Flag**



Reinforced shoulder straps, adjustable strap and side mesh pocket

Storage for poles and rods



# Tents

Take advantage of outdoor events with a temporary structure and create additional marketing opportunities. Offer customers protection and shelter from the weather by choosing custom-printed tents that also provide an attractive brand marketing solution.

Conventional pop-up tents and gazebos are fantastic provisional outdoor or indoor structures which provide a unique way to advertise in a vibrant impactful manner with fully printed canopies and walls.

Constructed from robust steel or aluminium in a variety of sizes that are easy to transport, assemble, deploy and pack away, pop-up tents are ideal for short term events, fairs and exhibitions.

# Tents

For a more unique and unconventional structure, choose the Bora Inflatable Tent. Simple to inflate for rapid deployment with an appealing eye-catching shape, the Bora, like pop-up tents, also offers optional printed canopies and walls. Customisable areas make highly effective brand messaging, ensuring maximum impact at events. As with all custom-printed graphics, they can easily be replaced so that hardware is used multiple times, improving return on investment.



# **Pop-up tents**

#### Zoom Tent Eco

The Zoom Tent Eco is the most cost-effective gazebo in our range. Quick and easy to deploy, the 3x3m tent can easily accommodate a 2.4m wide table making it a great solution for street markets, golf days or sporting events. Made from steel with a white powder coated finish, the frame easily shelters up to five people and folds completely into a portable wheeled carry bag. Custom fully printed canopy and walling is an optional extra.

Material	Steel frame, plastic joins
Graphic area	Double-sided (wall) / single-sided (canopy)
Graphic attachment	Hook and loop
Ground fixing	Pegs and ropes (included)
Wind resistance	Up to 18 mph / 29 km/h
Transport	Wheeled standard

Zoom Tent Eco 3x3	FD33-SQF	ര്രൂ 3310(w) x 3315/3510(h) x 3310(d) mm
Сапору	FD33-CTW	Colour : White
Wall	FD33-FWW	Colour : White















#### Zoom Tent

Ensure your event's a success come rain or shine by using an easy to deploy vibrant lightweight aluminium pop-up tent frame system. The Zoom Tent folds out and returns in minutes with tool-free deployment. Dress with a custom full printed canopy, full and half walls. Available in a range of sizes.

Material	Aluminium frame, plastic joins
Graphic area	Double-sided (wall, half wall) / single-sided (canopy)
Graphic colours	White - Black (standard) / Full Graphic (optional)
Graphic attachment	Hook and loop / Pocket (half wall)
Ground fixing	Pegs and ropes (included)
Wind resistance	Up to 18 mph / 29 km/h
Transport	Wheeled Standard

3x3 frame	ZT33-XAF-01	ര്_ 2920(w) x 3160(h) x 2920(d) mm
3x4.5 frame	ZT345-XAF-01	ത്ര_ 4300(w) x 3160(h) x 2920(d) mm
3x6 frame	ZT36-XAF-01	ര്വ_ 5800(w) x 3160(h) x 2920(d) mm

Canopy	ZT <b>XX</b> -CTW	Colours : White
Canopy	ΖΤ <b>ΧΧ</b> -СТК	Colours : Black
Wall	ZT <b>XX</b> -FWW	Colours : White
Wall	ZT <b>XX</b> -FWK	Colours : Black
Half wall	ZT <b>XX</b> -HWW	Colours : White
Half wall	ZT <b>XX</b> -HWK	Colours : Black

#### Ancillaries :

7.5 kg Weight	ZT-BASE
Half wall bar 2-3 m	ZT33-MTB









and the second

Pop-up frame

Tent weight (optional)

Automatic locking

Crank to tighten the canopy



# 

# urban Fest

# **Inflatable tents**

#### **Bora Tent**

The Bora Inflatable Tent is a sturdy and attractive option for outdoor displays. Create shade and shelter for a registration desk, refreshment area or meeting point that fully shows off a brand. As one of the largest products in the range, there is plenty of print area on the canopy and backwalls (optional extra) for brand messaging. The backwalls zip in, so can be changed for a different message from the canopy if you wish. The Bora Tent uses trapped air technology: silent and free-standing once inflated.

Material	TPU, Polyester inner coat
Graphic area	Single-sided
Graphic attachment	Zip system (standard) / hook and loop (full graphic)
Ground fixing	Pegs (optional)
Wind resistance	Up to 24 mph / 39 km/h (if pegged)
Transport	Standard (included)

Bora Tent	INFT3-2Z	ര്_ 3200(w) x 2450(h) x 3200(d) mm









400W electric pump (optional) INFTA-PE4EU

Inflation valve

Carry bag included



# Counters

Temporary counters add a professional touch to any exhibition, event or retail environment. They provide a useful area for display or presentation space, and the ability to add a graphic creates additional marketing opportunities as well as offering a convenient storage facility.

Our counters are available in a range of price points and shapes, depending on requirements. Add impact to a welcome desk or a reception area in a public space with an illuminated counter or choose an outdoor option to promote a product or service at an open-air event.

# Counters

Counters are the perfect partner for a promotional display or event to complement a backdrop or add focus to an area and are the ideal companions for any marketing campaign.



# **Promotional counters**

#### **Pop-up Counta**

The Pop-up Counta is convenient lightweight pop-up counter that offers a substantial area to welcome guests yet packs down for easy transportation in a reinforced D-shaped wheeled trolley case.

The counter comes with shelves for storage and a beech-coloured counter-top. Often used for exhibitions, in supermarkets as a demonstration unit and for events.

Material	Aluminium, plastic and MDF tabletop
Assembly	Self-locking magnetic
Collapsible	Yes
Counter top	Foldable - Beech colour
Shelves	4
Graphic attachment	Magnetic hangers, bars and tape (included). Suitable for 440 microns min. substrate (optional extra)
Transport	1 Wheeled trolley case

ര്\_ 1260(w) x 965(h) x 430(d) mm Pop-up 2x2 PUC22C-C





**Hop-up Counta** 





Magnetic fixing

Wheeled carry bag

Hop-up Counta is a durable lightweight hop-up counter, quick and easy to assemble with a single wrap around fabric graphic which stays on when collapsed and packed away. The unit is fitted with a beech effect counter top and provides a perfect welcome for guests.

Material	Aluminium, plastic, MDF tabletop and polycarbonate shelf
Assembly	Plastic locking arms
Collapsible	Yes
Counter top	Beech
Shelves	1
Graphic attachment	Hook and loop
Transport	One wheeled carry bag

HU301-001-C \_\_\_ 1060(w) x 1020(h) x 360(d) mm







Hop-up





Carry bag included

Shelf included



Counter components

Plastic locking arm

#### **Modulate<sup>™</sup> Counter**

5 - TEX



#### **Basic Curved Counter**

With a Double-D shape counter-top, the Basic Curved Counter delivers a functional and stylish look which is perfect to use for a reception desk or meeting point. The Counter is made from a rollable Corex tambour wrap to create the curved shape which push-fits into the thermoformed counter-top and base. A graphic can also be applied to the curved base to promote a message or brand. There is an opening for storage at the rear of the unit.

Material	MDF tabletop/base	, Corex wrap	
Assembly	Push-fit - Tool-free		
Collapsible	Yes		
Counter top	Beech / black		
Transport	2 carry bags - inclue	ded	
Basics Curved Counter	peech/beech	PK922-BEBE	ര്_ 910(w) x 925(h) x 480(d) mm

Basics Curved Counter beech/beech	PK922-BEBE	ര്പ്പ 910(w) x 925(h) x 480(d) mm
Basics Curved Counter black/beech	PK922-BLKBE	ര്വ_ 910(w) x 925(h) x 480(d) mm
Basics Curved Counter black/white	PK922-BLKW	910(w) x 925(h) x 480(d) mm



Interchangeable tabletops

and bases



Grey counter wrap



Carry bag included





#### Counta

#### 

Counta is a lightweight portable indoor PVC demonstrator unit which includes a header panel, poles and shelf supporting poles. Printed graphics can be applied as vinyl directly onto the base wrap. Available in white. Perfect for use in retail environments, one-off events and promotions.

Material PVC

Material	PVC
Assembly	Push-fit - Tool-free
Collapsible	Yes
Counter top	No
Shelves	1
Graphic attachment	Self-adhesive
Transport	Carry bag

Counta         PC607         ①_ Counter and front graphic - 805(w           ①_ Front graphic - 680(w) × 280(h) × 2	
--	--





Shelf for storage





# illuminated Promotional Counters

#### Illumigo™ Counter

This versatile and quick to set-up double-sided counter lightbox is a great all-rounder not only at events but in retail environments from shopping centres to pop-up shops. Part of the Illumigo<sup>™</sup> range, the Illumigo<sup>™</sup> Counter is easy to assemble with a two-part counter top that secures using a pair of twist out top locators and locking screws. Building the unit is intuitive and tool-free as all the parts are numbered and simply slot together. Two optional graphics complete the look to create an impactful counter ideal for attracting attention in retail, event or exhibition environments.

Material	Aluminium 100 mm, MDF table top
Assembly	Tool-free
Collapsible	Yes
Counter top	White
Graphic attachment	Silicone Edged Graphics (3 mm silicone)
Transport	Protective box with carry handle
LED System	LED strips included

Illumigo™	ILLGO-COUNTER-EU	1040(w x 1045(h) ) x 420(d) mm
Illumigo™ Bag	ILLGO-BAG	ര്വ_ 460(w) x 1160(h) x 190(d) mm







Protective compartmented box



in the frame Steel side feet for stability







# **Barriers**

#### Barrier systems improve queue management and help with crowd control.

For pedestrian control, café barriers can be used to make an attractive, professional and functional barrier, creating a temporary space that can be easily reconfigured to suit your needs.

Café barriers are easy to store, assemble, deploy and move to suit your requirements. They are available in economy and premium solutions, depending on your application and budget.

# **Barriers**

Queue management systems can be used to control queues, providing structured and manageable lanes to help marshal customers and are also suitable for indoor or outdoor use.


# **Pedestrian control barriers**

A cost-effective way of defining areas outside restaurants, bars, shopping centre and coffee shops, a complete Café Barrier system requires two posts and bases. To secure the graphic, there are two options; dependent on budget and where the system is being deployed.

If the Café Barrier is exposed to strong winds, we recommend a two-rail option ensuring the graphic is secured top and bottom to each post and base. If winds are not an issue but the budget is tight, then we suggest a single rail with two spring clips securing the bottom of the graphic.

Rails are available in 1m, 1.5m and 2m sizes, so it is quick and easy to calculate the number of café barriers required to define your space. To connect multiple barriers, add a choice of rails/spring clips plus one additional pole and base. For vibrant hardwearing graphics we can print on PVC.

#### Economy Café







# Ancillaries

The range of ancillary products include literature holders, lighting solutions for various hardware ranges and transportation cases. These ancillaries offer flexibility and perfectly complement our product solutions.

# Ancillaries

Enhance an exhibition stand by selecting various supporting products from our range of ancillaries that are often used to help promote your brand in a more impactful way, professionally display your latest literature, or add points of interest, making your stand more visible by using spot lights.



# Literature holders (standard)

### Zed-up Lite

5

Zed-up Lite are a popular range of aluminium literature stands that are stylish and highly portable. Quick and easy to deploy, Zed-up Lite is ideal for exhibitions and displays, folding down for easy transportation in a heavy duty hard case.

Material	Acrylic and anodised aluminium
Colour	Silver
Documents sizes	A4
Pockets	6
Double-sided	Yes
Transport	Hard case (included)

A4 (6 pockets) AS315-002 O, 256(w) × 1460(h) × 370(d) mm	A4 (6 pockets)	AS315-002	ര്വ് 256(w) x 1460(h) x 370(d) mm
--	----------------	-----------	-----------------------------------





Rigid carry case included

# Lighting (standard)

#### Powerspot 950/1000 LED

2 Õ

1



Material	Aluminium and plastic	
Positioning	270° - Straight arm	
Watt output	12 watt (1400 Lumens/5500 Kelvins)	
Watt consumption	12 Watt (1400 Lumens/5500 Kelvins)	
Linked lights	2 max	
Double kit includes	2 spotlights + 2.5m linking lead + 1 transformer	
Power lead UK & Euro	Yes (cross head screwdriver needed)	

 Double kit
 PS950-1000-LED-BDLK
 On 103(w) x 425(h) x 29(d) mm



Transformer included

# Lighting (premium)

#### LED Floodlight

The LED Floodlight is the new stylish and economical way to illuminate a range of exhibition stands including Pop-ups, Formulate and a range of modular systems. Despite the compact design, this small LED light is still capable of producing 1200 Lumens but still only consuming a small amount of energy, making it far more efficient than the halogen equivalents. Link up to 5 lights together from one transformer, with handy linking cables.


Material	Aluminium and plastic	
Watt output	80 watt	
Watt consumption	12 watt (1200 Lumens/5631 Kelvin)	
Linked lights	Link up to five to one transformer	
Double kit includes	2 spotlights + 2.5m linking lead + 1 transformer	
Power lead UK & Euro	Yes (cross head screwdriver needed)	

Swivel head

Double kit

LED-FLOOD-ARM-BDLK (5) 295(w) x 483(h) x 60(d) mm





Ancillaries





Transportation box

Transformer included

#### LED Strip Light

The LED Strip light is designed to work with a wide range of exhibition stands including, Pop-ups, Formulate and a range of modular stands. It has a unique wide head design feature, allowing for a wider spread of light, helping you illuminate more of your message. Link up to 5 lights together from one transformer, with handy linking cables.

Material	Aluminium and plastic
Watt output	80 watt
Watt consumption	12 watt (1200 Lumens/5631 Kelvin)
Linked lights	Link up to five to one transformer
Double kit includes	2 spotlights + 2.5m linking lead + 1 transformer
Power lead UK & Euro	Yes (cross head screwdriver needed)







Transportation box

Transformer included

#### LED Exhibition Light



 $(\tilde{1})$ 

Swivel head

1.

Specifically designed to work in conjunction with the Vector channel; this latest design requires no extra fitting, just plug in and switch on. Not only does the slick design make the LED Exhibition Light stand out from the crowd, the clever design cast out of aluminium allows any heat to dissipate over the entire body of the light, stopping any localised heat, which allows for long use with no overheating. Link up to 5 lights together from one transformer, with handy linking cables.

transformer, witl	handy linking cables.		I	deal for modular
Material	Aluminium and plastic		$\sim$	stands
Watt output	80 watt		L	
Watt consumption	12 watt (1200 Lumens/	12 watt (1200 Lumens/5631 Kelvin)		
Linked lights	Link up to five to one to	Link up to five to one transformer		
Double kit includes	2 spotlights + 2.5m link	2 spotlights + 2.5m linking lead + 1 transformer		
Power lead UK & Euro Yes (cross head screwdriver needed)				
Double kit	LED-EXHIB-ARM-BDLK	50(w) × 455(h) × 55(d) mm		



# Lighting ancillaries

#### **Recommended fixings for lighting**



### Convert your UK plug into EU version





Lift the lid



Pull the plug to extract it

# Portable transportation cases

#### Zenith

Tabletop (beech)

Tough moulded polyethylene Zenith case offers a multitude of features. Versatile ultra-portable transport solution with maximum storage for pop-ups, backwalls, roller banners and extrusions, they also double up as counters with optional extra graphic wrap and table top. The standard case will house a 3x5 pop-up system and graphics. Secure Internal dividers protect graphics and the case can be locked using padlocks (not supplied).

Material	Medium-density polyethylene (MDPE) / Metal	
Wheels	2	
Handle	1	
Accessories Beech table top / graphic wrap		
Zenith	AC600	്ര_ (External dimensions) 600(w) x 956(h) x 400(d) mm

CO401-C



With wheels for easy transportation





Zenith case thermoformed tabletop in beech

Foam protected lid holds two LED lights

956 mm

Graphic wrap (optional)

#### Illumigo™ Bag

Wheeled bag for Illumigo<sup>™</sup> 2x1, Retail, ONE or the Illumigo<sup>™</sup> counter.

Material	Nylon and inner MDF
Colour	Black
Wheels	Yes
Handle	2

ILLGO-BAG O (Internal dimensions) 460(w) x 1160(h) x 190(d) mm



Illumigo™ bag



Wheeled bag

Inner compartment for graphic



Carry handle



Ideal wheeled bag for transporting, protecting and storing exhibition stands, especially those made from standard modules (Vector & Formulate).

Material	Nylon
Colour	Black
Wheels	Yes
Handle	2

Modular Bag	AB-MODULAR-01	്ര_ 340(w) x 1400(h) x 290(d) mm
-------------	---------------	----------------------------------



Carry handle



Wheels ø40mm





With graphic storage

 $\overline{\mathbf{1}}$ 

1160 mm

-



# **Applications**

Creative Display Solutions that suit a multitude of industry applications.

# Retail

In the age of digitalisation, the main challenge for retail is to consider the customer experience at the point of sale.

#### Window displays



#### **Commercial events**



# **Retail signage**

Sales



#### Pop-up store

Shop openings



#### Seasonal campaigns



#### **Click and collect**





#### Car showroom



#### Leisure Activities

The leisure industry represents an important part of the economy. From hospitality through to galleries, promoting the benefits of improved wellbeing and quality of life is essential with innovative displays that catch the eye.



#### Interior signage

#### Outdoor signage

Posters



#### **Music venues**



Fairs and markets





#### Hospitality signage

#### Cinema foyers





#### Suspended signage



#### Art galleries





### Cultural Events

Social events with a national or international scope involve a large audience and can have a huge impact. Organisation is often extremely complex and requires significant communication resources.

#### **Award ceremonies**



#### Amateur sporting events

#### Award ceremonies



#### Fundraising

#### Professional sporting events



**Festivals** 



Military open days





#### **Electoral campaigns**





**Fashion shoot** 



#### Corporate Events

Corporate events are essential for companies to maintain close relationships and partnerships with their customers, business partners or employees.



#### **Product launches**



**Outdoor corporate events** 

#### Brand launches



**Corporate meetings** 

AMA

#### Sales meetings



**Corporate dinners** 



Gala events





#### Open days



#### Showrooms





### University Events

Educational, artistic and cultural events offer encounters, projects and practical experiments. The aim is to ensure artistic and cultural educational coherence for all pupils.

**Open days** 



#### Campus life



#### **Graduation shows**

#### Graduation ceremonies



#### Career and job fairs



**Ceremony staging** 

**Freshers week** 





#### **Student services**





#### Gown hire



#### Conference

Preparing a conference is an excellent opportunity for brand exposure at high value-added events. Brand messaging should communicate exceptional, new, or informative and important information relating to your business.



#### Conferences







**Concourse advertising** 

# Press conferences



#### **Product launch**



Networking



# Trade show



Roadshows



Annual General Meetings (AGMs)





### Outdoor

Custom printed flags, signage, and tents invigorate any outdoor activity and attract attention to help brands or businesses stand out.

#### **Car dealerships**



#### Sporting meets and races



#### Museums

# Festivals



#### **Outdoor music events**



Clubs

Sales





#### Inflatable





#### Shelter

